



# cheese

November 4, 2014

## Abstract

This task creates "cheese" masks after running source detection on full-field images.

## 1 Instruments/Modes

Instrument	Mode
EPIC	Imaging

## 2 Use

pipeline processing	no
interactive analysis	yes

## 3 Description

*cheese* runs source detection on full-field images and creates cheese masks from the output. *cheese* produces the event, exposure, and mask images that are required in a user-selected energy band. Running *cheese* is not required if only the spectral files with all counts including point sources are required, or if excluding point sources is not of interest.

**Warning and requirements:** *cheese* is part of the *esas* package, integrated into SAS, but it is limited to work within *esas* data reduction scheme. This is specially true wrt the structure and names of the input file structure and names. In particular, *cheese* assumes that other tasks from the package, *mos-filter*, or *pn-filter*, have been successfully run for the exposures to be used.

## 4 Parameters

This section documents the parameters recognized by this task (if any).

Parameter	Mand	Type	Default	Constraints
-----------	------	------	---------	-------------



<b>prefixm</b>	yes	string		
----------------	-----	--------	--	--

Detector and exposure identifiers (eg. "1S001 2S002") for the MOS exposures (in the example MOS1 S001 and MOS2 S002) to be processed.

<b>prefixp</b>	yes	string		
----------------	-----	--------	--	--

Detector and exposure identifiers (eg. "S003") for the PN exposures (in the example PN S003) to be processed.

<b>verb</b>	yes	int	4	
-------------	-----	-----	---	--

SAS verbosity level.

<b>scale</b>	yes	real	0.5	
--------------	-----	------	-----	--

Energy fraction, which sets the exclusion radius of point sources.

<b>rate</b>	yes	real	1.0	
-------------	-----	------	-----	--

Flux threshold (in units of  $1.0E - 14cgs$ ) for the exclusion of point sources.

<b>dist</b>	yes	real		
-------------	-----	------	--	--

Minimum separation in arc seconds between masked sources.

<b>elow</b>	yes	int	400	
-------------	-----	-----	-----	--

The low energy for the band in eV

<b>ehigh</b>	yes	int	1250	
--------------	-----	-----	------	--

The high energy for the band in eV

<b>clobber</b>	no	boolean	yes	T/F
----------------	----	---------	-----	-----

Clobber existing files?

## 5 Input Files

The filtered event files, products from running `mos-filter` or `pn-filter`, following the particular nomenclature used in the `esas` package, eg.: `mos1S001-clean.fits` and `pnS003-clean.fits`.

## 6 Output Files

`atthk.fits` – SAS attitude file.

`boxlist.fits` – The output from the first pass of `eboxdetect`.

`boxlist-f.fits` – The output from the second pass of `eboxdetect`.

`emllist.fits` – The output from `emldetect`.

Where MOS data are processed:

- `mosprefix-bkg_region-det.fits` – The background region file made from the filtered source list. Note that this list excludes the sources and is in detector coordinates.
- `mosprefix-bkg_region-sky.fits` – The background region file made from the filtered source list. Note that this list excludes the sources and is in sky coordinates.



- `mosprefix-cheese.fits` – The cheese mask image for the *prefix* exposure.

Where PN data are processed:

- `pnprefix-bkg_region-det.fits` – The background region file made from the filtered source list `mode=2`. Note that this list excludes the sources and is in detector coordinates.
- `pnprefix-bkg_region-sky.fits` – The background region file made from the filtered source list `mode=2`. Note that this list excludes the sources and is in sky coordinates.
- `pnprefix-cheese.fits` – The cheese mask image for the *prefix* exposure.

## 7 Algorithm

## 8 Comments

## References