

Page: 1

mos-spectra

May 4, 2016

Abstract

This task processes the cleaned event file output from *mos-filter* to produce intermediate files for the creation of model particle background spectra and images by the task *mos_back*.

1 Instruments/Modes

	Instrument	Mode	
EPIC		Imaging	

2 Use

pipeline processing	no
interactive analysis	yes

3 Description

mos-spectra processes the cleaned event file output from mos-filter to produce intermediate files for the creation of model particle background spectra and images by the task mos-back.

Warning and requirements: mos-spectra is part of the esas package integrated into SAS, but it is limited to work within the esas data reduction scheme. This is specially true wrt the structure and names of the input files. In particular, mos-spectra assumes that other tasks from the package, mos-filter for filtering and cheese in mode=2 for point source exclusion (if desired) have been successfully run for the exposures to be used.

4 Parameters

This section documents the parameters recognized by this task (if any).

		· ·	()/	
Parameter	Mand	Type	Default	Constraints

XMM-Newton Science Analysis System

 prefix
 yes
 string
 18001

 Detection
 18001
 18001
 18001

Page:

Detector and exposure identifier (eg. "1S001") for MOS1 S001 exposure to be processed.

caldb yes string

Directory containing all the ESAS specific calibration files

region yes int reg.txt

the selection expression for the desired region for the generation of the model background spectrum. If no file with the input name exists, or if the file is empty, then the default is to model the data from the entire field of view. If a specific region is desired, the region expression must be in detector coordinates. For example, a file containing &&((DETX,DETY) IN circle(201,-219,3600)) would extract the central 3' of the cluster Abell 1795. Note that the leading "&&" are required as the selection expression is added to other constraints.

mask yes int 0

Flag to mask out point sources. O selects no masking while 1 will cause mos-spectra to use the output filtered source region file from cheese or cheese-bands.

elow yes int 400

Energy low limit (in eV) for the band. If elow and ehigh are set to 0, the image processing will be eliminated and only spectral files will be produced.

ehigh yes int 1250

Energy high limit (in eV) for the band. If *elow* and **ehigh** are set to 0, the image processing will be eliminated and only spectral files will be produced.

ccd1-7	yes	int	1	

Flag to include individual CCDs. 1 to include, 0 to not.

5 Input Files

Cleaned event file as processed by mos-filter.

6 Output Files

- mosprefix-*obj.pi The observation data spectrum from the selected region from the individual ccds. The ccd number, "*" in the file name, runs from 1 to 7 including only the selected ccds.
- mos prefix-*ff.pi The filter-wheel-closed data spectrum from the selected region from the individual ccds. The ccd number, "*" in the file name, runs from 1 to 7.
- mosprefix-im*-elow-ehigh.fits The image of the filter-wheel-closed data from the selected region from the individual ccds for the selected band. The ccd number, "*" in the file name, runs from 1 to 7 and the band limits, elow and ehigh indicate the energy band.
- mos prefix-*oc.pi The corner spectrum from the observation data from the individual ccds. The ccd number, "*" in the file name, runs from 2 to 7.

3

XMM-Newton Science Analysis System

- mosprefix-*fc.pi The corner spectrum from the filter-wheel-closed data from the individual ccds. The ccd number, "*" in the file name, runs from 2 to 7.
- mosprefix.arf The ARF file for the mosprefix-obj.pi spectrum.
- mosprefix.rmf The RMF file for the mosprefix-obj.pi spectrum.
- mos prefix-exp-im.fits The exposure image for the observation data in sky coordinates from the field-of-view for all selected ccds for the full energy band.
- mosprefix-exp-im-elow-ehigh.fits The exposure image for the observation data from the selected region for all selected ccds for the selected band. elow and ehigh indicate the band limits.
- mosprefix-exp-im-elow-ehigh-ccd1.fits The exposure image for the observation data from the selected region for ccd #1 for the selected band. elow and ehigh indicate the band limits.
- mosprefix-mask-im.fits The mask image for the observation data from the field-of-view for all selected ccds for the full energy band.
- mosprefix-mask-im-elow-ehigh.fits The mask image for the observation data from the selected region for all selected ccds for the selected band. elow and ehigh indicate the band limits.
- mosprefix-mask-im-elow-ehigh-ccd1.fits The mask image for the observation data from the selected region for ccd #1 for the selected band. elow and ehigh indicate the band limits.
- mos prefix-obj.pi The observation data spectrum from the selected region.
- mosprefix-obj-im.fits The image of the observation data in sky coordinates from the full field-of-view for all selected ccds for the full energy band.
- mos prefix-obj-im-elow-ehigh.fits The image of the observation data in sky coordinates from the selected region for all selected ccds for the selected band. elow and ehigh indicate the band limits.
- mos prefix-obj-im-elow-ehigh-ccd1.fits The image of the observation data from the selected region for ccd #1 for the selected band. elow and ehigh indicate the band limits.
- mosprefix-obj-im-sp-det.fits Image of the selected region in detector coordinates. This image is used in the task proton-scale.
- mosprefix-obj-im-det-elow-ehigh.fits The image of the observation data in detector coordinates from the selected region for all selected ccds for the selected band. elow and ehigh indicate the band limits.

7 Algorithm

8 Comments

References