

rot_det_sky

May 4, 2016

Abstract

This task uses information from the previously created count image in sky coordinates to rotate the detector coordinate model particle background images produced by mos_back and model soft proton images produced by proton into images in sky coordinates. rot_det_sky is called by the perl script $rot_im_det_sky$ which obtains the DETX,DETY and X,Y reference coordinates.

1 Instruments/Modes

	Instrument	Mode	
EPIC		Imaging	

2 Use

pipeline processing	no	
interactive analysis	yes	

3 Description

rot_det_sky uses information from the previously created count image in sky coordinates to rotate the detector coordinate model particle background images produced by mos_back and model soft proton images produced by proton into images in sky coordinates. rot_det_sky is called by the perl script rot-im-det-sky which obtains the DETX,DETY and X,Y reference coordinates.

Warning and requirements: rot_det_sky is part of the esas package integrated into SAS, but it is limited to work within the esas data reduction scheme. This is specially true wrt the structure and names of the input files. In particular, rot_det_sky assumes that other tasks from the package, $mos_spectra/pn_spectra$ and mos_back/pn_back have been successfully run for the recasting of the particle background, as well as proton for the recasting of the soft proton background.

2

Parameters

This section documents the parameters recognized by this task (if any). Parameter Mand Default Constraints Type mode int yes Selection on particle (1), soft proton (2), SWCX (3) backgrounds, (4) MASK, (5) MASKIT. 1S001 yes string Detector and exposure identifiers (eg. "1S001") for the MOS exposure S001) to be processed. elow 350 int yes The low energy for the band in eV ehigh 800 int The high energy for the band in eV 0 int The DETX reference pixel location dety int 0 The DETY reference pixel location skyx yes int 0 The X location of the reference pixel 0 yes int The Y location of the reference pixel location maskfile string yes The file name for an image to provide additional masking if desired. If left blank then there will be no additional masking. The mask images must be the same size and projection of the other images. clobber T/F no boolean yes

Input Files 5

Clobber existing files?

The detector map, product from running mos_spectra, following the particular nomenclature used in the esas package.

Output Files 6

• prefix-back-im-sky-elow-ehigh.fits - The model particle background count image in sky coordinates.





- $\bullet \ \textit{prefix-} \texttt{prot-im-sky-} \textit{elow-ehigh.} \texttt{fits} \text{The model soft proton background count image in sky coordinates.}$
- 7 Algorithm
- 8 Comments

References