

# A L<sup>A</sup>T<sub>E</sub>X package for preparing manuscripts for submissions to the OA journal ‘Enterprise Modelling and Information Systems Architectures – An International Journal’ (EMISA)

Stefan Strecker (stefan.strecker@fernuni-hagen.de)  
Martin Sievers (martin.sievers@schoenerpublizieren.de)

24th February 2016 – Version 2.0.1

## 1 Introduction

Enterprise Modelling and Information Systems Architectures – An International Journal (EMISA) is a publisher-independent, peer-reviewed open access journal (<https://emisa-journal.org>). EMISA is published by the German Informatics Society (GI) and is a publication of its Special Interest Group (SIG) on Modelling Business Information Systems (SIG MoBIS) and its SIG on Design Methods for Information Systems (SIG EMISA). SIG MoBIS has sponsored the development of the EMISA L<sup>A</sup>T<sub>E</sub>X package currently maintained by Stefan Strecker ([stefan.strecker@fernuni-hagen.de](mailto:stefan.strecker@fernuni-hagen.de)) and Martin Sievers ([martin.sievers@schoenerpublizieren.de](mailto:martin.sievers@schoenerpublizieren.de)). It is based on an earlier funded work by Martin Leidig.

The EMISA L<sup>A</sup>T<sub>E</sub>X package is provided for preparing manuscripts for submission to EMISA, and for preparing accepted submissions for publication as well as for typesetting the final document by the editorial office. Articles in EMISA are published online at <https://emisa-journal.org> (in the Portable Document Format or PDF format). The EMISA editorial office is run (alongside many other tasks and projects) by the two Editors-in-Chief assisted by doctoral students. Editorial work at EMISA is best described as a volunteer effort for the scientific community. You can assist us by preparing your manuscript following the instructions and style guidelines described in this document: Your work will be published quicker with less (typographical) glitches and will have a professional appearance.

## 2 Installation

The EMISA L<sup>A</sup>T<sub>E</sub>X package consists of the document class `emisa.cls`, the biblatex bibliography style `emisa.bbx` and the biblatex citation style `emisa.cbx`.

The package also includes a quick-start template for authors (`emisa-author-template.tex`) and the present author instructions and style guidelines (`emisa.pdf`).

**Automatic installation** The preferred installation method of the canonical *release* version is through your  $\text{\TeX}$  distribution’s package installer (e. g.  $\text{\TeX}$  Live’s `tlmgr` or the MiK $\text{\TeX}$  Package Manager). For the later you may need to first update (or synchronise) the package database. This type of installation is recommended in order to always get the latest *release* version automatically. The canonical release version of the package is also available from CTAN at <http://www.ctan.org/pkg/emisa>, while the *current development* (i. e. most recent) version of the package with bug fixes and new features (relative to the release version) is available from GitHub (<https://github.com/sstrecker/emisa-latex-package>).

**Manual installation** If you prefer a manual installation (or want to install the latest development version), download the corresponding Zip archive from Github (the latest development version is always available as Zip archive at <https://github.com/sstrecker/emisa-latex-package/archive/master.zip>), uncompress it in the same directory (folder) in which the source files for the manuscript will be maintained, and then run `pdflatex emisa.dtx` twice, and start from `emisa-author-template.tex`.

### 3 Instructions and guidelines

This document provides instructions and style guidelines for authors. Follow the instructions and guidelines in the present document to set up your files, to type in your text, to format figures, tables, source code listings and algorithms, and to obtain a consistent visual appearance in accordance with the journal’s style specifications. Before submitting your manuscript online to the journal’s online submission system at <https://emisa-journal.org>, use these instructions and guidelines as a checklist. Note that these instructions are *not* intended as a general introduction to  $\text{\LaTeX}2\epsilon$  and corresponding tools (see, for example, <http://mirror.ctan.org/info/lshort/english/> for ‘The Not So Short Introduction to  $\text{\LaTeX}2\epsilon$ —Or  $\text{\LaTeX}2\epsilon$  in 157 minutes’).

### 4 Preliminary remarks

The EMISA document class is derived from the standard  $\text{\LaTeX}$  article class, and produces a customised two-column layout with bibliographic information about the manuscript in a multi-line page headline (including the name of the journal, volume and issue number, date of publication, short title as well as author names) on A4-sized paper. The EMISA class builds on a number of standard  $\text{\LaTeX}$  packages. It is highly recommended to install the *full* set of  $\text{\LaTeX}$  packages that come with your  $\text{\LaTeX}$  distribution to make the required packages available to the EMISA package. Alternatively, missing packages may be installed via your  $\text{\TeX}$  distribution’s package manager or on-the-fly (if supported by your distribution).

**UTF-8** The production process at the EMISA editorial office is based entirely on  $\text{\LaTeX}$ , and runs `pdf $\text{\LaTeX}$`  and `biber` to produce the final proof and publication-ready PDF of an article. The `biblatex` package is used to typeset citations and references in conjunction with the `biber` tool. Make sure to use `biber` rather than `bibtex` to process your bibliography data base file(s). Most  $\text{\TeX}$  editors have an option to easily switch to `biber`. The production tool chain at the editorial office requires that all text files of an article are provided in *UTF-8 file encoding*, and that all submitted files are provided with *lower case filenames only*. Do *not* use upper case characters in filenames at all and avoid non-ASCII characters in filenames.

**Author template** The file `emisa-author-template.tex` provides a good starting point for manuscript preparation (if the

EMISA package is available through your T<sub>E</sub>X distribution, the file is stored at `/doc/latex/emisa/` inside your T<sub>E</sub>X installation folder/directory. Just copy it to your working directory). It is also recommended to review the example of an article typeset with `emisa.cls` provided in Sec. 18.

## 5 Class Options

- `british`, `UKenglish` British English is the language of choice for publishing in EMISA. The class option `british` is loaded by default to obtain the correct hyphenation for British English (as provided by the `babel` package). The option *may be* explicitly used with the EMISA class to exemplify the use of British English. Example: `\documentclass[british]{emisa}`. This is the standard option. Note that the `csquotes` package is loaded with settings to produce proper quotation marks in British English (see below).
- `american`, `USenglish` If you want to use American English instead, you can use the option `american` or `USenglish`. The hyphenation patterns and quotation marks will be set accordingly.
- `referee`, `review` By default, a final version of the manuscript is typeset for online publication including the names and affiliations of authors. For reviewing purposes, the names and affiliations of the authors are omitted using the document option `referee` or `review` to allow for the anonymous (i. e. double blind) peer-review process of EMISA. Example: `\documentclass[referee]{emisa}`. Make sure to use the document option `referee` or `review` before typesetting the final PDF intended for submission to the journal.

## 6 Author information

- `\author` Each author is added using the macro `\author{\langle author name \rangle}` followed by the corresponding address
- `\address` `\address{\langle author's address (line 1) \rangle \dots \langle line 2 \rangle \dots }`. If you have multiple authors with the same address, please use `\address{\langle author's address \rangle}` only for the first one and `\address[\langle letter of address \rangle]` for all others. See `emisa-author-template.tex` for details.
- `\author*` There always has to be declared exactly one author as the corresponding author. This is indicated by using the starred version of the `\author` command: `\author*{\langle author's name \rangle}{\langle email address \rangle}`.

## 7 Title, subtitle, abstract, and keywords

- `\title` The mandatory title and optional subtitle of a manuscript are typeset using `\title{\langle title \rangle}` and
- `\subtitle` `\subtitle{\langle subtitle \rangle}`. Note that the subtitle is indented. The abstract of the manuscript is typeset
- `\abstract` using `\abstract{\langle abstract \rangle}`. Each manuscript should provide an abstract of about 200–400 words.
- `\keywords` Keywords describing the manuscript are typeset using `\keywords{\langle keywords \rangle}` and are concatenated using the `\and` command. At least three keywords should be provided.

## 8 Additional information on the first (title) page

- `\acknowledgements` Acknowledgements, for example, of collaborators, funding agencies etc. may be added using `\acknowledgements{\langle acknowledgements \rangle}`. The acknowledgements are typeset in a footnote on the first page below the corresponding author's email address.
- `\authornote` Additional information for reviewers and readers may be added in a footnote on the titlepage using `\authornote{\langle author note \rangle}`. This is typically used for stating earlier publications (e. g. in conference proceedings) on which the present manuscript is based.

## 9 Style guidelines for regular text

- ▷ Manuscripts should *not* make use of outdated L<sup>A</sup>T<sub>E</sub>X commands such as `\em`, but rather use the L<sup>A</sup>T<sub>E</sub>X2<sub>ε</sub> commands (e. g. `\emph`, `\texttt`).
  - ▷ Do *not* make use of bold face (`\textbf`). Use `\emph` instead to typeset an important word in italics!
  - ▷ Always use the tilde `~` to connect before `\ref{\langle label \rangle}`, e. g., `Sec. ~\ref{\langle label \rangle}` rather than the problematic: `Sec. \ref{\langle label \rangle}`.
  - ▷ Always use the en-dash (`--`) for ranges – without spaces – e. g., `17--34`. The hyphen (`-`) should only be used for compound words or hyphenation.
  - ▷ Do *not* write abbreviations such as e. g. but use the macros provided by the EMISA class (see below). Add punctuation when necessary, for example, write `, \ie`, to achieve the correct punctuation for ‘id est’ (i. e.) rather than `, i. e.`, which introduces two problems: A missing spacing after the first full stop and a wrong spacing after the second full stop.
  - ▷ Follow the journal's style specification with respect to predefined text styles:
    - Use `SMALLCAPS` for names of open-source projects, products and companies etc., e. g., `\textsc{eclipse}` to produce `ECLIPSE`. *Pay attention to lower case spelling.*
- `\meta` ○ Use non-proportional font for language concepts, meta types, meta classes etc., i. e., `\texttt{AbstractGoalType}` to produce `AbstractGoalType`, or use the predefined macro `\meta{\langle metatype \rangle}`, e. g., `\meta{AbstractGoalType}`.
- `\type` ○ Use the sans-serif font face for type-level concepts etc., e. g., `\textsf{Goal}` to produce `Goal` when referring to a Goal type, or use the predefined macro `\type{\langle type \rangle}`, e. g., `\type{Goal}`.

## 10 Abbreviations and initialisms

- `\eg, \ie, \cf, \etal` To achieve consistent typesetting of common abbreviations, macros are predefined by the EMISA class. These macros should *consistently* being used instead of writing the plain version. For example use `\eg` rather than `e. g. , .`. The macros take care of spacing within and after the abbreviations.
- ▷ `\eg` for e. g.
  - ▷ `\ie` for i. e.
  - ▷ `\cf` for cf.
  - ▷ `\etal` for et al.

- `\emisaabbrv` If you miss any frequently used abbreviation for your article, you can easily add it using `\emisaabbrv{\langle abbreviation\_macro \rangle}{\langle text \rangle}` in the preamble of your article.
- `\OMG, \BPM, \BPMN, \UML` In addition to common abbreviations, further initialisms are provided by the class for convenience and for a consistent visual appearance. Note that the class uses `SMALLCAPS` for typesetting initialisms. The list of predefined initialisms comprises:
- ▷ `\OMG` for `OMG` (Object Management Group).
  - ▷ `\BPM` for `BPM` (Business Process Management).
  - ▷ `\BPMN` for `BPMN` (Business Process Model and Notation).
  - ▷ `\UML` for `UML` (Unified Modelling Language).
- `\emisainitialism` You can add your own initialisms by stating `\emisainitialism{\langle initialism\_macro \rangle}{\langle text \rangle}` in the preamble.

## 11 Quotation marks

- `\enquote` It is *highly recommended* to use the `\enquote{\langle quotation \rangle}` command to produce correct quotation marks. Note that the command can be nested and will produce correct primary and secondary quotation marks in British English (or American English – depending on the chosen class option), for example `\enquote{A quote \enquote{within a quote}}`. For other quotation macros and environment please consult the `csquotes` documentation [8].

Alternatively (but not recommended), the correct Unicode characters for the quotation marks in British (American) English can be used. See Wikipedia’s entry for ‘quotation mark’ for further information.

## 12 Citations and references

- `\parencite` The EMISA journal uses its own author-year citation style predefined for the `biblatex` package (`emisa.cbx`),  
`\textcite` and its own style for formatting entries in the list of references (`emisa.bbx`). Consult the `biblatex` package  
`\cite` documentation [4] for an introduction to the citation commands. It is important to use the citation commands properly to follow the journal’s style specifications.
- ▷ `\parencite` is used for citing in parentheses (usually at the end of a sentence). In most cases, page numbers should be provided. Example: `\ldots{} is known \parencite[5]{Knuth1986}` produces ‘... is known (Knuth 1986, p. 5)’. Also use `\parencite` to produce a prefix within parentheses, e.g. `\ldots{} is known \parencite[for a justification, see][5]{Knuth1986}` produces ‘... is known (for a justification, see Knuth 1986, p. 5)’.
  - ▷ `\textcite` allows for using the cited work as a subject in the grammatical structure of a sentence. Example: `\textcite{Knuth1986} states that ...` produces ‘Knuth (1986) states that ...’. Additionally, page numbers and further information can be provided, see the `biblatex` package documentation.
  - ▷ `\cite` is used for typesetting the citation without parentheses, and is typically used within parentheses. Example: `(see \cite{Knuth1986})` produces ‘(see Knuth 1986)’. This variant is the least used and should be used with care.

*Make sure to format the bibliographic entries consistently!* Do not mix abbreviated first names with unabbreviated first names, as for example

```
@ARTICLE{key1, author = {{van der Weiden}, J. W. P.} ...
```

```
@ARTICLE{key2, author = {{van der Weiden}, Jan W. P.} ...
```

if both entries refer to the same author. This will lead to unexpected results with respect to the label generation of the citation. Make sure to always abbreviate author first names and to always use curly brackets around multi-word last names, e.g. {van der Weiden}, J. W. P. in the bibentries.

## 13 Figures

All line-drawings must be provided as vector graphics (*not* bitmap graphics) in PDF format and all other (non-schematic) figures (e.g. screenshots) must be provided in PDF, JPEG or PNG format in a proper (high) resolution for the intended size of the rendered image to avoid pixelation due to low resolution; bitmap graphics shown in full page width in the submission should at least be of a resolution of two (2) megapixels or at least 1920 pixels wide.

## 14 Tables

`tabular` Tables can be added using the standard notation, i.e. using `tabular` inside the floating environment `table` (see Listing 1). However, the standard column parameters `p`, `l`, `c` and `r` are often not sufficient to provide a table with an exact width, e.g. the text width.

Listing 1: An example for a standard table using `tabular`

```
\begin{table}
\small % or \footnotesize if needed at all
\centering % if needed
\caption{Add the caption here}
%\label{tab:unique-label} % alternatively after \end{tabular}
\begin{tabular}{p{3cm}lcr}
\toprule
A column 3cm wide and with possible line breaks &
\midrule
A column set flush-left with no line breaks &
A column set centred with no line breaks &
A column set flush right with no line breaks \\
\bottomrule
\end{tabular}
\label{tab:unique-label}
\end{table}
```

`tabularx` Therefore the EMISA class loads the package `tabularx` by default. It defines an additional column parameter `X`, which has to be used for at least one column. In addition the standard `tabular` environment is substituted by `tabularx` which has two mandatory arguments, namely the total width of the table and the definition for the columns.

Listing 2 shows two typical examples for the application of `tabularx`. If you just mark one column with the parameter `X`, all other columns (i. e. columns with parameters `p`, `l`, `c` or `r`) are set the usual way. The remaining width (width given as first argument to `tabularx` minus used width of all ‘non-`X`-columns’) is then assigned to the `X` column. To get a table two columns wide, please use `\textwidth` as the table’s width.

Listing 2: An example for a table using the package `tabularx` for exactly one `X` column

```
...
\begin{tabularx}{\textwidth}{Xl}
This a column with possibly long text passages,
so that line breaking is necessary and automatically
applied by the X column & This column is set ragged right and gets as
    wide as its contents &
Another column \\\
...
\end{tabularx}
...
```

A second frequently used scenario is the need for columns with equal width, but without having to calculate the value manually. For a much more comfortable solution one can assign the `X` parameter to all such columns.

Listing 3: An example for a table using the package `tabularx` and more than one `X` column

```
...
\begin{tabularx}{\textwidth}{p{3cm}XXX}
This a column with possibly long text passages,
so that line breaking is necessary and automatically
applied to get a box 3cm wide &
This column and the remaining two all have the same width, namely
(\textwidth-3cm)/3. &
...
\end{tabularx}
...
```

Additional information can be obtained from the package’s documentation [19].

For nicer tables you should get rid of any vertical lines between the columns. Instead you can use the macros provided by `booktabs` (preloaded by EMISA) for horizontal lines of different width. Just replace the first standard `\hline` by `\toprule`, the last one by `\bottomrule` and all other by `\midrule`. There is even an alternative for `\cline` called `\cmidrule`. The example from Listing 3 then looks like:

Listing 4: An example for a table using the packages `tabularx` and `booktabs`

```
...
\begin{tabularx}{\textwidth}{p{3cm}XXX}
\toprule
Table header 1 & table header 2 & table header 3\\
\midrule
This a column with possibly long text passages,
so that line breaking is necessary and automatically
applied to get a box 3cm wide &
This column and the remaining two all have the same width, namely
(\textwidth-3cm)/3. &
...
\bottomrule
\end{tabularx}
...
```

Have a look at the package's documentation [5] for more details.

## 15 Source code listings

`sourcecode` For marking up source code listings, the EMISA class uses the `listings` package (see the package docu-  
`java` mentation [15] for further information), and provides two customised  $\LaTeX$  environments: `sourcecode` and `java`. The `java` environment should be used to format source code listings in the Java programming language, and the `sourcecode` environment should be used to format source code in any other programming language. You can add the name of the programming language and other parameters known to listings like `caption` or `label` as an optional argument.

Note that the source code in either case is typeset verbatim, i. e., the author must arrange the input  $\LaTeX$  source code according to the intended output. Also note that the two environments have been predefined to always produce a two-column listing positioned at the top of the page. Listing 5 illustrates the use of both environments.

Listing 5: Example for the `java` and `sourcecode` environments

```
\begin{java}[caption={A hello world example},label={hw-java}]
public class HelloWorld
{
    public static void main (String[] args)
    {
        // Output Hello World!
        System.out.println("Hello World!");
    }
}
\end{java}

\begin{sourcecode}[language=R]
hello <- function( name ) {
```



```

        sprintf( "Hello, %s", name );
    }
\end{sourcecode}

```

## 16 Pseudo-code and algorithms

`algorithm` Apart from source code you might want to add pseudo code examples or algorithms. In contrast to the `algorithmic` source code examples above EMISA does not define its own environments for that. Instead we recommend using the bundle `algorithms` consisting of the two packages `algorithm` and `algorithmic`. Typical parts like loops, if-clauses or statements all have their own macro. See Listing 6 for an example.

Listing 6: Example for a pseudocode presented within the `algorithmic` environment

```

\begin{algorithmic}[1]
\REQUIRE $n \geq 0$
\ENSURE $y = x^n$
\STATE $y \leftarrow 1$
\STATE $X \leftarrow x$
\STATE $N \leftarrow n$
\WHILE{$N \neq 0$}
\IF{$N$ is even}
\STATE $X \leftarrow X \times X$
\STATE $N \leftarrow N / 2$
\ELSE[$N$ is odd]
\STATE $y \leftarrow y \times X$
\STATE $N \leftarrow N - 1$
\ENDIF
\ENDWHILE
\end{algorithmic}

```

results in

**Require:**  $n \geq 0$

**Ensure:**  $y = x^n$

- 1:  $y \leftarrow 1$
- 2:  $X \leftarrow x$
- 3:  $N \leftarrow n$
- 4: **while**  $N \neq 0$  **do**
- 5:   **if**  $N$  is even **then**
- 6:      $X \leftarrow X \times X$
- 7:      $N \leftarrow N/2$
- 8:   **else**  $\{N$  is odd $\}$
- 9:      $y \leftarrow y \times X$
- 10:     $N \leftarrow N - 1$
- 11:   **end if**
- 12: **end while**

If you want your algorithm to be a floating object, you can surround it with `algorithm`:

```
\begin{algorithm}
\caption{Calculate  $y = x^n$ }
\label{alg1}
\begin{algorithmic}
...
\end{algorithmic}
\end{algorithm}
```

For more details, please have a look at the documentation [2].

## 17 Commands for use by the editorial office staff only

- `\editor` Enter the corresponding editor (or editorial board member) for the article, in the format ‘first letter of the first name fullstop tilde last name’. Example: `\editor{A.~Smith}`, `\editor{A.~Smith and B.~Meyer}`
- `\received` Enter the date of initial reception of the manuscript by the editorial office in the following format. Example: `\received{31~March 2014}`
- `\accepted` Enter the date of the acceptance decision of the manuscript and the number of review rounds in the following format. Example: `\accepted[3]{10~January 2016}`
- `\volume` Enter the number of the volume in which the article is published. Example: `\volume{11}`
- `\issue` Enter the issue number and issue year of the article. Format example: `\issue{1}{2016}`
- `\specialissuetitle` Enter the title of the Special Issue to which the article belongs if any. Note that the prefix ‘Special Issue on’ is added automatically. Example: `\specialissuetitle{Multilevel Modelling}`
- Note that volume, issue number and issue date and, optionally, the title of the special issue appear in the multiline page headline of the article.
- `\CCBYNCSAFour` If an article is licensed under a Creative Commons BY-NC-SA 4.0 or 3.0 licence, the reference to the licence can be automatically displayed at the end of the article by adding `\CCBYNCSAFour` and `\CCBYNCSAThree`, respectively.
- `\license, \licence` Alternatively, enter a license text using the `\license` (or `\licence`) commands. Example: `\license{This work is licensed under LPPL 1.3c.}`

## 18 Example file for both, authors and editorial office

```
% Use the option [draft] to mark overfull lines.
\documentclass[british]{emisa}
% The following package imports are recommended, but not obligatory;
% you might want take a look into their respective manuals if you want
% to how they can be used:
\usepackage{amsmath, amssymb, mathtools}
```

```

\usepackage{algorithmic,algorithm}
% Additional package imports go here:
% The document begins here:
\begin{document}
% Optionally, set the style for typesetting source code listings (see
  listings package).
% \lstset{language=Java}
% Take note of the following article environment!
\begin{article}{%
% Enter your bibliography database file here.
% Make sure to use UTF-8 character encoding in the bibliography data
  bases,
% and add the .bib extension for the biblatex package!
\bibliography{emisa.bib}
%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
% For editorial office only: Start
%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
% Add editorial meta data to appear in the multiline page headline.
\editor{Enter corresponding editor here}
\received{Enter date of manuscript reception here}
\accepted[1]{Enter number of review rounds and date of acceptance here.}
\volume{11} % volume number
\issue{1}{31~Jan~2016} % issue number and issue date
\specialissuetitle{Title of special issue if publication belongs to a
  special issue}
% Add license information at end of article, either
\CCBYNCSAFour % or \CCBYNCSAThree or \license
\license{Enter your license text here}
%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
% For editorial office only: End
%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%
% Enter bibliographic meta data about publication
\title[Insert shorttitle for page headline]{Enter full title here}
\subtitle{Enter subtitle here, or leave empty}
\author*{FirstName LastName of corresponding author}{email@address.org}
\address{Enter affiliation of first (corresponding) author here. Note
  that only the starred version of author* accepts a second argument
  requiring an email address for the corresponding author.}
\author{FirstName LastName}
\address{Enter affiliation of second and further authors here. Add
  further authors following this scheme.}
% Enter abstract, keywords, acknowledgements, author note
\abstract{Enter abstract here}
\keywords{Enter at a minimum three keywords here. Keyword1 \and Keyword2
  \and Keyword3}
\acknowledgements{Enter acknowledgements here.}
\authornote{If your submission is based on a prior publication and
  revises / extends this work, enter a corresponding note here (This
  work is based on ...) but DO NOT cite the prior work during the

```

```

    reviewing process. INSTEAD provide full citations of all prior
    publications to the editors during the submission process (use the
    text field in the online submission system).}
% Take note of the following closing bracket!
}

\section{Introduction}\label{sec:introduction}
Enter your text here.

\subsection{Subsection title}\label{sec:somelabel}
% Example of a single-column figure (spanning only a single column).
% You can add an optional argument to influence the float placement,
% which is htbp by default.
\begin{figure}
\centering
\includegraphics[width=\columnwidth]{<filename>}
\caption{Enter your single-column figure caption here.}
\label{fig:unique-label}
\end{figure}

% Example of a double-column figure (spanning both columns)
\begin{figure*}[htb]
\centering
\includegraphics[width=\textwidth]{<filename>}
\caption{Enter your double-column figure caption here.}
\label{fig:unique-label}
\end{figure*}

% Example of a double-column table. Tables should NOT be typeset in a
    single column!
% Note the use of \toprule, \midrule, and \bottomrule!
% DO NOT use vertical rules in tables!
\begin{table*}[tb]
\centering
\caption{Enter your table caption above the table here.}
\begin{tabular}{llllll}
\toprule
column head1 & column head2 & column head3 & column head4 & column head5
& column head6\\
\midrule
cell1 & cell2 & cell3 & cell4 & cell5 & cell6\\
cell1 & cell2 & cell3 & cell4 & cell5 & cell6\\
cell1 & cell2 & cell3 & cell4 & cell5 & cell6\\
cell1 & cell2 & cell3 & cell4 & cell5 & cell6\\
cell1 & cell2 & cell3 & cell4 & cell5 & cell6\\
\bottomrule
\end{tabular}
\label{tab:unique-label}
\end{table*}

```

```

% Example of a double-column source code listing.
\begin{java}[caption={Enter your double-column listing caption here.},%
              label={lst:helloworld}]
/**
 * The HelloWorldApp class implements an application that
 * simply prints "Hello World!" to standard output.
 */
class HelloWorldApp {
    public static void main(String[] args) {
        System.out.println("Hello World!"); // Display the string.
    }
}
\end{java}

% Example of a pseudo-code with algorithmic.
\begin{algorithmic}
\WHILE{$r > kRadius/2$}
\STATE $r \leftarrow r-1$
\STATE $a \leftarrow \sqrt{\text{kernel}[0][r]/(kRadius-r)}$;
\IF{$a < \text{sqrtSlope}$}
\STATE $\text{sqrtSlope} \leftarrow a$
\ELSE
\STATE break
\ENDIF
\ENDWHILE
\end{algorithmic}

% Formatting the bibliographic data base:
% Please make sure to properly enter all data for each entry
% in the bibliographic database (.bib).
% Pay special attention to formatting names and page numbers,
% see the following example:
%@ARTICLE{key1,
%   author = {{van der Aalst}, W. M. P.
%   and {van Hee}, K. M.
%   and {van Werf}, J. M.
%   and Verdonk, M.},
%   title = {{Auditing 2.0: Using
%   Process Mining to Support
%   Tomorrow's Auditor}},
%   journal = {Computer},
%   year = {2010},
%   volume = {43},
%   pages = {90--93},
%   number = {3}
%}
\printbibliography
\end{article}

```

```
\end{document}
```

## References

- [1] Package afterpage: Execute command after the next page break. 19.2.2
- [2] Package algorithms: A suite of tools for typesetting algorithms in pseudo-code. 16
- [3] Package babel: Multilingual support for Plain T<sub>E</sub>X or L<sup>A</sup>T<sub>E</sub>X. 19.2
- [4] Package biblatex: Bibliographies in L<sup>A</sup>T<sub>E</sub>X using B<sub>B</sub>T<sub>E</sub>X for sorting only. 12, 19.2.1
- [5] Package booktabs: Publication quality tables in LaTeX. 14
- [6] Package calc: Simple arithmetic in L<sup>A</sup>T<sub>E</sub>X commands. 19.2.2
- [7] Package caption: Customising captions in floating environments. 19.2
- [8] Package csquotes: Context sensitive quotation facilities. 11, 19.2.1
- [9] Package environ: A new interface for environments in L<sup>A</sup>T<sub>E</sub>X. 19.2.2
- [10] Package eso-pic: Add picture commands (or backgrounds) to every page. 19.2.2, 19.9.3
- [11] Package float: Improved interface for floating objects. 19.2
- [12] Package geometry: Flexible and complete interface to document dimensions. 19.2.2
- [13] Package graphicx: Enhanced support for graphics. 19.2.1
- [14] Package hyperref: Extensive support for hypertext in L<sup>A</sup>T<sub>E</sub>X. 19.3
- [15] Typeset source code listings using LaTeX. 15
- [16] Package microtype: An interface to the micro-typographic features of pdfL<sup>A</sup>T<sub>E</sub>X. 19.2
- [17] Package paralist: Enumerate and itemize within paragraphs. 19.2.2
- [18] The L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> Sources. 19.10
- [19] Package tabularx: Tabulars with adjustable-width columns. 14
- [20] Package textcomp: L<sup>A</sup>T<sub>E</sub>X support for the Text Companion fonts. 19.2
- [21] Package twoopt: Definitions with two optional arguments. 19.2.2
- [22] Package xcolor: Driver-independent color extensions for L<sup>A</sup>T<sub>E</sub>X and pdfL<sup>A</sup>T<sub>E</sub>X. 19.2.1
- [23] Package xspace: Define commands that appear not to eat spaces. 19.2.2

## 19 Implementation

Here, the code of the  $\text{\LaTeX}$  class `emisa` begins.

```
1 (*class)
```

### 19.1 Options

`\@clearglobaloption` We need a macro to remove options from the global to avoid side-effects

```
2 \def\@clearglobaloption#1{%
3   \def\@tempa{#1}%
4   \def\@tempb{\@gobble}%
5   \@for\next:=\@classoptionslist\do
6     {\ifx\next\@tempa
7       \message{Cleared option \next\space from global list}%
8     \else
9       \edef\@tempb{\@tempb,\next}%
10    \fi}%
11  \let\@classoptionslist\@tempb
12  \expandafter\ifx\@tempb\@gobble
13    \let\@classoptionslist\@empty
14  \fi}
```

british option

UKenglish option

```
15 \DeclareOption{british}{%
16   \PassOptionsToPackage{british}{babel}
17   \PassOptionsToPackage{english=british}{csquotes}
18   \@clearglobaloption{british}}
19 \DeclareOption{UKenglish}{%
20   \PassOptionsToPackage{british}{babel}
21   \PassOptionsToPackage{english=british}{csquotes}
22   \@clearglobaloption{british}}
```

american option

USenglish option

```
23 \DeclareOption{american}{%
24   \PassOptionsToPackage{american}{babel}
25   \PassOptionsToPackage{english=american}{csquotes}
26   \@clearglobaloption{american}}
27 \DeclareOption{USenglish}{%
28   \PassOptionsToPackage{american}{babel}
29   \PassOptionsToPackage{english=american}{csquotes}
30   \@clearglobaloption{american}}
```

draft option

final option

@draft switch

If the user requests `draft` we mark any overfull boxes. There is more interesting stuff to be added to this option; one could think of altered running titles or watermarks, for example.

As this option is handed along the package chain it might have other effects, too.

```
31 \newif\if@draft
```



```

32 \DeclareOption{draft}{%
33   \@drafttrue
34   \overfullrule 10pt
35 }%
36 \DeclareOption{final}{%
37   \@draftfalse
38   \overfullrule\z@
39 }%

```

referee option The options referee and review switch to *referee mode*. In referee mode some information at the titlepage are removed in order to allow an anonymous submission.

```

review option      40 \newif\if@referee
noreview option    41 \DeclareOption{referee}{\@refereetrue}
@referee switch    42 \DeclareOption{noreferee}{\@refereefalse}
                   43 \DeclareOption{review}{\@refereetrue}
                   44 \DeclareOption{noreview}{\@refereefalse}

```

cover option Switches cover production on or off. If cover is given then the four cover pages (outer and inner pages of front and back, respectively) are produced and added to the document.

```

\coveron          45 \newif\if@cover
\coveroff         46 \def\coveron{\@covertrue}
@cover switch     47 \def\coveroff{\@coverfalse}
                   48 \DeclareOption{cover}{\coveron}
                   49 \DeclareOption{nocover}{\coveroff}

                   50 \newif\if@microtype
                   51 \@microtypetrue
                   52 \DeclareOption{nomicrotype}{\@microtypefalse}

```

Completing option handling, by now unprocessed option are handed over to the base class article and the class options list is processed from the left to the right.

```

53 \PassOptionsToClass{a4paper,twoside,11pt}{article}%
54 \DeclareOption*{\PassOptionsToClass{\CurrentOption}{article}}%
55 \ExecuteOptions{british,final,noreferee,nocover,oneside,openany}%
56 \ProcessOptions*\relax%

57 \IfFileExists{latexrelease.sty}%
58   {\RequirePackage[latest]{latexrelease}}%
59   {\RequirePackage{fixltx2e}}%

```

## 19.2 Loading the base class and packages

This class is build upon the L<sup>A</sup>T<sub>E</sub>X standard class article.

```

60 \LoadClass{article}[2001/06/01]%
61 \RequirePackage[utf8]{inputenc}%

```

This loads font definitions for text and mathematics. The package allows the user to select font encodings, and for each encoding provides an interface to ‘font-encoding-specific’ commands for each font. Its most powerful effect is to enable hyphenation to operate on texts containing any character in the font. It is distributed as part of the L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> distribution.

```
62 \RequirePackage[T1]{fontenc}%
```

Since many PostScript fonts only implement a subset of the TS1 encoding which contains text symbols for use with the T1-encoded text fonts, many commands only produce black blobs of ink. The textcomp package is supplied as a part of the L<sup>A</sup>T<sub>E</sub>X base distribution to resolve the resulting problems [20].

```
63 \RequirePackage[full]{textcomp}%
```

The microtype package provides a L<sup>A</sup>T<sub>E</sub>X interface to the micro-typographic extensions of pdfL<sup>A</sup>T<sub>E</sub>X: most prominently, character protrusion and font expansion, furthermore the adjustment of interword spacing and additional kerning, as well as hyphenatable letterspacing (tracking) and the possibility to disable all or selected ligatures [16]. It allows to apply these features to customisable sets of fonts, and to configure all micro-typographic aspects of the fonts in a straight-forward and flexible way. Settings for various fonts are provided.

```
64 \if@microtype
65   \RequirePackage[final,tracking=smallcaps,expansion=alltext,protrusion=true]{microtype}%
66   \SetTracking{encoding=*,shape=sc}{50}%
67 \else
68   \ClassWarning{emisa}{Package `microtype' not loaded!%
69     \MessageBreak Output will differ from final result in the journal!%
70     \MessageBreak Please consult the documentation, if you%
71     \MessageBreak get an error when loading microtype}
72 \fi%
```

babel is a package providing an environment in which documents can be typeset in a language other than US English, or in more than one language [3].

```
73 \RequirePackage{babel}%
```

This style option improves the interface for defining floating objects such as figures and tables in L<sup>A</sup>T<sub>E</sub>X [11]. It adds the notion of a ‘float style’ that governs appearance of floats. New kinds of floats may be defined using a `\newfloat` command analogous to `\newtheorem`. This style option also incorporates the functionality of David Carlisle’s style option here, giving floating environments a [H] option which means *Put it here!* (as opposed to the standard [h] option which means *Put it here if possible, or otherwise at the next page if no alternative position is specified.*).

```
74 \RequirePackage{float}
```

The caption package gives the user the possibility to control the look & feel of the captions from floating environments like `figure` and `table`. Furthermore it does similar to the caption stuff coming from other packages (like the `longtable` or `supertabular` package) [7].

For more information on that see the [english](#), [russian](#), or [german](#) user documentation.

```
75 \RequirePackage[font={small}]{caption}
```

## 19.2.1 Colour and graphics

graphicx as part of the graphics package provides a key-value interface for optional arguments to the `\includegraphics` command [13].

```
76 \RequirePackage{graphicx}%
```

The package xcolor is a color extension for L<sup>A</sup>T<sub>E</sub>X and pdfL<sup>A</sup>T<sub>E</sub>X that provides easy driver-independent access to several kinds of colors, tints, shades, tones, and mixes of arbitrary colors by means of color expressions [22].

```
77 \RequirePackage[fixinclude,table]{xcolor}%
```

The biblatex package [4] is a complete reimplement of the bibliographic facilities provided by L<sup>A</sup>T<sub>E</sub>X in conjunction with B<sub>I</sub>B<sub>T</sub>E<sub>X</sub>. It redesigns the way in which L<sup>A</sup>T<sub>E</sub>X interacts with Bib<sub>T</sub>E<sub>X</sub> at a fairly fundamental level. With biblatex, B<sub>I</sub>B<sub>T</sub>E<sub>X</sub> is only used to sort the bibliography and to generate labels. Instead of being implemented in B<sub>I</sub>B<sub>T</sub>E<sub>X</sub>'s style files, the formatting of the bibliography is entirely controlled by T<sub>E</sub>X macros. Good working knowledge in L<sup>A</sup>T<sub>E</sub>X should be sufficient to design new bibliography and citation styles. There is no need to learn B<sub>I</sub>B<sub>T</sub>E<sub>X</sub>'s postfix stack language. Just like the bibliography styles, all citation commands may be freely (re)defined.

Apart from the features unique to biblatex, the package also incorporates core features of the following packages: babelbib, backref, bibtopic, bibunits, chapterbib, cite, citeref, inlinebib, mlbib, multibib, natbib, splitbib. There are also some conceptual parallels to the amsrefs package. The biblatex package supports split bibliographies, multiple bibliographies within one document, and separate lists of bibliographic shorthands. Bibliographies may be subdivided into parts (by chapter, by section, etc.) and/or segmented by topics (by type, by keyword, etc.). The package is fully localized and can interface with the babel package.

This package requires e-<sub>T</sub>E<sub>X</sub> and the etoolbox package. Installing the csquotes package is recommended.

```
78 \RequirePackage{etoolbox}%
```

We use it with these options:

`style=emisa` sets the base name of the bibliography and citation format files; thus we use `emisa.bbx` and `emisa.cbx` that are defined below.

`natbib=true` enables the use of `natbib` citation commands with biblatex.

`maxcitenum=3` Author lists with more than two entries are abbreviated with 'et al.'. Note that in the bibliography listing author lists won't be shortened at all.<sup>1</sup>

`terseinits` If Initials are given with (false) or without (true) punctuation and whitespace.

`isbn=false` In bibliographies, no ISBNs, ...

`url=false` ... no URLs, ...

`doi=false` ... no DOIs, ...

`eprint=false` ... and no ePrint marks are displayed.

`dashed=false` Identical author entries of consecutive bibliography entries don't get replaced by a dash (beginning with the second one).

---

<sup>1</sup>That is, they *will* be shortened if there are more than 999 authors. That should occur not that often, though.

```

79 \RequirePackage[%
80     style=emisa,%
81     natbib=true,%
82     backend=biber,%
83 ]{biblatex}

84 \ExecuteBibliographyOptions{%
85     maxcitenames=2,%
86     maxbibnames=999,%
87     terseinits=false,%
88     isbn=false,%
89     url=true,%
90     doi=false,%
91     eprint=false,%
92     dashed=false,%
93     bibencoding=inputenc,%
94     sorting=anyt,%
95     hyperref=true,%
96     uniquename=minfull,%
97     uniquelist=false%
98 }%

```

This package provides advanced facilities for inline and display quotations [8]. Quotation marks are switched automatically if quotations are nested and can adjust to the current language. There are additional facilities designed to cope with the more specific demands of academic writing, especially in the humanities and the social sciences. All quote styles as well as the optional active quotes are freely configurable.

```

99 \RequirePackage[autostyle=once]{csquotes}

```

### 19.2.2 Helpers

`twoopt` provides commands to define macros with *two* optional parameters. This package is part of the *Oberdiek* bundle [21].

```

100 \RequirePackage{twoopt}%

```

`environ` provides a new method of defining environments [9].

```

101 \RequirePackage{environ}%

```

`paralist` provides a few new list environments. Itemized and enumerated lists can be typesetted within paragraphs, as paragraphs and in a compact version. Most environments have optional arguments to format the labels. Additionally, the  $\LaTeX$  environments `itemize` and `enumerate` can be extended to use a similar optional argument [17].

The options' meanings are as follows:

- `neveradjust` The width of the labels is never adjusted, not even for environments where you defined the labels manually using the optional argument.
- `defblank` The two environments `inparablank` and `asparablank` will be defined.
- `flushright` The labels in the four lists mentioned above are set flush right.

```
102 \RequirePackage[neveradjust,defblank,flushright]{paralist}%
```

We make the traditional list environments equal the compact ones so there is no visual difference and they are both modifiable easily.

```
103 \let\itemize\compactitem
104 \let\enditemize\endcompactitem
105 \let\enumerate\compactenum
106 \let\endenumerate\endcompactenum
107 \let\description\compactdesc
108 \let\enddescription\endcompactdesc
```

These macros are imported from `paralist`, setting standard enumeration marks and list indentations.

```
109 \setdefaultenum{1.}{a}{i.}{A}%
110 \setdefaultleftmargin{1em}{0.9em}{0.7em}{0.5em}{0.4em}{0.3em}%
111 \setlength{\plitemsep}{3\p@}%
112 \setlength{\pltopsep}{6\p@}
```

`afterpage` implements a command that causes the commands specified in its argument to be expanded after the current page is output [1].

The `xspace` package provides a single command that looks at what comes after it in the command stream, and decides whether to insert a space to replace one “eaten” by the  $\TeX$  command decoder. The decision is based on what came after any space, not on whether there was a space (which is unknowable): so if the next thing proves to be punctuation, the chances are there was no space, but if it’s a letter, there’s probably a need for space [23].

`calc` adds infix expressions to perform arithmetic on the arguments of the  $\LaTeX$  commands `\setcounter`, `\addtocounter`, `\setlength`, and `\addtolength` [6].

All three packages are part of the tools bundle in the  $\LaTeX$  required distribution.

```
113 \RequirePackage{afterpage,xspace,calc}%
```

`geometry` provides an easy and flexible user interface to customize page layout, implementing auto-centering and auto-balancing mechanisms so that the users have only to give the least description for the page layout [12].

An important feature is the package’s ability to communicate the paper size it’s set up to the output (whether via DVI `\specials` or via direct interaction with `pdf $\LaTeX$` ).

```
114 \RequirePackage{geometry}%
```

`eso-pic` adds one or more user commands to  $\LaTeX$ ’s shipout actions, making it easy to add some picture commands to any and every page at absolute positions [10].

```
115 \RequirePackage{eso-pic}%
116 \RequirePackage{placeins}%
```

### 19.2.3 Scripts, fonts, and maps

```
117 \RequirePackage{newtxtext}
118 \RequirePackage{newtxmath}
119 \RequirePackage[zerostyle=b, straightquotes]{newtxtt}
120 \if@microtype
121   \UseMicrotypeSet[protrusion]{basicmath} % disable protrusion for tt fonts
122 \fi%
```

To make figures and ligatures searchable when using pdfTeX  $\geq 1.40$ , glyph-to-unicode translation must be enabled. The default table `glyphtounicode.tex` contains mappings from glyph names to corresponding unicode for embedded fonts. It covers the AGL (Adobe Glyph List), names from `texglyphlist.txt` (part of `lcdf-typetools`) and `zapfdingbats.txt`, plus a few exceptions.

```
123 \InputIfFileExists{glyphtounicode}%
124   {\ClassInfo{emisa}{Reading file `glyphtounicode.tex`}
125     \pdfgentounicode=1}%
126   {\ClassWarning{emisa}{Couldn't find file `glyphtounicode.tex`}}%

127 \RequirePackage{booktabs}
128 \RequirePackage{listings}
129 \lstset{basicstyle=\ttfamily\small}
130 \lstnewenvironment{java}[1][
131   {\lstset{language=Java,float=*htbp,#1}}
132   {}
133 \lstnewenvironment{java*}[1][
134   {\lstset{language=Java,float=htbp,#1}}
135   {}
136 \lstnewenvironment{sourcecode}[1][
137   {\lstset{float=*htbp,#1}}
138   {}
139 \lstnewenvironment{sourcecode*}[1][
140   {\lstset{float=htbp,#1}}
141   {}
142 \RequirePackage{amsmath}
143 \RequirePackage[amsmath,standard,hyperref]{ntheorem}
```

### 19.3 Hypertext

The `hyperref` package [14] has to be loaded as late as feasible so it can intercept changes to standard macros by other packages.

```
144 \RequirePackage{url}
145 \urlstyle{same}
146 \RequirePackage[%
147   colorlinks,
148   breaklinks,
149   pdfview=Fit,
150   bookmarksopen,
151   bookmarksnumbered,
152   linkcolor=black,
```

```

153 anchorcolor=black,
154 citecolor=black,
155 filecolor=black,
156 urlcolor=black,
157 hyperfootnotes=false
158 ]{hyperref}%

159 \RequirePackage{doclicense}

```

## 19.4 Tools

`\@ifempty` These determinate if an argument ist empty (or not) and to act consequently. An argument is ,empty',  
`\@ifarg` iff it contains nothing or just whitespace. All three macros first test their first argument. If it is empty  
`\@ifnoarg` `\@ifempty` then executes the second one, otherwise the third one. `\@ifnoarg` und `\@ifarg` execute  
their respective second argument iff the the first one is (not) empty.

### Syntax:

```

\@ifempty{<arg>}{<Action_if_empty>}{<Action_if_not_empty>}
\@ifnoarg{<arg>}{<Action_if_empty>}
\@ifarg{<arg>}{<Action_if_not_empty>}

160 \begingroup
161 \catcode`\Z=3
162 \long\gdef\@M@T@#1#2Z#3#4#5\@nil{#4}
163 \long\gdef\@ifempty#1{\@M@T@#1ZZ\@secondoftwo\@firstoftwo\@nil}
164 \long\gdef\@ifarg#1{\@M@T@#1ZZ\@firstofone\@gobble\@nil}
165 \long\gdef\@ifnoarg#1{\@M@T@#1ZZ\@gobble\@firstofone\@nil}
166 \endgroup

```

## 19.5 Basic page layout

The geometry options using the keyval ( $\langle key \rangle = \langle value \rangle$ ) interface can be set either in the optional argument  
to the `\usepackage` command, or in the argument of the `\geometry` macro. In either case, the argument  
consists of a list of comma-separated keyval options. `\geometry` acts cumulative; so multiple use just  
appends options to the list.

```

167 \geometry{%
168 a4paper,%
169 portrait,%
170 twoside,%
171 ignoreall,%
172 hcentering,%
173 textwidth = 162.5mm,%
174 textheight = 220mm,%
175 heightrounded,%
176 columnsep = 12.5mm,%
177 top = 47mm,%
178 headheight = 16mm,%

```

```

179 headsep          = 13mm,%
180 marginparwidth  = 15mm,%
181 marginparsep    = 5mm,%
182 footskip        = 16mm%
183 }%
184 \marginparpush 5mm%

185 \AtBeginDocument{\baselineskip=13.6pt plus 0.5pt}%

186 \parindent=4mm%

187 \smallskipamount=.5\baselineskip
188 \medskipamount=2\smallskipamount
189 \bigskipamount=2\medskipamount

190 \flushbottom

191 \abovedisplayskip=.5\baselineskip plus .33\baselineskip
192                               minus .33\baselineskip
193 \belowdisplayskip=\abovedisplayskip
194 \abovedisplayshortskip= 0pt plus .33\baselineskip
195 \belowdisplayshortskip=.5\baselineskip plus .33\baselineskip
196                               minus .33\baselineskip

```

## 19.6 Scripts

`\pageheadfont` Assigning scripts to text elements.

`\pagenumfont` Page head and foot:

```

\pagefootfont 197 \def\pageheadfont{\normalfont}%
               198 \def\pagenumfont{\pageheadfont\bfseries}%
               199 \def\pagefootfont{\pageheadfont}%

```

`\authorfont` The elements of the article titles:

```

\titlefont 200 \def\authorfont{\normalfont\Large}%
\subtitelfont 201 \def\titlefont{\normalfont\bfseries\LARGE\boldmath}%
\abstractfont 202 \def\subtitelfont{\normalfont\bfseries\Large\boldmath}%
               203 \def\abstractfont{\normalfont\itshape}%

```

`\affiliationfont` The elements of the affiliation box:

```

\affiliationauthorfont 204 \def\affiliationfont{\normalfont}
\affiliationaddressfont 205 \def\affiliationauthorfont{\bfseries}
\affiliationemailfont 206 \def\affiliationaddressfont{\mdseries}
                       207 \def\affiliationemailfont{\mdseries}%

```

`\sectionfont` Section headlines:

```

\sec@font 208 \def\sectionfont{%
\para@font 209 \normalfont
            210 \bfseries
            211 \boldmath}%
            212 \def\sec@font{\sectionfont\large}%

```



```
213 \def\para@font{\sectionfont}%
```

`\captionfont` Captions:

```
214 \def\captionfont{\normalfont\small\itshape}
```

## 19.7 Colours

These are the colour definitions for a couple of elements.

`coverbgcolor` color The colours of the cover background (near 25% grey) and cover text (such as headlines, near 75% grey):  
`covertextcolor` color

```
215 \definecolor{coverbgcolor}{cmyk}{0.15,0.1,0.09,0}%  
216 \definecolor{covertextcolor}{cmyk}{0.77,0.76,0.70,0.61}%
```

`headtextcolor` color These are the colours of the grey elements in column titles (50% grey) and of the frame and the background  
`boxframecolor` color of text boxes like that one used in `\editorialboard` (100% grey = black and 20% grey, respectively).  
`boxbgcolor` color

```
217 \definecolor{headtextcolor}{gray}{0.5}%  
218 \definecolor{boxframecolor}{gray}{1}%  
219 \definecolor{boxbgcolor}{gray}{0.8}%
```

## 19.8 Double line spacing

`\displaystretch`  
`\setdisplaystretch`

```
220 \newcommand{\displaystretch}{\baselinestretch}  
221 \newcommand{\setdisplaystretch}[1]{\def\displaystretch{#1}}
```

`\setstretch` Line space commands.

```
222 \newcommand{\setstretch}[1]{%  
223 \def\baselinestretch{#1}%  
224 \@currsize  
225 }
```

`\@setsize` Modification of the LaTeX command `\@setsize`. Stretch the baseline *before* calculating the strut size. This improves spacing below tabular environments etc., probably.

The meanings of the arguments to `\@setsize` appear to be (whatever these may signify):

### Syntax:

```
\@setsize{<current size>}{<font baselineskip>}{<ignored (!)>}{<font size>}
```

Note that `\@setsize` (in modern L<sup>A</sup>T<sub>E</sub>X, `\@setfontsize`, which is called by `\@setsize`) seems to be the only place in purely modern LaTeX where `\@currsize` is set, and `ltxguide.cls` seems to be the only file in the LaTeX base distribution that uses it.

```
226 \def\@setsize#1#2#3#4{%  
227 \@nomath#1%  
228 \let\@currsize#1%  
229 \baselineskip #2%  
230 \baselineskip=\baselinestretch\baselineskip
```

```

231 \parskip=\baselinestretch\parskip
232 \setbox\strutbox \hbox{%
233   \vrule height.7\baselineskip
234         depth.3\baselineskip
235         width\z@}%
236 \skip\footins=\baselinestretch\skip\footins
237 \normalbaselineskip\baselineskip#3#4}

```

Fix up spacing before and after displayed math (arraystretch seems to do a fine job for inside LaTeX displayed math, since array and eqnarray seem to be affected as expected).

```

238 \everydisplay\expandafter{%
239   \the\everydisplay
240   \abovedisplayskip \displayskipstretch\abovedisplayskip
241   \belowdisplayskip \displayskipstretch\belowdisplayskip
242   \abovedisplayshortskip \displayskipstretch\abovedisplayshortskip
243   \belowdisplayshortskip \displayskipstretch\belowdisplayshortskip
244 }

```

## 19.9 Document markup

### 19.9.1 Declaring issue data

The following macros save their argument(s) to internal variables for later usage:

`\journalname` The journal name.

```

245 \def\journalname#1{\@bsphack\def\@journalname{#1}\@esphack}%
246 \journalname{Enterprise Modelling and Information Systems Architectures}%

```

`\issn` The International Standard Serial Number (ISSN) is the standardized international code which allows the identification of any serial publication, including electronic serials, independently of its country of publication, of its language or alphabet, of its frequency, medium, etc.; see the [ISSN web site](#).

Here we have two of them, one for print and one for online issues.

```

247 \long\def\issn#1{\@bsphack\long\def\@issn{#1}\@esphack}%
248 \issn{ISSN 1860-6059 (Print)\par
249   ISSN 1866-3621 (Online)}%

```

`\volume` Volume number.

```

250 \def\volume#1{\@bsphack\def\@volume{#1}\@esphack}%
251 \volume{\textcolor{red}{0}}%

```

`\issue` Issue number and date.

```

252 \def\issue#1#2{\@bsphack
253   \def\@issue{#1}%
254   \def\@issuedate{#2}%
255   \@esphack}%
256 \issue{\textcolor{red}{0}}{\textcolor{red}{month 0000}}%

```

`\specialissuetitle` If the current issue is a *special issue*, the respective title goes here.

```
\specialissuetitle* 257 \def\specialissuetitle{\@ifstar\@sspit\@spit}%
\specialissuetitleprefix 258 \newcommand{\@spit}[2][\@bsphack
259 \@bsphack
260 \@ifempty{#2}]%
261 {\let\@specialissuetitle\relax}%
262 {\@ifempty{#1}]%
263 {\def\@specialissuetitle{\@specialissuetitleprefix#2}]%
264 {\def\@specialissuetitle{#1\space#2}]%
265 \@esphack}%
266 \newcommand{\@sspit}[2][\@bsphack
267 \@bsphack
268 \@ifempty{#2}]%
269 {\let\@specialissuetitle\relax}%
270 {\def\@specialissuetitle{#2}]%
271 \@esphack}%
272 \newcommand{\specialissuetitleprefix}[1]{%
273 \@bsphack
274 \@ifempty{#1}]%
275 {\let\@specialissuetitleprefix\relax}%
276 {\def\@specialissuetitleprefix{#1\space}]%
277 \@esphack}%
278 \specialissuetitle{}%
279 \specialissuetitleprefix{Special Issue on}%
```

`\copyrightyear` Copyright owner and year.

```
\copyrightholder 280 \def\copyrightyear#1{\@bsphack\def\@copyrightyear{#1}\@esphack}%
281 \copyrightyear{\the\year}%
282 \def\copyrightholder#1{\@bsphack\def\@copyrightholder{#1}\@esphack}%
283 \copyrightholder{\textcolor{red}{\copyright}{holder}}%
```

`\title` Title, subtitle, and author information for the current article.

`\subtitle`  
`\author` These macros are a bit special as they accept up to *two* optional arguments together with the obligatory one. The optional arguments are for the running-title (*short*) and the table-of-contents (*ToC*) versions, respectively, of the main entry, if there is any:

**Syntax:**

```
\title[<short_title>][<ToC_title>]{<title>}
\subtitle[<short_subtitle>][<ToC_subtitle>]{<subtitle>}
\author[<short_author>][<ToC_author>]{<author>}
```

If *no* optional argument is given the obligatory argument will appear in all the respective places.

If *one* optional argument is given then its' value replaces both the *short* and the *ToC* entries.

If *two* optional arguments are given then the value of the first one becomes the *short* headline (et al.) entry, and the second one is reproduced in the table of contents.

If *both* optional arguments are given but the first one is left empty then the *short* entry defaults also to the main value, and only the *ToC* entry is changed.

```

284 \renewcommandtwoopt*{\title}[3][[]]{%
285   \@bsphack
286   \def\@title{#3}%
287   \@ifempty{#1}{\def\@shorttitle{\@title}}{\def\@shorttitle{#1}}%
288     \@ifempty{#2}{\def\@toctitle{\@shorttitle}}{\def\@toctitle{#2}}%
289   \@esphack}%
290 \newcommandtwoopt*{\subtitle}[3][[]]{%
291   \@bsphack
292   \def\@subtitle{#3}%
293   \@ifempty{#1}{\def\@shortsubtitle{\@subtitle}}{\def\@shortsubtitle{#1}}%
294   \@ifempty{#2}{\def\@tocsubtitle{\@shortsubtitle}}{\def\@tocsubtitle{#2}}%
295   \@esphack}%
296 \def\email#1{%
297   \ifx\@email\@empty
298     \def\@email{#1}
299   \else
300     \ClassError{emisa}{There can only be one corresponding author!}{}
301   \fi}%
302 \renewcommand{\author}{\@ifstar{\@authorstar}{\@authornostar}}
303 \newcommand*{\@authornostar}[1]{%
304   \@bsphack
305   \if@referee
306     \def\@authors{}%
307     \def\@shortauthors{}
308   \else
309     \gdef\@address@sep{}%
310     \ifx\@authors\@empty
311       \protected@xdef\@authors{#1}
312       \protected@xappto\@shortauthors{#1}
313     \else
314       \protected@xappto\@authors{,\space #1}
315       \protected@xappto\@shortauthors{,\space #1}
316     \fi%
317   \fi
318   \@esphack}%
319 \newcommandtwoopt*{\@authorstar}[3][[]]{%
320   \@bsphack
321   \if@referee
322     \def\@authors{}%
323     \def\@shortauthors{}%
324     \def\@tocauthors{}%
325     \def\@email{}%
326   \else
327     \gdef\@address@sep{}%
328     \ifx\@authors\@empty
329       \protected@xdef\@authors{#3\textsuperscript{*,}}

```

```

330     \protected@xappto\@shortauthors{#3}
331     \else
332     \protected@xappto\@authors{,\space #3\textsuperscript{*,}}
333     \protected@xappto\@shortauthors{,\space #3}
334     \fi%
335     \@ifempty{#1}{\def\@shortauthor{\@shortauthors}}{\def\@shortauthor{#1}}%
336     \@ifempty{#2}{\def\@tocauthor{\@shortauthors}}{\def\@tocauthor{#2}}%
337     \fi
338     \@esphack
339     \@ifnextchar\bgroup\email{\ClassError{emisa}{Please provide an email address for the correspo
340 \newcommand{\keywords}[1]{
341     \@bsphack
342     \def\and{\unskip\ \textbullet\ }%
343     \def\@keywords{#1}%
344     \@esphack}%
345 \newcommand{\authornote}[1]{
346     \@bsphack
347     \if@referee
348     \def\@authornote{}%
349     \else
350     \def\@authornote{#1}%
351     \fi%
352     \@esphack}%
353 \newcommand{\editor}[1]{
354     \@bsphack
355     \def\@articleinfo@name{#1}%
356     \@esphack}%
357 \newcommand{\received}[1]{
358     \@bsphack
359     \def\@articleinfo@rdate{#1}%
360     \@esphack}%
361 \newcommand{\accepted}[2][]{
362     \@bsphack
363     \def\@articleinfo@rounds{#1}
364     \def\@articleinfo@adate{#2}%
365     \@esphack}%
366 \newcommand{\doitext}{DOI:}
367 \newcommand*{\outdoi}{%
368     \begingroup
369     \lccode\~=\#\relax
370     \lowercase{\def~{\#}}%
371     \lccode\~=\_\relax
372     \lowercase{\def~{\_}}%
373     \lccode\~=\<\relax
374     \lowercase{\def~{\textless}}%
375     \lccode\~=\>\relax
376     \lowercase{\def~{\textgreater}}%
377     \lccode\~=\0\relax
378     \catcode\#=\active

```

```

379 \catcode`\_=\active
380 \catcode`\<=\active
381 \catcode`\>=\active
382 \@outdoi
383 }
384 \def\@outdoi#1{%
385 \let#\relax
386 \let\_relax
387 \let\textless\relax
388 \let\textgreater\relax
389 \edef\x{\toks0={#1}}%
390 \x
391 \edef#\{\@percentchar23}%
392 \edef\__{}%
393 \edef\textless{\@percentchar3C}% instead of {\string<} for Apple
394 \edef\textgreater{\@percentchar3E}% instead of {\string>} for Apple
395 \edef\x{\toks1={\noexpand\href{http://dx.doi.org/#1}}}%
396 \x
397 \edef\x{\endgroup\doitext\the\toks1 \the\toks0}%
398 \x
399 }
400 \newcommand*{\doi}[1]{
401 \@bsphack
402 \def\@doi{#1}
403 \@esphack}%
404 \newcommand{\acknowledgements}[1]{
405 \@bsphack
406 \def\@acknowledgements{#1}
407 \@esphack}%
408 \newif\if@licenseset
409 \newcommand{\licence}[1]{%
410 \@bsphack
411 \def\@licence{#1}
412 \@esphack}%
413 \let\license\licence
414 \newcommand{\CCBYNCSAThree}{%
415 \@licensesettrue%
416 \def\doclicense@type{CC}%
417 \def\doclicense@modifier@uppercase{BY-NC-SA}%
418 \def\doclicense@versionUsed{3.0}%
419 }%
420 \newcommand{\CCBYNCSAFour}{%
421 \@licensesettrue%
422 \def\doclicense@type{CC}%
423 \def\doclicense@modifier@uppercase{BY-NC-SA}%
424 \def\doclicense@versionUsed{4.0}%
425 }%
426 \newcounter{addresses}
427 \renewcommand{\theaddresses}{\alph{addresses}}

```

```

428 \newcommand{\address}[2][ ]{%
429   \@bsphack
430   \if@referee
431     \def\addresses@list{
432   \else
433     \@ifempty{#2}{%
434       \@ifempty{#1}{}{%
435         \protected@xappto\authors{\textsuperscript{\@address@sep #1}}
436         \gdef\address@sep{,}%
437       }{}%
438       \stepcounter{addresses}
439       \protected@xappto\authors{\textsuperscript{\@address@sep\theaddresses}}
440       \gdef\address@sep{,}%
441       \ifx\addresses@list\empty
442         \protected@xdef\addresses@list{\textsuperscript{\theaddresses}\ #2}
443       \else
444         \protected@xappto\addresses@list{\newline\textsuperscript{\theaddresses}\ #2}
445       \fi}
446   \fi
447   \@esphack}%
448 \title{}%
449 \subtitle{}%
450 \author{}%
451 \address{}
452 \keywords{}%
453 \authornote{}%
454 \editor{}%
455 \received{}%
456 \accepted{}%
457 \doi{}%
458 \licence{}
459 \acknowledgements{}%
460 \def\abstract#1{\@bsphack\def\@abstract{#1}\@esphack}%
461 \abstract{}%
462 \def\@authors{}
463 \def\@shortauthor{}
464 \def\@shortauthors{}
465 \def\@tocauthor{}
466 \def\@tocauthors{}
467 \def\@email{}
468 \def\addresses@list{}

```

`\abstract` This accepts the abstract text.

```

469 \def\abstract#1{\@bsphack\def\@abstract{#1}\@esphack}%
470 \abstract{}%

```

`\outputarticleappendix` The `articleappendix` and `articleappendix*` environments collect the material given within them inside an `article` environment. The collected material is accumulated and output at the article's

`\@articleappendix`

`\@wrap@articleappendix`

`articleappendix`

`articleappendix*`

very end. The basic form `articleappendix` begins a new page per instance while the starred form `articleappendix*` does not. Each appendix is wrapped into its own group so things remain local.

```

471 \DeclareRobustCommand{\outputarticleappendix}{%
472   {%
473     \appendix
474   \@articleappendix
475   \global\let\@articleappendix\relax
476   }%
477 }%
478 \long\def\@wrap@articleappendix#1{\gappto{\@articleappendix}{#1}}
479 \newenvironment{articleappendix}{%
480   \gappto{\@articleappendix}{\clearpage}%
481   \Collect@Body\@wrap@articleappendix}{%
482 \newenvironment{articleappendix*}{%
483   \Collect@Body\@wrap@articleappendix}{%
484 \let\@articleappendix\relax
485 \def\@makefnmark{\textsu{\@thefnmark}\ }%
486 \renewcommand\@makefntext[1]{%
487   \parindent 1em%
488   \noindent%
489   \@makefnmark#1}%

```

## 19.9.2 Page styles

This is the standard page style:

**Page Head:** three lines of text, `\textwidth` wide and aligned to the inner and outer text body borders, respectively, each above a black horizontal line at full sheet width. The text entries comprise:

Line 1, inner side: journal name;

outer side: no text.

Line 2, inner side: volume/number/issue date, text colour is 50% grey;

outer side: no text.

Line 3, inner side:

- ▷ left pages: section name;
  - ▷ common right pages: author's name(s);
  - ▷ editorial content, both sides: section or category name;
- text colour is 50% grey;

outer side: page number in bold type, coloured black, shifted by an amount of `\headpageoffset` to the outer edge of the page.

**Page foot:** Mostly empty; sometimes in editorial content sections it shows a black horizontal line from the outer text edge to the inner sheet edge (spine).

`\headwidth` Basic lengths for head and foot elements. `\headwidth` is the overall width of the headbox equalling the page width plus a bleed of three millimeters. It is logically restricted to `\textwidth` by subtracting `\headmargin` at both sides.



`\bleed` *Bleed* is a printing term that refers to printing beyond the edge of the sheet after trimming. The `\bleed` is a measure describing the (small) amount of space by which objects on the border of your document will extend. Please note that this length is not added automatically, but has to be added manually.

`\footrulewidth` The width of the foot rule. As it is drawn asymmetrically (running from the outer text edge to the spine) it has to be a bit smaller than the head box.

`\headfootruleheight` This is the width of all lines in head and foot.

```
490 \newlength{\headwidth}%
491 \newlength{\bleed}%
492 \newlength{\headmargin}%
493 \newlength{\footrulewidth}%
494 \newlength{\headfootruleheight}%
495 \setlength{\bleed}{3mm}%
496 \setlength{\headfootruleheight}{0.4mm}%
```

We want to be able to change `\bleed` in the preamble so we delay the calculations until `\begin{document}`.

```
497 \AtBeginDocument{%
498   \setlength{\headwidth}{\paperwidth+2\bleed}%
499   \setlength{\headmargin}{0.5\headwidth-0.5\textwidth}%
500   \setlength{\footrulewidth}{0.5\headwidth+0.5\textwidth}}%
```

`\headbox` The main formatting routine for the running head is a `tabular*` environment.

```
501 \newcommand{\headbox}[8]{\bgroup%
502   \setstretch{1}%
503   \reset@font\pageheadfont
504   \tabcolsep\z@
505   \arrayrulewidth\headfootruleheight
506   \hskip-\headmargin
507   \begin{tabular*}{\headwidth}[b]%
508     {@{\rule{\headmargin}{\z@}}%
509     >{\rule[-1.25mm]{\z@}{5mm-\arrayrulewidth}}%
510     l@{\extracolsep{\textwidth minus 1fill}}r%
511     @{\rule{\headmargin}{\z@}}
512     #1 & #2\\
513     \hline
514     #3 & #4\\
515     \hline
516     #5 & #6\\
517     \hline
518     #7 & #8\\
519   \end{tabular*}%
520   \hskip-\headmargin
521   \egroup
522 }%
```

`\theheadvolume` These macros are used to assemble the page head, ...

`\headpageoffset` 523 \newcommand{\theheadvolume}{%

`\theoddheadpage`

`\theevenheadpage`

```

524 \begingroup%
525 \hypersetup{urlcolor=headtextcolor}%
526 \textcolor{headtextcolor}{%
527     Vol.\, \@volume, No.\, \@issue\ (\@issuedate).%
528     \ifx\@doi\@empty\else\ \outdoi{\@doi}\fi}%
529 \endgroup}%
530 \newlength{\headpageoffset}%
531 \setlength{\headpageoffset}{10mm}%
532 \def\theoddheadpage{%
533     \rlap{\makebox[\headpageoffset][r]{\pagenumfont\thepage}}}%
534 \def\theevenheadpage{%
535     \llap{\makebox[\headpageoffset][l]{\pagenumfont\thepage}}}%

```

@footrule switch ... and these are for the page foot.

```

\footruleoff 536 \newif\if@footrule%
\footruleon  537 \def\footruleoff{\global\@footrulefalse}%
\footrule    538 \def\footruleon{\global\@footruletrue}%
539 \def\footrule#1{%
540     \if@footrule
541         \makebox[\textwidth][#1]{%
542             \reset@font
543             \rule[\headfootruleheight]{\footrulewidth}{\headfootruleheight}%
544             }\fi}%

```

\headmarkstyle Sets the content marks in the running titles.

```

\markhead 545 \def\headmarkstyle#1{\@bsphack
\markarticle 546 \def\@headmarkstyle{#1}%
\markeditorial 547 \@esphack}%
548 \headmarkstyle{\color{headtextcolor}}%
549 \def\markhead#1#2{\@bsphack
550 \gdef\@evenmark{#1}%
551 \gdef\@oddmark{#2}%
552 \@esphack}%
553 \def\markarticle{\markhead{\@shortauthor}{\@shorttitle}}%
554 \def\markeditorial{\markhead{\@shorttitle}{\@shorttitle}}%

```

\ps@emisa Finally that all being thrown together gives the basic page style.

```

555 \def\ps@emisa{%
556     \def\@oddhead{%
557         \headbox{\@journalname}{%
558             {\theheadvolume}}}%
559         {\@headmarkstyle\@oddmark}{\theoddheadpage}%
560         {\ifx\@specialissuetitle\relax\else\textcolor{headtextcolor}{\@specialissuetitle}\fi}%
561     }%
562     \def\@evenhead{%
563         \headbox}{\@journalname}%
564         {\{\theheadvolume}}%
565         {\theevenheadpage}{\@headmarkstyle\@evenmark}}%
566         {\{\ifx\@specialissuetitle\relax\else\textcolor{headtextcolor}{\@specialissuetitle}\fi}%

```

```

567 }%
568 \let\@oddmark\relax
569 \let\@evenmark\relax
570 \def\@oddfoot{\footrule{r}}%
571 \def\@evenfoot{\footrule{l}}%
572 }%

```

`\ps@emisaarticle` We have two minimally different page styles:

`\ps@emisaeditorial`

- ▷ `\ps@emisaarticle` for author-named articles, showing the author's names on the left and the article title on the right side;
- ▷ `\ps@emisaeditorial` for editorial material, showing the the article title on both sides.

```

573 \def\ps@emisaarticle{%
574   \ps@emisa
575   \markarticle
576   \footruleoff
577 }%

578 \def\ps@emisaeditorial{%
579   \ps@emisa
580   \markeditorial
581   \footruleon
582 }%

583 \AtEndOfClass{\pagestyle{emisa}}%

```

### 19.9.3 Cover and advertisement pages

`\basecoverfont` These are the font and size definitions for cover pages. We are using the sansserif script from the Libertine package, called *Linux Biolinum*, in two different sizes with the title font being bold.

`\covervolumefont`

`\covertitlefont`

```

584 \def\basecoverfont{\normalfont\sffamily}%
585 \def\covervolumefont{%
586   \basecoverfont\fontsize{6mm}{6mm}\selectfont}%
587 \def\covertitlefont{%
588   \basecoverfont\bfseries\fontsize{11mm}{16.5mm}\selectfont}%

```

`\coverIbgbname`

`\coverIVbgbname`

`\sigmobislogoname`

`\gislogoname`

These are names for background graphics and logos. As these are subject to be changed from time to time these adjustments are put into the base config file, too.

```

589 \def\coverIbgbname{U1_bg}%
590 \def\coverIVbgbname{U4_bg}%
591 \def\sigmatobislogoname{SIG-MOBIS-logo-300}%
592 \def\sigEMISAlagoname{EMISA-Logo-svg}%
593 \def\gislogoname{GIS-logo_with_text-300}%

```

`\AtPageDeadCenter`

`\page@empty`

`\AtPageDeadCenter` centers its argument horizontally and vertically around the geometric page center.

This macro is to be used inside some `eso-pic` `ShipoutPicture`.

```

594 \newcommand{\AtPageDeadCenter}[1]{%
595   \AtPageCenter{\makebox[\z@][c]{%

```

```

596     \raisebox{-0.5\totalheight}{\z@}{\z@}{#1}}}%
597 }%
598 \def\page@empty{\relax}%

```

`\pagebg` Background color for one whole page plus bleed.

```

599 \newcommand{\pagebg}[1]{%
600   \AtPageDeadCenter{%
601     \textcolor{#1}{\rule{\paperwidth+2\bleed}{\paperheight+2\bleed}}}}%

```

`\thispagebackground` `\thispagebackground` put its obligatory argument into the background of the running page. If there is a non-empty optional argument it will be interpreted as the style of this page (using `\thispagestyle`).

```

602 \newcommand{\thispagebackground}[2][ ]{%
603   \@ifarg{#1}{\thispagestyle{#1}}%
604   \AddToShipoutPicture*{%
605     \unitlength 1mm\relax%
606     {#2}%
607   }}%

```

`\picturepage` `\picturepage` additionally empties and flushes the running page, thus producing a picture-only page.

```

608 \newcommand{\picturepage}[2][empty]{%
609   \thispagebackground[#1]{#2}%
610   \null\clearpage
611 }%

```

`\inputpagegraphic` This loads a picture file to generate a picture-only page from.

```

612 \newcommandtwoopt*{\inputpagegraphic}[3][empty][ ]{%
613   \thispagebackground[#1]{\includegraphics[width=\paperwidth,#2]{#3}}%
614   \null\clearpage
615 }%

```

`\coverpage` `\coverpage` is a special form of the `\picturepage`:

```

616 \newcommand{\coverpage}[2][ ]{%
617   \@ifarg{#1}{\setcounter{page}{#1}}%
618   \picturepage{#2}%
619 }%

```

`\thecovervolumeline` These represent the

```

\thecovertitle
620 \newcommand{\thecovervolumeline}{%
621   \parbox[t]{130mm}{%
622     \raggedright
623     \color{covertextcolor}\covervolumefont%
624     Volume\space\@volume
625     \enspace\rule[-1mm]{0.5mm}{6mm}\enspace
626     No.\,\@issue\space\textbf{\@issuedate}\@[3mm]%
627     \@specialissuetitle
628   }%
629 }%
630 \def\thecovertitle{%

```

```

631 \parbox[t][30mm][s]{174mm}{%
632 \color{covertextcolor}%
633 \covertitlefont
634 \raggedright\@journalname\par
635 \vskip8mm
636 \covervolumefont
637 \raggedleft
638 \textbf{An International Electronic Journal\,}}

```

`\sigmobispage` This macro holds the complete announcement page on the *GI-SIG-MoBIS portal* to be published on the third cover page (backcover, inside).

`\sigmobispage` holds just the contents of the SIG-Mobis ad. It produces a box with an outer width of *zero points* and a height as specified by the inner `minipage` environment. When used as an advertising page it has to be *centered horizontally and vertically* in the page area. This is achieved most easily by using the `\AtPageDeadCenter` utility macro (see section 19.9.3) from `eso-pic` [10].

```

639 \def\sigmatobispage{%
640 \makebox[\z@][c]{%
641 \begin{minipage}[c][260mm][s]{\textwidth}
642 \sigmobispagehead
643 \medskip
644
645 The GI-SIG-MoBIS portal provides numerous resources on enterprise
646 modelling research, such as a full-text digital library, a
647 bibliography, conference announcements, a glossary and evaluation
648 reports. It is intended to establish the premier forum for an
649 international community in enterprise modelling. The new version
650 is based on a Content Management System allowing authorized users
651 to conveniently upload content. A \BibTeX{} interface allows for
652 conveniently integrating bibliographic data. Information about
653 this journal, such as guidelines for authors, tables of content
654 and full-text access to articles (for GI-SIG-MobIS members only)
655 are also available on the~portal.
656 \par
657 \medskip
658
659 \begin{center}
660 \includegraphics{GI-SIG-MOBIS_portal}
661 \end{center}
662
663 \medskip
664
665 GI encourages everybody who wants to participate in the
666 evolution of this community knowledge base to contribute to any of
667 the categories covered by the portal. Please contact Michael He\ss{}
668 (\href{mailto:m.hess@uni-duisburg-essen.de}{m.hess@uni-duisburg-essen.de})
669 for further~information.
670
671 \vfill

```

```

672
673     \sigmobispagefoot
674     \end{minipage}%
675 }%
676 }

```

`\sigmobispagehead` Elements of `\sigmobispage`.

```

\sigmobispagefoot 677 \def\sigmobispagerule#1{%
\sigmobispagerule 678 \parbox[c][23mm][s]{\linewidth}{%
679     \centering
680     \textcolor{gray}{\rule{.92\linewidth}{1mm}}%
681     \par\vfill
682     \raisebox{-.4\height} [.5\totalheight] [.5\totalheight] {\huge#1}%
683     \par\vfill
684     \textcolor{gray}{\rule{.92\linewidth}{1mm}}\par}%
685 \def\sigmobispagehead{\sigmobispagerule{SIG-MoBIS Portal}}
686 \def\sigmobispagefoot{\sigmobispagerule{http://wi-mobis.gi-ev.de/}}

```

`\coverI` Each of these prepares one of the cover pages.

```

\coverII 687 \def\coverI#1{\@ifempty{#1}%
\coverIII 688     {\let\@coverI\relax}%
\coverIV 689     {\def\@coverI{\coverpage[-2]{#1}}}%
690 \def\coverII#1{\@ifempty{#1}%
691     {\let\@coverII\relax}%
692     {\def\@coverII{\coverpage[-1]{#1}}}%
693 \def\coverIII#1{\@ifempty{#1}%
694     {\let\@coverIII\relax}%
695     {\def\@coverIII{\coverpage{#1}}}%
696 \def\coverIV#1{\@ifempty{#1}%
697     {\let\@coverIV\relax}%
698     {\def\@coverIV{\coverpage{#1}}}%

```

So we prepare the four cover pages.

```

699 \coverI{%
700     \pagebg{coverbgcolor}%
701     \AtPageUpperLeft{%
702         \raisebox{-\totalheight}{\includegraphics{\coverIbname}}}%
703     \AtPageUpperLeft{\put(17,-28){\mbox{%
704         \includegraphics[height=19mm]{\sigmobislogoname}%
705         \hspace{5mm}%
706         \includegraphics[height=14.75mm]{\sigEMISAlgoname}%
707         }}}%
708     }%
709     \AtPageLowerLeft{\put(166,9){\includegraphics{\gislogoname}}}%
710     \AtPageLowerLeft{\put(17,44){thecovervolumeline}}%
711     \AtTextLowerLeft{\put(-28,36){\framebox(200,62)[c]{}%
712     \AtPageLowerLeft{\put(17,112){thecovertitle}}}%
713 }%
714 \coverII{\page@empty}%

```

```

715 \coverIII{\AtPageCenter{\sigmobispage}}%
716 \coverIV{%
717   \pagebg{coverbgcolor}%
718   \AtPageLowerLeft{%
719     \raisebox{167mm}{\includegraphics{\coverIVbgname}}}%
720   \AtPageLowerLeft{%
721     \put(6,9){\parbox[b]{10cm}{\raggedright\large\sffamily\@issn}}}%
722   \AtPageLowerLeft{%
723     \put(166,9){\includegraphics{GIS-logo_with_text-300}}}%
724 }%

725 \if@cover
726   \AtBeginDocument{%
727     \@coverI\@coverII
728     \setcounter{page}{1}%
729   }%
730   \AtEndDocument{%
731     \@coverIII\@coverIV
732   }%
733 \fi

```

`\graphicspath` The picture files used above have to be found. Normally they should be somewhere on the  $\TeX$  \$PATH, probably in the same directory where EMISA is situated. As least as we are in Beta state one might put them into the local subdirectory `figs_base/`; we provide for that by including the following line in the config file.

```

734 \graphicspath{{/figs_base/},{./figs_base/}}

```

#### 19.9.4 Formatting common articles

`\c@article` The `article` and `editorialcontent` environments maintain their own (common) counter. Although it is not referenced anywhere at the moment of writing it is used to reset a couple of other counters with every new one of those environments.

```

735 \newcounter{article}%
736 \@addtoreset{section}{article}%
737 \@addtoreset{footnote}{article}%
738 \@addtoreset{figure}{article}%
739 \@addtoreset{table}{article}%

```

`article` This encapsulates each article.

```

740 \newenvironment{article}[1]{%
741   \clearpage
742   \refstepcounter{article}%
743   \pagestyle{emisaarticle}%
744   \col@number=\tw@\relax
745   #1\relax
746   \l@article

```

Every article is its own bibliographical unit.

```
747 \begin{refsection}%
748 \maketitle
749 \ignorespaces
750 }{%
751 \end{refsection}%
752 \outputarticleappendix\FloatBarrier\par%
753 \vspace{\baselineskip}%
754 \noindent\ignorespaces
755 \if@licenseet
756 \edef\doclicenseURL{%
757 \doclicense@baseurlCC/%
758 licenses/%
759 \doclicense@modifier/%
760 \doclicense@versionUsed\doclicense@urlLangPart%
761 }
762 \begin{minipage}{\columnwidth}
763 \parbox[t]{\dimexpr 0.975\columnwidth-\doclicense@imagewidth\relax}{\vskip 0pt\raggedright\
764 \doclicense@lang@thisDoc\space
765 \href{\doclicenseURL}{\doclicenseLongType\space\enquote{\doclicense@longName}}}%
766 \doclicense@lang@word@license.}%
767 \hfill%
768 \parbox[t]{\doclicense@imagewidth}{\vskip 0pt\doclicenseImage}%
769 \end{minipage}%
770 \else
771 \ifx\@licence\@empty\relax\else\par\noindent\@licence\fi
772 \fi%
773 \onecolumn
774 \ignorespacesafterend}%
```

### 19.9.5 Formatting editorial content

`\edit@setup` This adjusts the basic page makeup for editorial material.

```
775 \newcommandtwoopt{\edit@setup}[3][][]{%
776 \title[#1][#2]{#3}
777 \pagestyle{emisaeditorial}}
```

Here, section titles are a bit larger than otherwise.

```
778 \def\sec@font{\sectionfont\Large}%
779 \def\para@font{\sectionfont}%
780 \setcounter{section}{0}%
781 }%
```

`editorialcontent` This encapsulates editorial content entries.

```
782 \newenvironment{editorialcontent}[1]{%
783 \onecolumn
784 \refstepcounter{article}%
785 \edit@setup{#1}%
```



```

786 \l@editorialcontent
787 \raisebox{5.5mm}[10mm][0pt]{\sec@font\@title}\

```

Every editorialcontent is its own bibliographical unit.

```

788 \begin{refsection}%
789 \ignorespaces
790 }{%
791 \end{refsection}%
792 \onecolumn
793 \ignorespacesafterend}%

```

### 19.9.6 Standard editorial content environments

Several types of standardized editorial contents.

```

editorial This encapsulates editorials.
\editorialname
794 \def\editorialname{Editorial Preface}%
795 \newenvironment{editorial}[1][\editorialname]{%
796 \clearpage
797 \edit@setup{#1}%
798 \twocolumn[{\raisebox{5.5mm}[10mm][0pt]{\sec@font\@title}}}%
799 \l@editorialcontent

```

Every editorial is its own bibliographical unit.

```

800 \begin{refsection}%
801 \ignorespaces
802 }{%
803 \end{refsection}%
804 \onecolumn
805 \ignorespacesafterend}%

```

cfp Call for papers.

```

\cfpname
806 \def\cfpname{Call for Papers}%
807 \newenvironment{cfp}[1][\cfpname]%
808 {\editorialcontent{#1}}%
809 {\endeditorialcontent}%

```

\imprint Imprint.

```

\imprintname
\imprintbody
810 \newcommandtwoopt{\imprint}[2][\@imprintname][\@imprintbody]{%
811 \onecolumn
812 \edit@setup{#1}{\@journalname}%
813 \l@editorialcontent
814 \raisebox{5.5mm}[10mm][0pt]{\sec@font\@title}\
815 \ignorespaces
816 #2
817 \onecolumn\ignorespacesafterend}%
818 \def\imprintname#1{\@bsphack\def\@imprintname{#1}\@esphack}%
819 \long\def\imprintbody#1{\@bsphack\def\@imprintbody{#1}\@esphack}%

```

```

820 \imprintname{Imprint}%
821 \imprintbody{%
822   The journal \emph{\@journalname} is the official journal of the
823   Special Interest Group on Modelling Business Information Systems
824   within the German Informatics Society (GI-SIG MoBIS).
825
826   The journal Enterprise Modelling and Information Systems
827   Architectures is intended to provide a forum for those who prefer a
828   design-oriented approach. As the official journal of the German
829   Informatics Society (GI-SIG-MoBIS), it is dedicated to promote the
830   study and application of languages and methods for enterprise
831   modelling -- bridging the gap between theoretical foundations and
832   real world requirements. The journal is not only aimed at
833   researchers and students in Information Systems and Computer
834   Science, but also at information systems professionals in industry,
835   commerce and public administration who are interested in innovative
836   and inspiring concepts.
837
838   The journal's editorial board consists of scholars and practitioners
839   who are renowned experts on various aspects of developing, analysing
840   and deploying enterprise models. Besides Information Systems, they
841   cover various fields of Computer Science.
842
843   \section*{Subscription Information}
844
845   The journal is distributed free of charge for members of the
846   GI-SIG-MoBIS. Membership can be acquired through the German
847   Informatics Society (http://www.gi-ev.de/verein/mitgliedschaft/).
848   Single issues, priced at EUR\,25 each (plus shipment), can be ordered
849   online (http://www.fg-mobis.gi-ev.de/.)}

```

`\editorialboard` Outputs the Editorial Board page.

`\editorialboardname` Sets the name of the Editorial Board for use in the table of contents and in `\editorialboard`.

`\editorialboardbody` Sets the contents of the Editorial Board for use in `\editorialboard`.

The vertical size of the Editorial Board will exceed page height if there are more than about 48 name entries and/or other material. To prevent that the grey box is scaled down to a height of `\editorialboxmaxheight` if its natural size is bigger than that.

```

850 \newsavebox{\@editorial@box}%
851 \newlength{\editorialboxmaxheight}%
852 \setlength{\editorialboxmaxheight}{\textheight+10mm}%
853 \newcommandtwoopt{\editorialboard}[2]%
854   [\@editorialboardname][\@editorialboardbody]{%
855   \clearpage
856   \edit@setup[#1]{#1}%
857   \l@editorialcontent
858   \savebox{\@editorial@box}{%
859     \vbox{\centering%

```

```

860 \fboxsep=5mm
861 \fcolorbox{boxframecolor}{boxbgcolor}{%
862 \begin{minipage}[t]{110mm}
863 \raggedright
864 #2
865 \end{minipage}}\*\*
866 }%
867 }%
868 \raisebox{15mm-\totalheight}[5mm][0mm]{\makebox[\textwidth][c]{%
869 \ifdim\ht\@editorial@box>\editorialboxmaxheight
870 \resizebox{!}{\editorialboxmaxheight}{\usebox{\@editorial@box}}%
871 \else
872 \usebox{\@editorial@box}%
873 \fi
874 }}\*\*
875 \raisebox{-\textheight}[0mm][0mm]{\makebox[\textwidth][l]{%
876 \parbox[t]{\textwidth}{\raggedleft\bfseries\@issn}%
877 }}%
878 \onecolumn\ignorespacesafterend
879 }%
880 \def\editorialboardname#1{%
881 \@bsphack\def\@editorialboardname{#1}\@esphack}%
882 \long\def\editorialboardbody#1{%
883 \@bsphack\def\@editorialboardbody{#1}\@esphack}%
884 \editorialboardname{Editorial Board}%
885 \editorialboardbody{%
886 \section*{\@title}\vskip1mm
887 {\Large Editors in Chief\[\[1mm]}
888 Ulrich Frank, University of Duisburg-Essen\
889 Manfred Reichert, Ulm University\[\[1mm]
890 {\Large Associate Editors\[\[1mm]}
891 Wil van der Aalst, Eindhoven University of Technology\
892 Witold Abramowicz, Poznan University of Economics\
893 Colin Atkinson, University of Mannheim\
894 J\"org Becker, University of M\"unster\
895 J\"org Desel, University of Hagen\
896 Werner Esswein, Dresden University of Technology\
897 Fernand Feltz, Centre de Recherche Public Gabriel Lippmann\
898 Andreas Gadatsch, Bonn-Rhine-Sieg University of Applied Sciences\
899 Martin Glinz, University of Zurich\
900 Norbert Gronau, University of Potsdam\
901 Wilhelm Hasselbring, University of Kiel\
902 Brian Henderson-Sellers, University of Technology, Sydney\
903 Stefan Jablonski, University of Bayreuth\
904 Manfred Jeusfeld, Tilburg University\
905 Reinhard Jung, University of St.\,Gallen\
906 Dimitris Karagiannis, University of Vienna\
907 John Krogstie, University of Trondheim\
908 Thomas K\"uhne, Victoria University of Wellington\

```

909 Frank Leymann, University of Stuttgart\\  
910 Stephen W. Liddle, Brigham Young University\\  
911 Peter Loos, Johannes Gutenberg-University of Mainz\\  
912 Oscar Pastor L'opez, Universidad Polit'ecnica de Val'encia\\  
913 Heinrich C. Mayr, University of Klagenfurt\\  
914 Jan Mendling, Vienna University of Economics and Business\\  
915 Markus N'uttgens, University of Hamburg\\  
916 Andreas Oberweis, University of Karlsruhe\\  
917 Erich Ortner, Darmstadt University of Technology\\  
918 Erik Proper, Radboud University Nijmegen\\  
919 Michael Rebstock, University of Applied Sciences Darmstadt\\  
920 Stefanie Rinderle-Ma, University of Vienna\\  
921 Michael Rosemann, Queensland University of Technology\\  
922 Matti Rossi, Aalto University\\  
923 Elmar J. Sinz, University of Bamberg\\  
924 Friedrich Steimann, University of Hagen\\  
925 Stefan Strecker, University of Hagen\\  
926 Bernhard Thalheim, University of Kiel\\  
927 Oliver Thomas, University of Osnabr'uck\\  
928 Juha-Pekka Tolvanen, University of Jyv'askyl'a\\  
929 Klaus Turowski, University of Augsburg\\  
930 Gottfried Vossen, University of M'unster\\  
931 Mathias Weske, University of Potsdam\\  
932 Robert Winter, University of St.,Gallen\\  
933 Heinz Z'ullighoven, University of Hamburg}%

\guidelines Guidelines for Authors.

\guidelinesname 934 \newcommandtwoopt{\guidelines}[2]%  
\guidelinesbody 935 [\@guidelinesname][\@guidelinesbody]{%  
936 \onecolumn  
937 \edit@setup{#1}%  
938 \l@editorialcontent  
939 \raisebox{5.5mm}[10mm][0pt]{\sec@font\@title}\\  
940 \ignorespaces  
941 #2  
942 \onecolumn\ignorespacesafterend}%  
943 \def\guidelinesname#1{%  
944 \@bsphack\def\@guidelinesname{#1}\@esphack}%  
945 \long\def\guidelinesbody#1{%  
946 \@bsphack\def\@guidelinesbody{#1}\@esphack}%  
947 \guidelinesname{Guidelines for Authors}%  
948 \guidelinesbody{%  
949 The journal serves to publish results of innovative research on all  
950 facets of creating and analysing enterprise models and information  
951 systems architectures. For research papers, it is required to  
952 satisfy academic standards in terms of originality, level of  
953 abstraction and justification of results. Experience reports serve  
954 to describe and analyse success stories as well as practical

```

955 obstacles and resulting research challenges. Topics covered by the
956 journal include, but are not restricted to the following subjects:
957 \begin{itemize}
958   \item Languages and Methods for Enterprise Modelling
959   \item Reusable Domain Models (Reference Models)
960   \item Analysis and Design Patterns
961   \item Modelling of Business Processes and Workflows
962   \item Process-Oriented System Architectures
963   \item Component-Oriented System Architectures
964   \item Conceptual Modelling for Component-Oriented Design
965   \item Ontologies for Enterprise Modelling
966   \item Modelling for Enterprise Application Integration
967   \item Modelling for Data Warehouses
968   \item Modelling to support Knowledge Management
969   \item Model-Driven Development
970   \item Aspect-Oriented Design
971   \item Agile Methods for Enterprise Modelling
972 \end{itemize}
973 Authors are asked for electronic submissions, which have to be sent
974 to the editor in chief as e-mail attachment. In case of multiple
975 authors, it is required to name one author who acts as contact
976 person. The submission should include a cover page with the paper's
977 title and the names, affiliations and e-mail addresses of all
978 authors. The first page of the paper starts with the title and does
979 not carry the authors' names. A manuscript must be either in MS
980 Word or PDF format. It should not exceed 5.000 words -- this
981 includes an abstract of around 150 words.
982
983 Submitted papers will be reviewed within no more than two months.
984 The review process is double blind. Authors who submit a manuscript
985 guarantee that it has not been published elsewhere, nor is intended
986 to be published elsewhere. Papers that were accepted for
987 publication must be written according to the style defined for the
988 journal. A comprehensive description as well as a corresponding
989 Word template is provided on the web portal of the GI-SIG-MobIS
990 (http://www.fg-mobis.gi-ev.de/).
```

### 19.9.7 Making the title

`\maketitle` This takes a couple of prerequisites, then looks if we are in one- or twocolumn mode and finally outputs the information accordingly.

```

991 \def\maketitle{%
992   \begingroup
993   \let\footnoterule\relax
994   \let\footnote\thanks
995   \let\thefootnote\relax
996   \def\@makefnmark{\textsuperscript{\@thefnmark}}%
997   \ifnum\col@number=\@ne
```

```

998     \@maketitle
999     \else
1000     \twocolumn[\@maketitle]%
1001     \fi
1002     \global\@topnum\z@
1003     \@thanks
1004     \endgroup
1005     \setcounter{footnote}{0}%
1006 }%

```

`\@maketitle` This assembles and outputs the article title.

```

1007 \def\@maketitle{%
1008     \bgroup
1009     \normalfont
1010     \pretolerance=9999
1011     \parskip\z@
1012     \parindent\z@
1013     \if!\@title!
1014     \else
1015     {\raggedright
1016         \titlefont\ignorespaces
1017         \strut\@title\strut\par}%
1018     \vskip2mm\relax
1019     \fi
1020     \if!\@subtitle!
1021     \vskip5mm\relax
1022     \else
1023     {\makebox[\textwidth][r]{%
1024         \begin{minipage}{\textwidth-15mm}
1025             \raggedright
1026             \subtitlefont\ignorespaces
1027             \strut\@subtitle\strut
1028             \end{minipage}}}%
1029     \par}%
1030     \vskip5mm\relax
1031     \fi
1032     \if!\@authors!
1033     \else
1034     {\raggedright
1035         \authorfont\ignorespaces
1036         \strut\@authors
1037         \ifx\@email\@empty
1038             \ClassError{emisa}{There has to be one corresponding author!}{Please use \string\author* a
1039         \else
1040             \ignorespaces\makebox[0pt][l]{\footnote{*~Corresponding author.\newline E-mail.\ \url{\@ema
1041         \fi%
1042         \ifx\@acknowledgements\@empty
1043         \else
1044             \ignorespaces\makebox[0pt][l]{\footnote{\@acknowledgements}}%

```

```

1045 \fi%
1046 \strut\par}%
1047 \vskip2mm\relax
1048 \fi
1049 \if!\@addresses@list!
1050 \else
1051 {\raggedright
1052 \footnotesize\ignorespaces
1053 \strut\@addresses@list\strut\par}%
1054 \vskip8mm\relax
1055 \fi
1056 \if!\@authornote!
1057 \else
1058 \let\thefootnote\relax
1059 \ignorespaces\makebox[0pt][l]{\footnote{Note: \@authornote}}%
1060 \fi
1061 \if!\@abstract!
1062 \else
1063 {\abstractfont\ignorespaces
1064 \strut\textup{Abstract.\ } \@abstract\strut\par}%
1065 \vskip5mm\relax
1066 \fi
1067 \if!\@keywords!
1068 \vskip3mm\relax
1069 \else
1070 {\raggedright
1071 \ignorespaces
1072 \strut Keywords.\ \@keywords\strut\par}
1073 \vskip3mm\relax
1074 \fi
1075 \if!\@articleinfo@name!
1076 \if!\@articleinfo@rdate!
1077 \if!\@articleinfo@adate!
1078 \vskip\baselineskip\relax
1079 \fi
1080 \fi
1081 \else
1082 {\raggedright
1083 \small
1084 \ignorespaces
1085 \strut Communicated by\ \@articleinfo@name.%
1086 \if!\@articleinfo@rdate!%
1087 \else
1088 \space Received\ \@articleinfo@rdate.%
1089 \fi%
1090 \if!\@articleinfo@adate!%
1091 \else
1092 \space Accepted\ %
1093 \if!\@articleinfo@rounds!%

```

```

1094     \else%
1095         \ifnum\@articleinfo@rounds=1
1096             after \@articleinfo@rounds{} revision\space%
1097         \else
1098             after \@articleinfo@rounds{} revisions\space%
1099         \fi%
1100     \fi%
1101     on \@articleinfo@adate.
1102     \fi%
1103     \strut\par}
1104     \vskip5mm\relax
1105     \fi
1106     \egroup
1107 }

```

### 19.9.8 Sectioning

`\@sect` This internal macro facilitates the representation of unstarred sectioning commands using `\@startsection`.

#### Syntax:

```

\@sect{⟨#1: name⟩}{⟨#2: level⟩}
      {⟨#3: indent⟩}{⟨#4: beforekip⟩}{⟨#5: afterskip⟩}
      {⟨#6: style⟩}[⟨#7: toc-heading⟩]{⟨#8: heading⟩}

```

Here is the meaning of all these parameters:

- ⟨*name*⟩ The name of the current sectioning level, e.g., «subsection».
- ⟨*level*⟩ The level number, describing the hierarchical depth of the current sectioning level named in – e.g., chapter = 1, section = 2, etc. This is used namely in the table of contents.
- ⟨*indent*⟩ The indentation of the heading, relative to the left margin. Positive values shift the heading to the right («inward»), negative values to the left («outward»).
- ⟨*beforekip*⟩ The absolute value represents the space to leave above the heading. If the value is negative, the first paragraph indent following the heading is suppressed.
- ⟨*afterskip*⟩ If positive, then the section heading is typeset on its own line and the value determines the amount of vertical space to leave below the heading. If negative, then the section heading is typeset run-in and the absolute value determines the amount of horizontal space to leave between the heading and the following text.
- ⟨*style*⟩ Commands to set the output style. Since the June 1996 release of L<sup>A</sup>T<sub>E</sub>X 2<sub>ε</sub> the *last* command in this argument may be a command such as `\MakeUppercase` or `\fbox` that takes an argument. The section heading will be supplied as the argument to this command. So setting this to, say, «`\bfseries\MakeUppercase`» would produce bold, uppercase headings.
- ⟨*toc-heading*⟩ The optional string to be output in the table of contents (toc). If not given, the value from ⟨*heading*⟩ is used.
- ⟨*heading*⟩ The heading text to be output in the text body.

These parameters are used also in more high-level sectioning macros upto the familiar user level commands defined below.



```

1108 \def\@sect#1#2#3#4#5#6[#7]#8{%
1109   \ifnum #2>\c@secnumdepth
1110     \let\@svsec\@empty
1111   \else
1112     \refstepcounter{#1}%

```

Since \@secntformat might end with an improper \hskip which is scanning forward for plus or minus we end the definition of \@svsec with \relax as a precaution.

```

1113   \protected@edef\@svsec{\@secntformat{#1}}%
1114   \fi
1115   \@tempskipa #5\relax
1116   \ifdim \@tempskipa>\z@

```

If afterskip is positive, then its value denotes the amount of vertical skip to leave below the heading:

```

1117   \begingroup
1118     #6{\noindent%
1119       \@hangfrom{\hskip #3\relax\@svsec}%
1120       \raggedright
1121       \interlinepenalty\@M
1122       \strut#8\strut
1123       \@@par}%
1124   \endgroup
1125   \csname #1mark\endcsname{#7}%
1126   \addcontentsline{toc}{#1}{%
1127     \ifnum #2>\c@secnumdepth \else
1128       \protect\numberline{\csname the#1\endcsname}%
1129     \fi
1130     #7}%
1131   \else

```

If afterskip is negative, the its absolute value indicates the amount of horizontal skip to leave to the right of the run-in heading.

```

1132   \def\@svsechd{%
1133     #6{\hskip #3\relax
1134     \@svsec #8}%
1135     \csname #1mark\endcsname{#7}%
1136     \addcontentsline{toc}{#1}{%
1137       \ifnum #2>\c@secnumdepth \else
1138         \protect\numberline{\csname the#1\endcsname}%
1139       \fi
1140       #7}}%
1141   \fi
1142   \@xsect{#5}}

```

\@ssect The mechanism is very similar for *starred* sectioning commands, but there are few parameters.

**Syntax:**

```
\@ssect{<#1: indent>}{<#2: beforeskip>}{<#3: afterskip>}
  {<#4: style>}{<#5: heading>}
```

See also the list on p. 48.

```
1143 \def\@ssect#1#2#3#4#5{%
1144   \@tempskipa #3\relax
1145   \ifdim \@tempskipa>\z@
1146     \begingroup
1147       #4{\noindent%
1148         \hskip #1\relax
1149         \noindent%
1150         \parbox[t]{\linewidth}{%
1151           \raggedright\interlinepenalty\@M#5\strut}\@par}%
1152     \endgroup
1153   \else
1154     \def\@svsechd{#4{\hskip #1\relax #5}}%
1155     \fi
1156   \@xsect{#3}}
```

`\@secntformat` This formats the counters (including any whitespace) of sectioning headers.

```
1157 \def\@secntformat#1{%
1158   \csname the#1\endcsname%
1159   \relax\ \ }%
```

`\section` These are the sectioning commands, all being built on top of `\@startsection`.

**Syntax:**

```
\@startsection{<#1: name>}{<#2: level>}
  {<#3: indent>}{<#4: beforeskip>}{<#5: afterskip>}
  {<#6: style>}
```

See also the list on p. 48.

All the user level sectioning commands are defined using `\@startsection`.

Normally the corresponding section level counter is incremented and printed out; the exact output is determined by the definition of the corresponding `\the . . .` macro. Additionally, the command uses the counter `secnumdepth` to determine the highest section level to be numbered at all. If an asterisk (\*) follows the command, then the corresponding section level counter is *not* used and *no* [*altheading*] argument is allowed.

```
1160 \def\section{\@startsection{section}%
1161   {1}{\z@}%
1162   {-1\baselineskip plus -2mm minus -2mm}%
1163   {.5\baselineskip plus .25\baselineskip minus .125\baselineskip}%
1164   {\sec@font}}%
```

`\subsection`

```
1165 \def\subsection{\@startsection{subsection}%
1166   {2}{\z@}%
```

```

1167 {-3mm plus -2mm minus -1.5mm}%
1168 {.25\baselineskip plus .125\baselineskip minus .125\baselineskip}%
1169 {\sec@font}}%

```

`\subsubsection`

```

1170 \def\subsubsection{\@startsection{subsubsection}%
1171 {3}{\z@}%
1172 {-3mm plus -2mm minus -1mm}%
1173 {1sp}%
1174 {\sec@font}}%

```

`\paragraph`

```

1175 \def\paragraph{\@startsection{paragraph}%
1176 {4}{\z@}%
1177 {-1.5mm plus -1mm minus -0.75mm}%
1178 {1sp}%
1179 {\para@font}}%

```

`\subparagraph`

```

1180 \def\subparagraph{\@startsection{subparagraph}%
1181 {5}{\z@}%
1182 {-1.5mm}%
1183 {-1em}%
1184 {\para@font}}%

```

### 19.9.9 The table of contents

`\tableofcontents` This typesets the table of contents (ToC). First the page style is set and the title line is typeset, . . .

```

1185 \def\tableofcontents{%
1186 \onecolumn
1187 \pagestyle{emisaeditorial}%
1188 \footruleon
1189 \title{Table of Contents}%
1190 \null
1191 \vskip10mm
1192 \maketitle
1193 \vskip15mm
1194 \bgroup

```

. . . then, after some more adjustments, the entries are read from `(jobname).toc` using `\@starttoc{toc}` and output.

```

1195 \parindent\z@
1196 \parskip\z@
1197 \@starttoc{toc}%
1198 \egroup
1199 \onecolumn
1200 }

```

`\l@article` These two routines output content lines to the ToC.

```

\l@editorialcontent 1201 \newcommand*\l@article{%
1202   \if!\@subtitle!
1203     \addtoentry{\@tocauthor}{\thepage}{\@toctitle}%
1204   \else
1205     \addtoentry{\@tocauthor}{\thepage}{\@toctitle\ --\ \@tocsubtitle}%
1206   \fi}%
1207 \newcommand*\l@editorialcontent{%
1208   \addtoentry{\@toctitle}{\thepage}{}}%

```

`\addtoentry` `\addtoentry` adds an entry using the typical EMISA layout to the contents listing of choice (default: ToC).

```

1209 \newcommand*\addtoentry[4][toc]{%
1210   \addtocontents{#1}{\string\emisa@toentry{#2}{#3}{#4}}}%

```

`\emisa@toentry` `\emisa@toentry` typesets that entry.

```

1211 \newcommand{\emisa@toentry}[3]{%
1212   \makebox[\textwidth][l]{%
1213     \parbox[t]{72.5mm-\@pnumwidth}{\raggedright\textbf{#1}}%
1214     \makebox[\@pnumwidth][r]{\textbf{#2}}%
1215     \hfill
1216     \parbox[t]{85mm}{\raggedright#3}}%
1217   \vspace{3mm}}%

```

The output of ToC entries of level -1 (`\part`) and above is suppressed.

```

1218 \setcounter{tocdepth}{-2}

```

### 19.9.10 A few abbreviations

`\ie` Macros for a couple of abbreviations used quite frequently.

```

\eg 1219 \newcommand*\emisa@abbrv[1]{#1\@xspace}
\cf 1220 \newcommand*\emisa@abbrv[2]{\gdef#1{\emisa@abbrv{#2}}}
\etal 1221 \newcommand*\emisa@initialism[1]{\textsc{#1}\xspace}
\emisa@abbrv 1222 \newcommand*\emisa@initialism[2]{\gdef#1{\emisa@initialism{#2}}}
\emisa@abbrv 1223 \newcommand*\ie{\emisa@abbrv{i.\,e.}}
\emisa@initialism 1224 \newcommand*\eg{\emisa@abbrv{e.\,g.}}
\emisa@initialism 1225 \newcommand*\cf{\emisa@abbrv{cf.}}
\emisa@initialism 1226 \newcommand*\etal{\emisa@abbrv{et~al.}}
\OMG 1227 \newcommand*\OMG{\emisa@initialism{omg}}
\BPM 1228 \newcommand*\BPM{\emisa@initialism{bpm}}
\BPMN 1229 \newcommand*\BPMN{\emisa@initialism{bpmn}}
\UML 1230 \newcommand*\UML{\emisa@initialism{uml}}

```

### 19.9.11 Other macros defined by EMISA

`\meta` Macros for convenience  
`\type` 1231 `\newcommand{\meta}[1]{\ttfamily\small #1}` % designate a meta type (meta class)  
1232 `\newcommand{\type}[1]{\textsf{#1}}` % designate a type (class)

## 19.10 Bibliographies

The infrastructure for that is already present in L<sup>A</sup>T<sub>E</sub>X [18, ltbib1.dtx] so we have to tinker with just a couple of things.

`\bibliography` biblatex defines this macro in a way that it prescribes the bibliography data base(s) globally for the whole of the document. As we need a means to use different bibliography data bases with different articles, we redefine `\bibliography` such that it (1) works globally (biblatex style), when used in the preamble; (2) works locally in the document body (as defined here); and (3) appends locally to any globally given bibliography data base(s).

Point 1 is met simply by postponing the redefinition until `\begin{document}`. That way we have the unchanged behaviour in the preamble and the new one after that.

Points 2 and 3 lead to redefining this macro the same way as it was (in principle; see the original definition in `biblatex.sty`) but limited to a local scope.

```
1233 \def\@tempa#1\do\addbibresource#2\nil{%
1234     \ifx\relax#2\relax
1235     \else
1236     \def\@tempa##1\do\addbibresource##2\nil{\def\@preamblecmds{##1##2}}%
1237     \expandafter\@tempa\@preamblecmds\nil
1238     \fi
1239 }
1240 \expandafter\@tempa\@preamblecmds\do\addbibresource\nil
1241 \AfterEndPreamble{%
1242     \DeclareRobustCommand{\bibliography}[1]{%
1243         \addbibresource{#1}}%
1244 }%

1245 \renewcommand{\fps@figure}{htbp}
1246 \renewcommand{\fps@table}{htbp}
1247 \tolerance 1414
1248 \hbadness 1414
1249 \emergencystretch 1.5em
1250 \hfuzz 0.3pt
1251 \widowpenalty=10000
1252 \displaywidowpenalty=10000
1253 \clubpenalty=5000
1254 \interfootnotelinepenalty=9999
1255 \brokenpenalty=2000
1256 \vfuzz \hfuzz
```

Here, the generation of the main class module is paused by the first tag (there are more pieces below); instead, generating a few biblatex-related code files starts with the second tag.

```
1257 </class>
1258 <{*biblatex}>
```

### 19.10.1 The EMISA bibliography style

A biblatex *bibliography style* is a set of macros used to output the entries in the bibliography. Bibliography styles are defined in files with the suffix `bbx`. The selected one is loaded at the end of the biblatex package.

Here we produce the EMISA bibliography style by the not so very surprising name `emisa.bbx`. This file will be generated on installation from the following code lines between the `<*bbx>` and `</bbx>` meta-tags.

```
1259 <{*bbx}>
```

We start by declaring the file name and date.

```
1260 \ProvidesFile{emisa.bbx}[2016/02/06 2.0 EMISA bibliography style]
```

The EMISA bibliography style is built on top of the standard style `authoryear.bbx` being loaded here  
...

```
1261 \RequireBibliographyStyle{authoryear}
```

... to be expanded and modified in the following.

`\bibitemlabel` The macro `\bibitemlabel` represents the formatting of the `\bibitem` labels.

```
1262 \newcommand*{\bibitemlabel}[1]{%
1263   \normalfont #1}
```

`thebibliography` The implementation of the `thebibliography` environment typically makes use of the generic list environment. First a few length registers needed internally are adjusted. Note the infix notation used in some declarations facilitated by the `calc` package.

```
1264 \defbibenvironment{bibliography}
1265   {\list{}}%
1266   {\setlength{\labelwidth}{\z@}%
1267    \setlength{\leftmargin}{\z@}%
1268    \setlength{\itemindent}{-\leftmargin}%
1269    \setlength{\itemsep}{.5\baselineskip\@plus.2\baselineskip\@minus.2\baselineskip}%
1270    \setlength{\parsep}{\bibparsep}}%
```

In the bibliography listings we want the name lists not to be abbreviated. Well, a name list containing more than 999 names *will* be abbreviated nevertheless; but then, having a name list *this* long might be a problem in itself.

```
1271   }%
1272   \let\makelabel\bibitemlabel
```

Adjusting short lines in small paragraphs can be rather hard, so some tolerance is added here.

```
1273 \tolerance 9999
1274 \emergencystretch 3em
1275 \hfuzz .5\p@
1276 \vfuzz\hfuzz
```

This is setting the normal (non-infinite) value of `\clubpenalty` for the whole of this environment, so we must reset its stored value also.

```
1277 \clubpenalty 4000
1278 \@clubpenalty\clubpenalty
1279 \widowpenalty 4000
```

This causes a «.» (period) not to produce an end-of-sentence space.

```
1280 \sfcode`\.\@m
```

Inside the bibliography we want no «and» in author lists.

```
1281 \renewcommand*{\finalnamedelim}{\addcomma\space}%
1282 }%
1283 {%
```

An empty `thebibliography` environment will cause a warning.

```
1284 \def\@noitemerr{\@latex@warning{Empty `thebibliography' environment}}%
1285 \endlist}
1286 {\item}
```

**Formatting commands: punctuation and spacing, blocks and units** The following code is taken from `biblatex.def` and modified at several places (see comments). These are some basic and/or generic macros and might be superseded afterwards by definitions taken from `standard.cbx` or `authoryear.cbx`.

The major segments of a bibliography entry are ‚Äòblocks’ and ‚Äòunits’. A block is the larger segment of the two, a unit is shorter or at most equal in length. For example, the values of fields such as title or note usually form a unit which is separated from subsequent data by a period or a comma. A block may comprise several fields which are treated as separate units, for example publisher, location, and year. An entry is segmented by inserting `\newblock` and `\newunit` commands at suitable places and `\finentry` at the very end. The actual printed output of these is defined in the corresponding `\. . .punct` macros.

The following commands add punctuation marks but automatically prevent doubling and remove preceding whitespace. Note that the behavior described below is the package default which is adjustable using `\DeclarePunctuationPairs`. Just the commands used in EMISA are discussed here.

**`\addperiod`** adds a period unless it is preceded by an abbreviation dot or any other punctuation mark.

This command may also be used to turn a previously inserted abbreviation dot into a period, for example at the end of a sentence.

**`\addcomma`** adds a comma unless it is preceded by another comma, a semicolon, a colon, or a period.

**`\addcolon`** adds a colon unless it is preceded by a comma, a semicolon, another colon, or a period.

**`\isdot`** turns a previously inserted literal period into an abbreviation dot. In contrast to `\adddot`, nothing is inserted if this command is not preceded by a period.

The following macros insert space.

`\addspace` adds a breakable interword space.

`\addhighpenspace` adds a space penalized by the value of the `highnamepenalty` counter which holds a penalty affecting line-breaking in names; please refer to the biblatex manual for explanation. The counter is initialized to `\hyphenpenalty` at load-time. Higher values lower the number of linebreaks and vice versa. The traditional BibTeX behavior (no linebreaks at highnamepenalty breakpoints) is reached by setting it to ‚Äoinfinite‘ ( $\geq 10\,000$ ).

`\addlowpenspace` adds a space penalized by the value of the `lownamepenalty` counter, similar to `highnamepenalty`. The counter is initialized to  $0.5 \text{ \hyphenpenalty}$  at load-time.

`\newunitpunct` The separator inserted between “units” in the sense explained above. Here, the definition is just a space.

```
1287 \renewcommand*\newunitpunct{\space}
```

`\finentrypunct` This inserts the punctuation printed at the very end of every bibliography entry. Here it is simply nothing.

```
1288 \renewcommand*\finentrypunct{\relax}
```

`\bibsetup` is a generic hook controlling the (low-level) layout of the bibliography and the list of shorthands. The default definition should work fine in most cases.

```
1289 \renewcommand*\bibsetup{%
1290   \interlinepenalty=5000\relax
1291   \widowpenalty=10000\relax
1292   \clubpenalty=10000\relax
1293   \biburlsetup
1294   \flushbottom
1295   \frenchspacing
1296   \sloppy}
```

The penalties above are not specific to biblatex but low-level TeX features.

- ▷ `\interlinepenalty` is the penalty assigned to page breaks within a paragraph (i. e., in this case, a bibliography entry);
- ▷ `\clubpenalty` is an additional penalty assigned to page breaks after the first line of a paragraph;
- ▷ `\widowpenalty` is an additional penalty assigned to page breaks before the last line of a paragraph.

Note that the value 10000 means «infinite» as far as TeX is concerned. Setting some penalty to 10000 will unconditionally suppress the respective breakpoint.

The net effect of the above settings is as follows. Breaking a bibliography entry across pages is discouraged, but not suppressed altogether. If a bibliography entry spans less than four lines, TeX will always keep it on one page. If it spans four or more lines, it may be broken across pages, provided that there are at least two lines on the page before and after the break.

These penalties should normally be used in conjunction with `\raggedbottom`. If you don’t like that and remove `\raggedbottom` from the definition of `\bibsetup`, make sure to provide some stretchability between bibliography entries by setting `\bibitemsep` to a suitable value, e.g.:

```
\setlength{\bibitemsep}{0.5\baselineskip plus 0.5\baselineskip}
```



`\biburlsetup` This is some local setup in order to use `\url` properly.

To ease the job of folding long URLs into narrow columns the following code allows linebreaks after numbers as a last resort. The macro also allows breaks after hyphens and adjusts `\Urlmuskip` to add some stretchability to URL strings.

```
1297 \renewcommand*{\biburlsetup}{%
1298   \Urlmuskip=0mu plus 2mu\relax
1299   \mathchardef\UrlBreakPenalty=200\relax
1300   \mathchardef\UrlBigBreakPenalty=100\relax
1301   \mathchardef\UrlEmergencyPenalty=9000\relax
1302   \appto\UrlSpecials{%
1303     \do\0{\mathchar`\0\penalty\UrlEmergencyPenalty}%
1304     \do\1{\mathchar`\1\penalty\UrlEmergencyPenalty}%
1305     \do\2{\mathchar`\2\penalty\UrlEmergencyPenalty}%
1306     \do\3{\mathchar`\3\penalty\UrlEmergencyPenalty}%
1307     \do\4{\mathchar`\4\penalty\UrlEmergencyPenalty}%
1308     \do\5{\mathchar`\5\penalty\UrlEmergencyPenalty}%
1309     \do\6{\mathchar`\6\penalty\UrlEmergencyPenalty}%
1310     \do\7{\mathchar`\7\penalty\UrlEmergencyPenalty}%
1311     \do\8{\mathchar`\8\penalty\UrlEmergencyPenalty}%
1312     \do\9{\mathchar`\9\penalty\UrlEmergencyPenalty}}%
1313   \def\UrlBreaks{%
1314     \do\.\do\@\do\^\do\|\do\!\do\_ \do\| \do\; \do\> \do\] \do\} \do\}%
1315     \do\, \do\? \do\' \do\+ \do\= \do\# \do\$ \do\& \do\* \do\^ \do\"}%
1316   \def\UrlBigBreaks{\do\:\do\ -}%
```

URLs are typeset in sans-serif script.

```
1317   \def\UrlFont{\sffamily}%
1318 }
```

For further details please see the documentation of the `url` package as well as the comments inside `url.sty`.

**Miscellaneous field formatting directives** This subsection introduces biblatex commands and utility macros used to define the formatting directives required by the data commands.

The following list shows a few frequently used ones; those more rarely used are described below.

**`\DeclareFieldFormat`**[*entry type*]{*format*}{*code*} defines the formatting code given in *code* to be executed by `\printfield` on processing the field *format*. The value of the field will be passed to *code* as its first and only argument. If an *entry type* is specified, the format is specific to that type; otherwise it applies to all entry types defined. The name of the field currently being processed is available in `\currentfield`.

**`\DeclareFieldAlias`**[*entry type*]{*alias*}[*format entry type*]{*format*} declares *alias* to be an alias of the field format *format*. If an *entry type* is specified, the alias is specific to that type. The *format entry type* is the entry type of the backend format. This is only required when declaring an alias of a type specific formatting directive.

`\bibstring[wrapper]{key}` prints the bibliography string identified by *key*. The string will be capitalized as required. Depending on the `abbreviate` package option, `\bibstring` prints the short or the long version of the string. If bibliography strings are nested, i. e., if `\bibstring` is used in another string, it will behave like `\bibxstring`. If the *wrapper* argument is given, the string is passed to the *wrapper* for formatting. This is intended for font commands such as `\emph`.

`\bibcpstring[wrapper]{key}` Similar to `\bibstring` but the string is always capitalized.

`\bibxstring{key}` is a simplified but expandable version of `\bibstring`. Note that this variant does not capitalize automatically, nor does it hook into the punctuation tracker. It is intended for special cases in which strings are nested or an expanded bibliography string is required in a test.

The `citetitle` format is used to output the title field in citations.

```

1319 \DeclareFieldFormat{citetitle}{#1}
1320 \DeclareFieldFormat[article]{citetitle}{#1\isdot}
1321 \DeclareFieldFormat[inbook]{citetitle}{#1\isdot}
1322 \DeclareFieldFormat[incollection]{citetitle}{#1\isdot}
1323 \DeclareFieldFormat[inproceedings]{citetitle}{#1\isdot}
1324 \DeclareFieldFormat[patent]{citetitle}{#1\isdot}
1325 \DeclareFieldFormat[thesis]{citetitle}{#1\isdot}
1326 \DeclareFieldFormat[unpublished]{citetitle}{#1\isdot}

```

The following field formats are used for output in bibliographies.

```

1327 \DeclareFieldFormat{booktitle}{#1\isdot}
1328 \DeclareFieldFormat{journaltitle}{#1}
1329 \DeclareFieldFormat{issuetitle}{#1}
1330 \DeclareFieldFormat{maintitle}{#1}
1331 \DeclareFieldFormat{title}{#1}
1332 \DeclareFieldFormat[article]{title}{#1\isdot}
1333 \DeclareFieldFormat[inbook]{title}{#1\isdot}
1334 \DeclareFieldFormat[incollection]{title}{#1\isdot}
1335 \DeclareFieldFormat[inproceedings]{title}{#1\isdot}
1336 \DeclareFieldFormat[patent]{title}{#1\isdot}
1337 \DeclareFieldFormat[thesis]{title}{#1\isdot}
1338 \DeclareFieldFormat[unpublished]{title}{#1\isdot}
1339 \DeclareFieldFormat{url}{\url{#1}}
1340 \DeclareFieldFormat{urldate}{\bibstring{urlseen}\addcolon\space#1}
1341 \DeclareFieldAlias[misc]{note}{urldate}
1342 \DeclareFieldAlias[report]{note}{urldate}
1343 \DeclareFieldAlias[thesis]{note}{urldate}
1344 \DeclareFieldFormat{version}{\bibcpstring{version}~#1}
1345 \DeclareFieldFormat{volume}{\bibcpstring{volume}~#1}
1346 \DeclareFieldFormat{volumes}{#1~\bibcpstring{volumes}}

```

**Formatting names and name lists** The following code morsels are taken from `biblatex.def` and modified.

The section employs special `biblatex` commands to (re)define or use macros in bibliography and citation styles.

`\newbibmacro{<name>}[<arguments>][<optional>]{<definition>}` defines a macro to be executed via `\usebibmacro` later. The syntax and argument handling of this command is very similar to `\newcommand` except that

- ▷ `<name>` may contain characters such as numbers and punctuation marks but no backslash, and
- ▷ `\newbibmacro` issues just a warning message if the macro is already defined, then falls back to `\renewbibmacro`.

`\renewbibmacro{<name>}[<arguments>][<optional>]{<definition>}` is similar to `\newbibmacro` but redefines `<name>`. If the macro is undefined, `\renewbibmacro` issues a warning message and falls back to `\newbibmacro`.

`\usebibmacro{<name>}` executes the biblatex macro `<name>`, as defined with `\newbibmacro`. If the macro takes any arguments, they are simply appended after `<name>`. `\usebibmacro` is robust.

All the formatting directives for name lists get the following «arguments»:

- #1 = last name
- #2 = last name (initials)
- #3 = first name
- #4 = first name (initials)
- #5 = name prefix, a.k.a. ‘von part’
- #6 = name prefix (initials)
- #7 = name affix, a.k.a. ‘junior part’
- #8 = name affix (initials)

This declares the output format of name lists to be used by `\printnames`.

```
1347 \DeclareNameFormat{emisa:names}{%
1348   \usebibmacro{name:last-firstinit}{#1}{#4}{#5}{#7}%
1349   \usebibmacro{name:andothers}}
```

This bibmacro formats the names of authors, editors or translators.

me:last-firstinit

```
bibmacro 1350 \newbibmacro*{name:last-firstinit}[4]{%
1351   \usebibmacro{name:delim}{#2#3#1}%
1352   \usebibmacro{name:hook}{#2#3#1}%
```

Formatting: name prefix (‘von part’), ...

```
1353   \ifblank{#3}{}{%
1354     \mkbibnameprefix{#3}%\isdot
1355     \ifpunctmark{' }
1356     {}
1357     {\ifuseprefix{\addhighpenspace}{\addlowpenspace}}}%
```

... last name ...

```
1358   \mkbibnamelast{#1}\addhighpenspace
```

... name affix (‘junior part’), ...

```
1359   \ifblank{#4}{}{\addlowpenspace\mkbibnameaffix{#4}\addlowpenspace}%
```

... and first name (initials).

```
1360 \ifblank{#2}{\mkbibnamefirst{#2}\isdot}%  
1361 }%
```

**in:** bibmacro This outputs the «in:» tag, as in bibliography entries for proceedings, collections, edited books and so on.

```
1362 \renewbibmacro*{in:}{%  
1363 \printtext{%  
1364 \bibcpstring{in}%  
1365 \intitlepunct}}
```

**Generic bibliography macros** In this subsection the generic bibmacros outputting the typical name fields in bibliographies are customised.

**author** bibmacro

```
1366 \renewbibmacro*{author}{%  
1367 \ifthenelse{\ifuseauthor\AND\NOT\ifnameundef{author}}  
1368 {\printnames{author}%  
1369 \iffieldundef{authortype}  
1370 {}  
1371 {\setunit{\addspace}%  
1372 \usebibmacro{authorstrg}}}  
1373 {}}}
```

**editor** bibmacro

```
1374 \renewbibmacro*{editor}{%  
1375 \ifthenelse{\ifuseeditor\AND\NOT\ifnameundef{editor}}  
1376 {\printnames{editor}%  
1377 \setunit{\addspace}%  
1378 \usebibmacro{editorstrg}%  
1379 \clearname{editor}}  
1380 {}}}
```

**editor+others** bibmacro

```
1381 \renewbibmacro*{editor+others}{%  
1382 \ifthenelse{\ifuseeditor\AND\NOT\ifnameundef{editor}}  
1383 {\printnames[emisa:names]{editor}%  
1384 \setunit{\addspace}%  
1385 \usebibmacro{editor+othersstrg}%  
1386 \clearname{editor}}  
1387 {}}}
```

**translator** bibmacro

```
1388 \renewbibmacro*{translator}{%  
1389 \ifthenelse{\ifusetranslator\AND\NOT\ifnameundef{translator}}  
1390 {\printnames{translator}%  
1391 \setunit{\addspace}%  
1392 \usebibmacro{translatorstrg}%
```

```

1393 \clearname{translator}}
1394 {}

```

translator+others bibmacro

```

1395 \renewbibmacro*{translator+others}{%
1396 \iffthenelse{\ifusetranslator\AND\NOT\ifnameundef{translator}}
1397 {\printnames{translator}%
1398 \setunit{\addspace}%
1399 \usebibmacro{translator+othersstrg}%
1400 \clearname{translator}}
1401 {}

```

editor+othersstrg bibmacro

```

1402 \renewbibmacro*{editor+othersstrg}{%
1403 \iffieldundef{editortype}
1404 {\iffthenelse{\value{editor}>1\OR\ifandothers{editor}}
1405 {\def\abx@tempa{editors}}
1406 {\def\abx@tempa{editor}}}
1407 {\iffthenelse{\value{editor}>1\OR\ifandothers{editor}}
1408 {\edef\abx@tempa{\thefield{editortype}s}}
1409 {\edef\abx@tempa{\thefield{editortype}}}}%
1410 \let\abx@tempb=\empty
1411 \ifnameequal{editor}{translator}
1412 {\appto\abx@tempa{tr}%
1413 \appto\abx@tempb{\clearname{translator}}}
1414 {}}%
1415 \ifnameequal{editor}{commentator}
1416 {\appto\abx@tempa{co}%
1417 \appto\abx@tempb{\clearname{commentator}}}
1418 {\ifnameequal{editor}{annotator}
1419 {\appto\abx@tempa{an}%
1420 \appto\abx@tempb{\clearname{annotator}}}
1421 {}}%
1422 \ifnameequal{editor}{introduction}
1423 {\appto\abx@tempa{in}%
1424 \appto\abx@tempb{\clearname{introduction}}}
1425 {\ifnameequal{editor}{foreword}
1426 {\appto\abx@tempa{fo}%
1427 \appto\abx@tempb{\clearname{foreword}}}
1428 {\ifnameequal{editor}{afterword}
1429 {\appto\abx@tempa{af}%
1430 \appto\abx@tempb{\clearname{afterword}}}
1431 {}}}%
1432 \ifbibxstring{\abx@tempa}
1433 {\bibstring[\mkbibparens]{\abx@tempa}%
1434 \abx@tempb}
1435 {\usebibmacro{editorstrg}}}%

```

emisa:url+urldate bibmacro

```

1436 \newbibmacro*{emisa:url+urldate}{%
1437   \iffieldundef{url}
1438     {\printfield{howpublished}}
1439     {\printfield{url}}
1440 \setunit*{\addperiod\space}\newblock
1441 \iffieldundef{urlyear}
1442   {\printfield{note}}
1443   {\printtext[urldate]{\printurldate}}}

```

isa:url+type+version+urldate

```

bibmacro 1444 \newbibmacro*{emisa:url+type+version+urldate}{%
1445   \iffieldundef{url}%
1446   {\printfield{url}}
1447   {\printfield{howpublished}}%
1448 \setunit*{\addcomma\space}\newblock
1449 \printfield{type}%
1450 \setunit*{\addcomma\space}\newblock
1451 \printfield{version}%
1452 \setunit*{\addcomma\space}\newblock
1453 \iffieldundef{urlyear}
1454   {\printfield{note}}
1455   {\printtext[urldate]{\printurldate}}}

```

This is the end of the code taken (and modified) from `biblatex.def`.

**Code from `standard.bbx`** The following code is taken from `standard.bbx` and modified at several places (see comments). This sections's definitions supersede those taken from `standard.cbx` and might in turn be superseded by the following code from `authoryear.bbx`.

finentry bibmacro

```

1456 \renewbibmacro*{finentry}{}%

```

article bibdriver

```

1457 \DeclareBibliographyDriver{article}{%
1458   \usebibmacro{bibindex}%
1459   \usebibmacro{begentry}%
1460   \usebibmacro{author/translator+others}%
1461   \setunit{\labelnamepunct}\newblock
1462   \usebibmacro{title}%
1463   \newunit
1464   \printlist{language}%
1465   \newunit\newblock
1466   \usebibmacro{bytranslator+others}%
1467   \newunit\newblock
1468   \printfield{version}%
1469   \setunit{\addperiod\space}%
1470   \usebibmacro{in:}%
1471   \usebibmacro{journal+issuetitle}%

```

```

1472 \newunit\newblock
1473 \usebibmacro{editor+others}%
1474 \newunit\newblock
1475 \usebibmacro{note+pages}%
1476 \newunit\newblock
1477 \iftoggle{bbx:isbn}
1478   {\printfield{issn}}
1479   {}%
1480 \newunit\newblock
1481 \usebibmacro{doi+eprint+url}%
1482 \newunit\newblock
1483 \usebibmacro{addendum+pubstate}%
1484 \newunit\newblock
1485 \usebibmacro{pageref}%
1486 \usebibmacro{finentry}}

```

#### book bibdriver

```

1487 \DeclareBibliographyDriver{book}{%
1488   \usebibmacro{bibindex}%
1489   \usebibmacro{begentry}%
1490   \usebibmacro{author/editor+others/translator+others}%
1491   \setunit{\labelnamepunct}\newblock
1492   \usebibmacro{maintitle+title}%
1493   \newunit
1494   \printlist{language}%
1495   \newunit\newblock
1496   \usebibmacro{editor+others}%
1497   \setunit{\addcomma\space}%
1498   \newblock
1499   \printfield{edition}%
1500   \setunit{\addperiod\space}%
1501   \newblock
1502   \usebibmacro{series+number}%
1503   \newunit
1504   \newblock
1505   \iffieldundef{maintitle}
1506     {\printfield{volume}%
1507       \printfield{part}}
1508     {}%
1509   \newunit
1510   \printfield{volumes}%
1511   \setunit{\addperiod\space}%
1512   \newblock
1513   \printfield{note}%
1514   \setunit{\addperiod\space}%
1515   \newblock
1516   \usebibmacro{publisher+location+date}%
1517   \newunit\newblock
1518   \usebibmacro{chapter+pages}%

```

```

1519 \newunit
1520 \printfield{pagetotal}%
1521 \newunit\newblock
1522 \iftoggle{bbx:isbn}
1523   {\printfield{isbn}}
1524   {}%
1525 \newunit\newblock
1526 \usebibmacro{doi+eprint+url}%
1527 \newunit\newblock
1528 \usebibmacro{addendum+pubstate}%
1529 \newunit\newblock
1530 \usebibmacro{pageref}%
1531 \usebibmacro{finentry}}

```

#### booklet bibdriver

```

1532 \DeclareBibliographyDriver{booklet}{%
1533   \usebibmacro{bibindex}%
1534   \usebibmacro{begentry}%
1535   \usebibmacro{author/editor+others/translator+others}%
1536   \setunit{\labelnamepunct}\newblock
1537   \usebibmacro{title}%
1538   \newunit
1539   \printlist{language}%
1540   \newunit\newblock
1541   \usebibmacro{editor+others}%
1542   \newunit\newblock
1543   \printfield{howpublished}%
1544   \newunit\newblock
1545   \printfield{type}%
1546   \newunit\newblock
1547   \printfield{note}%
1548   \newunit\newblock
1549   \usebibmacro{location+date}%
1550   \newunit\newblock
1551   \usebibmacro{chapter+pages}%
1552   \newunit
1553   \printfield{pagetotal}%
1554   \newunit\newblock
1555   \usebibmacro{doi+eprint+url}%
1556   \newunit\newblock
1557   \usebibmacro{addendum+pubstate}%
1558   \newunit\newblock
1559   \usebibmacro{pageref}%
1560   \usebibmacro{finentry}}

```

#### collection bibdriver

```

1561 \DeclareBibliographyDriver{collection}{%
1562   \usebibmacro{bibindex}%

```



```

1563 \usebibmacro{begentry}%
1564 \usebibmacro{editor+others}%
1565 \setunit{\labelnamepunct}\newblock
1566 \usebibmacro{maintitle+title}%
1567 \newunit
1568 \printlist{language}%
1569 \newunit\newblock
1570 \usebibmacro{editor+others}%
1571 \setunit{\addcomma\space}%
1572 \newblock
1573 \printfield{edition}%
1574 \setunit{\addperiod\space}%
1575 \newblock
1576 \usebibmacro{series+number}%
1577 \newunit
1578 \newblock
1579 \iffieldundef{maintitle}
1580   {\printfield{volume}%
1581     \printfield{part}}
1582   {}%
1583 \newunit
1584 \printfield{volumes}%
1585 \setunit{\addperiod\space}%
1586 \newblock
1587 \printfield{note}%
1588 \setunit{\addperiod\space}%
1589 \newblock
1590 \usebibmacro{publisher+location+date}%
1591 \newunit\newblock
1592 \usebibmacro{chapter+pages}%
1593 \newunit
1594 \printfield{pagetotal}%
1595 \newunit\newblock
1596 \iftoggle{bbx:isbn}
1597   {\printfield{isbn}}
1598   {}%
1599 \newunit\newblock
1600 \usebibmacro{doi+eprint+url}%
1601 \newunit\newblock
1602 \usebibmacro{addendum+pubstate}%
1603 \newunit\newblock
1604 \usebibmacro{pageref}%
1605 \usebibmacro{finentry}}

```

inbook bibdriver

```

1606 \DeclareBibliographyDriver{inbook}{%
1607   \usebibmacro{bibindex}%
1608   \usebibmacro{begentry}%
1609   \usebibmacro{author/translator+others}%

```

```

1610 \setunit{\labelnamepunct}\newblock
1611 \usebibmacro{title}%
1612 \newunit
1613 \printlist{language}%
1614 \newunit\newblock
1615 \usebibmacro{in:}%
1616 \usebibmacro{bybookauthor}%
1617 \newunit\newblock
1618 \usebibmacro{maintitle+booktitle}%
1619 \newunit\newblock
1620 \usebibmacro{editor+others}%
1621 \setunit{\addcomma\space}%
1622 \newblock
1623 \printfield{edition}%
1624 \newunit
1625 \iffieldundef{maintitle}
1626   {\printfield{volume}%
1627     \printfield{part}}
1628   {}%
1629 \newunit
1630 \printfield{volumes}%
1631 \newunit\newblock
1632 \usebibmacro{series+number}%
1633 \newunit\newblock
1634 \printfield{note}%
1635 \newunit\newblock
1636 \usebibmacro{publisher+location+date}%
1637 \newunit\newblock
1638 \usebibmacro{chapter+pages}%
1639 \newunit\newblock
1640 \iftoggle{bbx:isbn}
1641   {\printfield{isbn}}
1642   {}%
1643 \newunit\newblock
1644 \usebibmacro{doi+eprint+url}%
1645 \newunit\newblock
1646 \usebibmacro{addendum+pubstate}%
1647 \newunit\newblock
1648 \usebibmacro{pageref}%
1649 \usebibmacro{finentry}}

```

#### incollection bibdriver

```

1650 \DeclareBibliographyDriver{incollection}{%
1651   \usebibmacro{bibindex}%
1652   \usebibmacro{begentry}%
1653   \usebibmacro{author/translator+others}%
1654   \setunit{\labelnamepunct}\newblock
1655   \usebibmacro{title}%
1656   \setunit{\addcomma\space}%

```

1657 \printlist{language}%

Period after title, if any

1658 \setunit{\addperiod\space}%  
1659 \usebibmacro{in:}%  
1660 \usebibmacro{editor+others}%  
1661 \setunit{\addspace}%  
1662 \newblock  
1663 \usebibmacro{byauthor}%  
1664 \newblock  
1665 \usebibmacro{maintitle+booktitle}%

Colon after maintitle, if any

1666 \newblock  
1667 \printfield{edition}%  
1668 \setunit{\addperiod\space}%  
1669 \newblock  
1670 \usebibmacro{series+number}%  
1671 \newunit  
1672 \newblock  
1673 \iffieldundef{maintitle}  
1674   {\printfield{volume}%  
1675    \printfield{part}}  
1676   }%  
1677 \newunit  
1678 \printfield{volumes}%  
1679 \setunit{\addperiod\space}%  
1680 \newblock  
1681 \printfield{note}%  
1682 \setunit{\addperiod\space}%  
1683 \newblock  
1684 \usebibmacro{publisher+location+date}%  
1685 \setunit\*{\addcomma\space}%  
1686 \newblock  
1687 \usebibmacro{chapter+pages}%  
1688 \newunit\newblock  
1689 \iftoggle{bbx:isbn}  
1690   {\printfield{isbn}}  
1691   }%  
1692 \newunit\newblock  
1693 \usebibmacro{doi+eprint+url}%  
1694 \newunit\newblock  
1695 \usebibmacro{addendum+pubstate}%  
1696 \newunit\newblock  
1697 \usebibmacro{pageref}%  
1698 \usebibmacro{finentry}}

inproceedings bibdriver

1699 \DeclareBibliographyDriver{inproceedings}{%

1700 \usebibmacro{bibindex}%  
 1701 \usebibmacro{begentry}%  
 1702 \usebibmacro{author/translator+others}%  
 1703 \setunit{\labelnamepunct}%  
 1704 \newblock  
 1705 \usebibmacro{title}%  
 1706 \setunit{\addcomma\space}%  
 1707 \printlist{language}%  
 1708 \newblock  
 1709 \usebibmacro{byauthor}%

Period after title, if any

1710 \setunit{\addperiod\space}%  
 1711 \usebibmacro{in:}%  
 1712 \usebibmacro{editor+others}%  
 1713 \setunit{\addspace}%  
 1714 \newblock  
 1715 \usebibmacro{byauthor}%  
 1716 \newblock  
 1717 \usebibmacro{maintitle+booktitle}%

Colon after maintitle, if any

1718 \newblock  
 1719 \usebibmacro{event+venue+date}%  
 1720 \setunit{\addperiod\space}%  
 1721 \newblock  
 1722 \usebibmacro{series+number}%  
 1723 \newunit  
 1724 \newblock  
 1725 \iffieldundef{maintitle}  
 1726   {\printfield{volume}}%  
 1727   \printfield{part}}  
 1728   {}%  
 1729 \newunit  
 1730 \printfield{volumes}%  
 1731 \setunit{\addperiod\space}%  
 1732 \newblock  
 1733 \printfield{note}%  
 1734 \setunit{\addperiod\space}%  
 1735 \newblock  
 1736 \printlist{organization}%  
 1737 \setunit{\addperiod\space}%  
 1738 \newblock  
 1739 \usebibmacro{publisher+location+date}%  
 1740 \setunit{\addcomma\space}%  
 1741 \newblock  
 1742 \usebibmacro{chapter+pages}%  
 1743 \newunit\newblock  
 1744 \iftoggle{bbx:isbn}

```

1745     {\printfield{isbn}}
1746     {}}%
1747 \newunit\newblock
1748 \usebibmacro{doi+eprint+url}%
1749 \newunit\newblock
1750 \usebibmacro{addendum+pubstate}%
1751 \newunit\newblock
1752 \usebibmacro{pageref}%
1753 \usebibmacro{finentry}}

```

manual bibdriver

```

1754 \DeclareBibliographyDriver{manual}{%
1755   \usebibmacro{bibindex}%
1756   \usebibmacro{begentry}%
1757   \usebibmacro{author/editor}%
1758   \setunit{\labelnamepunct}\newblock
1759   \usebibmacro{title}%
1760   \newunit
1761   \printlist{language}%
1762   \newunit\newblock
1763   \usebibmacro{byeditor}%
1764   \setunit{\addcomma\space}%
1765   \newblock
1766   \printfield{edition}%
1767   \newunit\newblock
1768   \usebibmacro{series+number}%
1769   \newunit\newblock
1770   \printfield{type}%
1771   \newunit
1772   \printfield{version}%
1773   \newunit
1774   \printfield{note}%
1775   \newunit\newblock
1776   \printlist{organization}%
1777   \newunit
1778   \usebibmacro{publisher+location+date}%
1779   \newunit\newblock
1780   \usebibmacro{chapter+pages}%
1781   \newunit
1782   \printfield{pagetotal}%
1783   \newunit\newblock
1784   \iftoggle{bbx:isbn}
1785     {\printfield{isbn}}
1786     {}}%
1787   \newunit\newblock
1788   \usebibmacro{doi+eprint+url}%
1789   \newunit\newblock
1790   \usebibmacro{addendum+pubstate}%
1791   \newunit\newblock

```

1792 \usebibmacro{pageref}%  
1793 \usebibmacro{finentry}}

#### misc bibdriver

1794 \DeclareBibliographyDriver{misc}{%  
1795 \usebibmacro{bibindex}%  
1796 \usebibmacro{begentry}%  
1797 \usebibmacro{author/editor+others/translator+others}%  
1798 \setunit{\labelnamepunct}\newblock  
1799 \usebibmacro{title}%  
1800 \newunit  
1801 \printlist{language}%

Period after title, if any

1802 \setunit{\addperiod\space}%  
1803 \usebibmacro{emisa:url+urldate}%  
1804 \usebibmacro{finentry}}

#### online bibdriver

1805 \DeclareBibliographyDriver{online}{%  
1806 \usebibmacro{bibindex}%  
1807 \usebibmacro{begentry}%  
1808 \usebibmacro{author/editor+others/translator+others}%  
1809 \setunit{\labelnamepunct}\newblock  
1810 \usebibmacro{title}%  
1811 \newunit  
1812 \printlist{language}%  
1813 \newunit\newblock  
1814 \usebibmacro{editor+others}%  
1815 \newunit\newblock  
1816 \printfield{version}%  
1817 \newunit  
1818 \printfield{note}%  
1819 \newunit\newblock  
1820 \printlist{organization}%  
1821 \newunit\newblock  
1822 \usebibmacro{date}%  
1823 \newunit\newblock  
1824 \iftoggle{bbx:eprint}  
1825 {\usebibmacro{eprint}}  
1826 {}%  
1827 \newunit\newblock  
1828 \usebibmacro{url+urldate}%  
1829 \newunit\newblock  
1830 \usebibmacro{addendum+pubstate}%  
1831 \newunit\newblock  
1832 \usebibmacro{pageref}%  
1833 \usebibmacro{finentry}}

patent bibdriver

```
1834 \DeclareBibliographyDriver{patent}{%
1835   \usebibmacro{bibindex}%
1836   \usebibmacro{begentry}%
1837   \usebibmacro{author}%
1838   \setunit{\labelnamepunct}\newblock
1839   \usebibmacro{title}%
1840   \newunit
1841   \printlist{language}%
1842   \newunit\newblock
1843   \printfield{type}%
1844   \setunit*{\addspace}%
1845   \printfield{number}%
1846   \iflistundef{location}
1847     {}
1848     {\setunit*{\addspace}%
1849       \printtext[parens]{%
1850         \printlist[][-\value{listtotal}]{location}}}%
1851   \newunit\newblock
1852   \usebibmacro{byholder}%
1853   \newunit\newblock
1854   \printfield{note}%
1855   \newunit\newblock
1856   \usebibmacro{date}%
1857   \newunit\newblock
1858   \iftoggle{bbx:url}
1859     {\usebibmacro{url+urldate}}
1860     {}%
1861   \newunit\newblock
1862   \usebibmacro{addendum+pubstate}%
1863   \newunit\newblock
1864   \usebibmacro{pageref}%
1865   \usebibmacro{finentry}}
```

periodical bibdriver

```
1866 \DeclareBibliographyDriver{periodical}{%
1867   \usebibmacro{bibindex}%
1868   \usebibmacro{begentry}%
1869   \usebibmacro{editor}%
1870   \setunit{\labelnamepunct}\newblock
1871   \usebibmacro{title+issuetitle}%
1872   \newunit
1873   \printlist{language}%
1874   \newunit\newblock
1875   \usebibmacro{byeditor}%
1876   \newunit\newblock
1877   \printfield{note}%
1878   \newunit\newblock
```

```

1879 \iftoggle{bbx:isbn}
1880   {\printfield{issn}}
1881   {}%
1882 \newunit\newblock
1883 \usebibmacro{doi+eprint+url}%
1884 \newunit\newblock
1885 \usebibmacro{addendum+pubstate}%
1886 \newunit\newblock
1887 \usebibmacro{pageref}%
1888 \usebibmacro{finentry}}

```

proceedings bibdriver

```

1889 \DeclareBibliographyDriver{proceedings}{%
1890   \usebibmacro{bibindex}%
1891   \usebibmacro{begentry}%
1892   \usebibmacro{editor+others}%
1893   \setunit{\labelnamepunct}\newblock
1894   \usebibmacro{maintitle+title}%
1895   \newunit
1896   \printlist{language}%
1897   \newunit\newblock
1898   \usebibmacro{event+venue+date}%
1899   \newunit\newblock
1900   \usebibmacro{editor+others}%
1901   \setunit{\addperiod\space}%
1902   \newblock
1903   \usebibmacro{series+number}%
1904   \newunit
1905   \newblock
1906   \iffieldundef{maintitle}
1907     {\printfield{volume}%
1908       \printfield{part}}
1909     {}%
1910   \newunit
1911   \printfield{volumes}%
1912   \setunit{\addperiod\space}%
1913   \newblock
1914   \printfield{note}%
1915   \setunit{\addperiod\space}%
1916   \newblock
1917   \printlist{organization}%
1918   \setunit{\addperiod\space}%
1919   \newblock
1920   \usebibmacro{publisher+location+date}%
1921   \newblock
1922   \usebibmacro{chapter+pages}%
1923   \newunit
1924   \printfield{pagetotal}%
1925   \newunit\newblock

```



```

1926 \iftoggle{bbx:isbn}
1927   {\printfield{isbn}}
1928   {}%
1929 \newunit\newblock
1930 \usebibmacro{doi+eprint+url}%
1931 \newunit\newblock
1932 \usebibmacro{addendum+pubstate}%
1933 \newunit\newblock
1934 \usebibmacro{pageref}%
1935 \usebibmacro{finentry}}

```

#### Technical reports

```

author
title
year
type
number
institution
address
url
note

```

#### report bibdriver

```

1936 \DeclareBibliographyDriver{report}{%
1937   \usebibmacro{bibindex}%
1938   \usebibmacro{begentry}%
1939   \usebibmacro{author}%
1940   \setunit{\labelnamepunct}\newblock
1941   \usebibmacro{title}%
1942   \setunit{\addperiod\space}%
1943   \printfield{type}%
1944   \newunit
1945   \printfield{number}%
1946   \setunit{\addperiod\space}%
1947   \printlist{institution}%
1948   \setunit*{\addperiod\space}\newblock
1949   \printlist{location}%
1950   \setunit*{\addperiod\space}\newblock
1951   \printfield{url}%
1952   \setunit*{\addperiod\space}\newblock
1953   \printfield{note}%
1954   \newunit\newblock
1955   \usebibmacro{finentry}}%
1956 \DeclareBibliographyAlias{techreport}{report}%

```

#### thesis bibdriver

```

1957 \DeclareBibliographyDriver{thesis}{%

```

1958 \usebibmacro{bibindex}%  
 1959 \usebibmacro{begentry}%  
 1960 \usebibmacro{author}%  
 1961 \setunit{\labelnamepunct}\newblock  
 1962 \usebibmacro{title}%  
 1963 \newunit  
 1964 \printlist{language}%

Period after title, if any

1965 \setunit{\addperiod\space}%  
 1966 \printfield{type}%  
 1967 \setunit\*{\addcomma\space}%  
 1968 \usebibmacro{institution+location+date}%  
 1969 \setunit{\addperiod\space}%  
 1970 \usebibmacro{chapter+pages}%  
 1971 \newunit  
 1972 \printfield{pagetotal}%  
 1973 \newunit\newblock  
 1974 \printfield{url}%  
 1975 \setunit\*{\addperiod\space}\newblock  
 1976 \printfield{note}%  
 1977 \newunit\newblock  
 1978 \usebibmacro{addendum+pubstate}%  
 1979 \newunit\newblock  
 1980 \usebibmacro{pageref}%  
 1981 \usebibmacro{finentry}}

unpublished bibdriver

1982 \DeclareBibliographyDriver{unpublished}{%  
 1983 \usebibmacro{bibindex}%  
 1984 \usebibmacro{begentry}%  
 1985 \usebibmacro{author}%  
 1986 \setunit{\labelnamepunct}\newblock  
 1987 \usebibmacro{title}%  
 1988 \newunit  
 1989 \printlist{language}%  
 1990 \newunit\newblock  
 1991 \printfield{howpublished}%  
 1992 \newunit\newblock  
 1993 \printfield{note}%  
 1994 \newunit\newblock  
 1995 \usebibmacro{date}%  
 1996 \newunit\newblock  
 1997 \iftoggle{bbx:url}  
 1998 {\usebibmacro{url+urldate}}  
 1999 {}%  
 2000 \newunit\newblock  
 2001 \usebibmacro{addendum+pubstate}%  
 2002 \newunit\newblock

2003 \usebibmacro{pageref}%  
2004 \usebibmacro{finentry}}

intitle+booktitle

bibmacro 2005 \renewbibmacro\*{maintitle+booktitle}{%  
2006 \iffieldundef{maintitle}  
2007 {}  
2008 {\usebibmacro{maintitle}%  
2009 \addspace  
2010 \newblock  
2011 \iffieldundef{volume}  
2012 {}  
2013 {\printfield{volume}%  
2014 \printfield{part}%  
2015 \addspace  
2016 }}%  
2017 \usebibmacro{booktitle}%  
2018 \newunit}

journal+issuetitle bibmacro

2019 \renewbibmacro\*{journal+issuetitle}{%  
2020 \usebibmacro{journal}%  
2021 \setunit\*{\addspace}%  
2022 \iffieldundef{series}  
2023 {}  
2024 {\newunit  
2025 \printfield{series}%  
2026 \setunit{\addspace}}%  
2027 \printfield{volume}%  
2028 \printfield[parens]{number}%  
2029 \setunit{\addcomma\space}%  
2030 \printfield{eid}%  
2031 \setunit{\addspace}%  
2032 \usebibmacro{issue+date}%  
2033 \setunit{\addcolon\space}%  
2034 \usebibmacro{issue}%  
2035 \newunit}

isa:doi+eprint+url

bibmacro 2036 \newbibmacro\*{emisa:doi+eprint+url}{%  
2037 \iftoggle{bbx:doi}  
2038 {\printfield{doi}}  
2039 {}%  
2040 \newunit\newblock  
2041 \iftoggle{bbx:eprint}  
2042 {\usebibmacro{eprint}}  
2043 {}%  
2044 \newunit\newblock  
2045 \iftoggle{bbx:url}

```

2046     {\usebibmacro{emisa:url+urldate}}
2047     {}}

```

This is the end of the code taken (and modified) from `standard.bbx`.

**Code from `authoryear.bbx`** The following code is taken from `authoryear.bbx` and modified at several places (see comments). The macros in this subsection will supersede any previous definition by the same name(s).

author bibmacro

```

2048 \renewbibmacro*{author}{%
2049   \ifthenelse{\ifuseauthor\AND\NOT\ifnameundef{author}}
2050   {\ifthenelse{\iffieldequals{fullhash}{\bbx@lasthash}\AND
2051               \NOT\iffirstonpage\AND
2052               \(\NOT\boolean{bbx@inset}\OR
2053               \iffieldequalstr{entrysetcount}{1}\)}
2054   {\bibnamedash}
2055   {\usebibmacro{bbx:savehash}%
2056    \printnames[emisa:names]{author}%
2057    \iffieldundef{authortype}
2058     {\setunit{\addspace}}
2059     {\setunit{\addcomma\space}%
2060     \usebibmacro{authorstrg}%
2061     \setunit{\addspace}}}%
2062   }{%
2063   \global\undef\bbx@lasthash
2064   \usebibmacro{labeltitle}%
2065   \setunit*{\addspace}}%
2066   \usebibmacro{date+extrayear}}

```

bbx:editor bibmacro

```

2067 \renewbibmacro*{bbx:editor}[1]{%
2068   \ifthenelse{\ifuseeditor\AND\NOT\ifnameundef{editor}}
2069   {\ifthenelse{\iffieldequals{fullhash}{\bbx@lasthash}\AND
2070               \NOT\iffirstonpage\AND
2071               \(\NOT\boolean{bbx@inset}\OR
2072               \iffieldequalstr{entrysetcount}{1}\)}
2073   {\bibnamedash}
2074   {\printnames[emisa:names]{editor}%
2075    \setunit{\addcomma\space}%
2076    \usebibmacro{bbx:savehash}}%
2077   \usebibmacro{#1}%
2078   \clearname{editor}%
2079   \setunit{\addspace}%
2080   }{\global\undef\bbx@lasthash
2081   \usebibmacro{labeltitle}%
2082   \setunit*{\addspace}%
2083   }%

```

```

2084 % \usebibmacro{date+extrayear}%
2085 }

```

bbx:translator bibmacro

```

2086 \renewbibmacro*{bbx:translator}[1]{%
2087 \ifthenelse{\ifusetranslator\AND\NOT\ifnameundef{translator}}
2088   {\ifthenelse{\iffieldequals{fullhash}{\bbx@lasthash}\AND
2089     \NOT\iffirstonpage\AND
2090   \(\NOT\boolean{bbx@inset}\OR
2091     \iffieldequalstr{entrysetcount}{1}\)}
2092     {\bibnamedash}
2093     {\printnames[emisa:names]{translator}}%
2094 \setunit{\addcomma\space}%
2095 \usebibmacro{bbx:savehash}}%
2096   \usebibmacro{translator+othersstrg}%
2097   \clearname{translator}%
2098   \setunit{\addspace}}%
2099   {\global\undef\bbx@lasthash
2100   \usebibmacro{labeltitle}}%
2101   \setunit*{\addspace}}%
2102 \usebibmacro{date+extrayear}}

```

publisher+location+date

```

bibmacro 2103 \renewbibmacro*{publisher+location+date}{%
2104 \printlist{publisher}%
2105 \setunit*{\addcomma\space}%
2106 \printlist{location}%
2107 \newunit}

```

institution+location+date

```

bibmacro 2108 \renewbibmacro*{institution+location+date}{%
2109 \printlist{institution}%
2110 \setunit*{\addcomma\space}%
2111 \printlist{location}%
2112 \newunit}

```

This is the end of the code taken (and modified) from `authoryear.bbx`.

### Localization

```

2113 \DefineBibliographyStrings{english}{%
2114 urlseen = {Last Access},
2115 techreport = {},%
2116 }%

2117 \DefineBibliographyStrings{german}{%
2118 urlseen = {Letzter Zugriff},%
2119 techreport = {},%
2120 }%

```

```

2121 \DefineBibliographyStrings{ngerman}{%
2122 urlseen = {Letzter Zugriff},%
2123 techreport = {},%
2124 }%

```

## Unlocalization

```

2125 % year/month/day
2126 \protected\def\mkbibdateiso#1#2#3{%
2127   \iffieldundef{#1}{}%
2128   \thefield{#1}%
2129   \iffieldundef{#2}{-}%
2130   \iffieldundef{#2}{-}%
2131   \mkdatezeros{\thefield{#2}}%
2132   \iffieldundef{#3}{-}%
2133   \mkdatezeros{\thefield{#3}}%
2134 }%

2135 \DefineBibliographyExtras{english}{\let\mkbibdateshort\mkbibdateiso}%
2136 \DefineBibliographyExtras{german}{\let\mkbibdateshort\mkbibdateiso}%
2137 \DefineBibliographyExtras{ngerman}{\let\mkbibdateshort\mkbibdateiso}%

```

Here, the EMISA bibliography style file `emisa.bbx` ends.

```

2138 </bbx>

```

### 19.10.2 The EMISA citation style

A citation style is a set of commands such as `\cite` which print different types of citations. Such styles are defined in files with the suffix `cbx`. The `biblatex` package loads the selected citation style file at the end of the package. Note that a small repertory of frequently used macros shared by several of the standard citation styles is also included in `biblatex.def`. This file is loaded at the end of the package as well, prior to the selected citation style.

The EMISA citation style is defined in the file `emisa.cbx` which is generated from the following code lines between the `<*cbx>` and `</cbx>` meta-tags.

```

2139 <*cbx>

2140 \ProvidesFile{emisa.cbx}[2016/02/06 2.0 EMISA citation style]
2141 \RequireCitationStyle{authoryear-comp}
2142 \renewcommand*{\nameyear delim}{\addspace}

```

`\DeclareRangeChars` configures the `\ifnumerals` and `\ifpages` tests. The setup will also affect `\iffieldnums` and `\iffieldpages` as well as `\mkpageprefix` and `\mkpagetotal`. The argument is an undelimited list of characters which are to be considered as range indicators. The regular version of this command replaces the current setting, the starred version appends its argument to the current list. The default setting is `{~, ; -+ /}`, so strings like “3–5”, “35+”, “8/9” and so on will be considered as a range.

Here we add the character `f` to enable ranges like “123f” and “456ff”.

```

2143 \DeclareRangeChars*{f}

```

Here, the EMISA citation style file `emisa.cbx` ends.

```
2144 </cbx>
2145 </biblatex>
2146 <*class>
```

Here, the  $\LaTeX$  class EMISA ends.

```
2147 </class>
```

## 19.11 Examples and templates

### 19.11.1 Document templates

Here we add a couple of small document templates to ease the creation of documents: `emisa-article-template.tex` for article authors and `emisa-issue-template.tex` for copy editors. Both are generated from the following piece.

```
2148 <*template>
2149 <*article>
2150 \documentclass[british]{emisa}
2151 %% You can use the following additional class options:
2152 %% referee, review -- Use for submission to peer-review process.
2153 %% draft -- mark overfull lines
2154 %% british, UKenglish -- British English hyphenation and quotation marks
2155 %% american, USenglish -- American English hyphenation and quotation marks
2156 </article>
2157 <issue>\documentclass[final,cover]{emisa}
2158 <*article | issue>
2159 %% The following package imports are recommended, but not obligatory;
2160 %% you might want take a look into their respective manuals if you
2161 %% don't know what they do.
2162 \usepackage{amsmath,amssymb,mathtools}
2163 \usepackage{algorithmic,algorithm}
2164 %% Additional package imports go here:
2165 %% \usepackage{}
2166 </article | issue>
2167 <*issue>
2168 %% Insert here issue data:
2169 \volume{}% Volume No.
2170 \issue{}{}% Issue No. and Issue Date
2171 %% If there are any bibliography data bases to be used globally
2172 %% please indicate here:
2173 \bibliography{}
2174 %% Insert here any (relative or absolute) path to be searched for
2175 %% graphics files:
2176 \graphicspath{{./figs_base/},{}}
2177 %% Here you can alter the cover pages; e.g. this:
2178 %% \coverII{\AtPageDeadCenter{Something}}
2179 %% typesets the word "Something" centered on the inner side of the
```

```

2180 %% front sheet.
2181 %% You can also delete any cover pages at all by defining them empty,
2182 %% see below:
2183 \coverII{}
2184 %% This outputs the SIG-MOBIS page on the inner side of the back
2185 %% sheet:
2186 \coverIII{\AtPageCenter{\sigmobispage}}
2187 </issue>
2188 (*article | issue)
2189 %% Here, the normal text begins.
2190 \begin{document}
2191 </article | issue>
2192 (*issue)
2193 \tableofcontents
2194
2195 \begin{editorial}
2196 %% Please insert editorial text here.
2197
2198 \end{editorial}
2199 </issue>
2200 (*article | issue)
2201 \begin{article}{%
2202 %% Please declare the title elements of your article here. Unused
2203 %% elements can either be deleted or commented out, or else just let
2204 %% empty. In either case they are not typeset.
2205 %% If the option referee or review is given, all author tags, address,
2206 %% e-mail and acknowledgements will be likewise omitted.
2207 \title[Insert shorttitle for page headline]{Enter full title here}
2208 \subtitle{Enter subtitle here, or leave empty}
2209 \author*{FirstName LastName of corresponding author}{email@address.org}
2210 \address{Enter affiliation of first (corresponding) author here. Note that only the starred v
2211 %% Author with a different address
2212 \author{FirstName LastName}
2213 \address{Enter affiliation of second and further authors here. Add further authors following th
2214 %% Author with an already used address
2215 \author{FirstName LastName}
2216 \address[Letter of already used address]{}
2217 %% Enter abstract, keywords, acknowledgements, authornotes
2218 \abstract{Enter abstract here}
2219 \keywords{Enter at a minimum three keywords here. Keyword1 \and Keyword2 \and Keyword3}
2220 \acknowledgements{Enter acknowledgements here.}
2221 \authornote{If your submission is based on a prior publication and revises / extends this work
2222 %% Please declare here the bibliography data base(s) you want to use
2223 %% in this article (make sure to add the file extension, e.g. .bib):
2224 \bibliography{}
2225 %% Take note of the following closing bracket!
2226 }
2227 </article | issue>
2228 (*issue)

```



```

2229 \editor{My self}
2230 \received{24 October 2014}
2231 \accepted[2]{1 November 2015}
2232 \doi{10.5073/EMISA.2011.11.1}
2233 \license{License information}
2234 %% or
2235 \CCBYNCSThree
2236 %% or
2237 \CCBYNCSThree
2238 </issue>
2239 <*article | issue>
2240 %% Please insert your article text here.
2241 \section{Introduction}
2242 \subsection{The research problem}
2243 %% Remember to provide a unique label for each section, table, figure, listing and algorithm for
2244 %%
2245 %% This directive typesets the bibliography. To achieve this, one has
2246 %% to run the biber program on the corresponding auxiliary file
2247 %% generated in the previous LaTeX run; you can just use the job name
2248 %% (the name of this file without ".tex")", e.g.: biber emisa-author-template
2249 \printbibliography
2250 %
2251 \end{article}
2252 </article | issue>
2253 <*issue>
2254
2255 %% Please insert as much article environments here as are needed.
2256 \begin{article}{%
2257 \title{}
2258 \subtitle{}
2259 \author*{<Name>}{<Email address>}
2260 \address{address line 1\\address line 2}
2261 % Author with unique address
2262 \author{<Name>}
2263 \address{address line 1\\address line 2}
2264 % Author with the same address as another author
2265 \author{<Name>}
2266 \address[a]{}
2267 \abstract{<Insert abstract>}
2268 \keywords{Keyword 1 \and keyword 2 \and keyword 3}
2269 \authornote{This article extends an earlier conference paper, see ...}
2270 \acknowledgements{}
2271 \editor{My self}
2272 \received{24 October 2014}
2273 \accepted[2]{1 November 2015}
2274 \doi{10.5073/EMISA.2011.11.1}
2275 \bibliography{}
2276 }
2277

```

```
2278
2279 \printbibliography
2280 \end{article}
2281
2282 \begin{cfp}
2283 % Please insert your Call for papers here.
2284 \end{cfp}
2285
2286 \imprint
2287 \editorialboard
2288 \guidelines
2289 </issue>
2290 <article | issue>\end{document}
2291 </template>
```