The eso-pic package*

Rolf Niepraschk
Rolf.Niepraschk@gmx.de

1 Introduction

This package makes it easy to add some picture commands to every page at absolute positions.

2 Usage

See also the example LaTeX documents (`eso-*.tex`).

2.1 Basic commands for adding LaTeX stuff to the page background

`\AddToShipoutPictureBG` All the picture commands which are parameters of an `\AddToShipoutPictureBG` command will be added to the internal macro `\ESO@HookIBG`. This macro is part of a zero-length `picture` environment with basepoint at the lower left corner of the page (default) or at the upper left corner (package option "texcoord"). The `picture` environment will be shipped out at every new page.

`\AddToShipoutPictureBG*` `\AddToShipoutPictureBG*` works like `\AddToShipoutPictureBG` but only for the current page. It used the internal macro `\ESO@HookIIBG` which contents will be removed automatically.

For compatibility the macros `\AddToShipoutPicture` and `\AddToShipoutPicture*` are aliases for `\AddToShipoutPictureBG` and `\AddToShipoutPictureBG*`.

`\AddToShipoutPictureFG` Works like `\AddToShipoutPictureBG` but the picture commands are on the
`\AddToShipoutPictureFG*` top oft the normal document content.

`\ClearShipoutPictureBG` A call of `\ClearShipoutPictureBG` clears the contents of `\ESO@HookIBG`.

For compatibility the macro `\ClearShipoutPicture` is an alias for `\ClearShipoutPictureBG`.

`\ClearShipoutPictureFG` A call of `\ClearShipoutPictureFG` clears the contents of `\ESO@HookIFG`.

`\LenToUnit` Allows a length as parameter to a picture command. Note that this macro is no more necessary when using `\usepackage{picture}`.

`\gridSetup` `\gridSetup[`⟨*gridunitname*⟩`]{`⟨*gridunit*⟩`}{`⟨*labelfactor*⟩`}{`⟨*griddelta*⟩`}{`⟨*gridDelta*⟩`}{`⟨*gap*⟩`}`. For details see the implementation section.

*This document corresponds to eso-pic v2.0g, dated 2015/07/21.

\AtPageUpperLeft
\AtPageLowerLeft
\AtPageCenter
\AtTextUpperLeft
\AtTextLowerLeft
\AtTextCenter
\AtStockUpperLeft
\AtStockLowerLeft
\AtStockCenter

Helper macros for easier positioning on the page.

2.2 Package options

Option	Value	Comments
`pscoord`	empty or *true*, *false*	The zero point of the coordinate system is the lower left corner of the page (the default).
`texcoord`	empty or *true*, *false*	The zero point of the coordinate system is the upper left corner of the page.
`grid`	empty or *true*, *false*	A grid is drawing; default: false.
`gridBG`	empty or *true*, *false*	Put the grid in the background; default: false.
`gridunit`	*mm*, *in*, *bp*, *pt*	Distance between gridlines are multiples of `gridunit`. default: mm.
`gridcolor`	a valid color name	Color of the main gridlines; default: black
`subgridcolor`	a valid color name	Color of the subgridlines; default: black.
`subgridstyle`	*solid* or *dotted*	'dotted' is very slow! default: solid.
`colorgrid`	empty or *true*, *false*	Shortcut for 'grid=true', 'gridcolor=red' and 'subgridcolor=green'; default: false.
`dvips`	empty or *true*, *false*	Is also true if the package option `dvips` is used by color or graphics. If true package eepic is loaded for better performance of dotted lines.

3 Implementation

3.1 The main functionality

```
1 \RequirePackage{atbegshi}
```

\LenToUnit

```
2 \providecommand*\LenToUnit[1]{\strip@pt\dimexpr#1*\p@/\unitlength}
```

\ESO@isMEMOIR

Support for the memoir class.

```
3 \newcommand\ESO@isMEMOIR[2]{#2}
4 \@ifclassloaded{memoir}{\renewcommand\ESO@isMEMOIR[2]{#1}}{}
```

\AtPageUpperLeft

```
5 \newcommand\AtPageUpperLeft[1]{%
6   \put(0,\LenToUnit{-\ESO@yoffsetI}){#1}%
7 }
```

\AtPageLowerLeft

```
8 \newcommand\AtPageLowerLeft[1]{\AtPageUpperLeft{%
9   \put(0,\LenToUnit{-\paperheight}){#1}}}
```

\AtPageCenter

```
10 \newcommand\AtPageCenter[1]{\AtPageUpperLeft{%
```

```
    \put(\LenToUnit{.5\paperwidth},\LenToUnit{-.5\paperheight}){#1}}%
}
```

\AtStockLowerLeft

```
\newcommand\AtStockLowerLeft{}
\ESO@isMEMOIR{%
  \renewcommand\AtStockLowerLeft[1]{%
    \begingroup
      \@tempdima=-\stockwidth
      \advance\@tempdima\trimedge
      \advance\@tempdima\paperwidth
      \if@twoside\ifodd\c@page\else
        \@tempdima=-\trimedge
      \fi\fi
      \@tempdimb=-\stockheight
      \advance\@tempdimb\paperheight
      \advance\@tempdimb\trimtop
      \AtPageLowerLeft{%
        \put(\LenToUnit{\@tempdima},\LenToUnit{\@tempdimb}){#1}%
      }%
    \endgroup
  }
}{%
  \let\AtStockLowerLeft=\AtPageLowerLeft
}
```

\AtStockUpperLeft

```
\newcommand\AtStockUpperLeft{}
\ESO@isMEMOIR{%
  \renewcommand\AtStockUpperLeft[1]{%
    \AtStockLowerLeft{%
      \put(0,\LenToUnit{\stockheight}){#1}%
    }%
  }%
}{%
  \let\AtStockUpperLeft=\AtPageUpperLeft
}
```

\AtStockCenter

```
\newcommand\AtStockCenter{}
\ESO@isMEMOIR{%
  \renewcommand\AtStockCenter[1]{%
    \AtStockLowerLeft{%
      \put(\LenToUnit{.5\stockwidth},\LenToUnit{.5\stockheight}){#1}%
    }%
  }%
}{%
  \let\AtStockCenter=\AtPageCenter
}
```

\AtTextUpperLeft

```
\ESO@isMEMOIR{%
  \newcommand\AtTextUpperLeft[1]{%
    \begingroup
```

```
      \ifodd\c@page
        \@tempdima=\spinemargin
      \else
        \@tempdima=\paperwidth
        \advance\@tempdima-\textwidth
        \advance\@tempdima-\spinemargin
      \fi
      \@tempdimb=-\uppermargin
      \AtPageUpperLeft{%
        \put(\LenToUnit{\@tempdima},\LenToUnit{\@tempdimb}){#1}%
      }%
    \endgroup
  }
}{%
  \newcommand\AtTextUpperLeft[1]{%
    \begingroup
      \@tempdima=1in\relax
      \if@twoside
        \ifodd\c@page
          \advance\@tempdima\oddsidemargin
        \else
          \advance\@tempdima\evensidemargin
        \fi
      \else
        \advance\@tempdima\oddsidemargin
      \fi
      \@tempdimb=-1in\relax
      \advance\@tempdimb-\topmargin
      \advance\@tempdimb-\headheight
      \advance\@tempdimb-\headsep
      \AtPageUpperLeft{%
        \put(\LenToUnit{\@tempdima},\LenToUnit{\@tempdimb}){#1}%
      }%
    \endgroup
  }
}
```

\AtTextLowerLeft

```
\newcommand\AtTextLowerLeft[1]{\AtTextUpperLeft{%
  \put(0,\LenToUnit{-\textheight}){#1}}}
```

\AtTextCenter

```
\newcommand\AtTextCenter[1]{\AtTextUpperLeft{%
  \put(\LenToUnit{.5\textwidth},\LenToUnit{-.5\textheight}){#1}}}
```

\ESO@HookIBG
\ESO@HookIIBG
\ESO@HookIIIBG
\ESO@HookIFG
\ESO@HookIIFG
\ESO@HookIIIFG

```
\newcommand{\ESO@HookIBG}{}
\newcommand{\ESO@HookIIBG}{}
\newcommand{\ESO@HookIIIBG}{}
\newcommand{\ESO@HookIFG}{}
\newcommand{\ESO@HookIIFG}{}
\newcommand{\ESO@HookIIIFG}{}
\newcommand{\ESO@HookI}{}
\newcommand{\ESO@HookII}{}
```

```
\newcommand{\ESO@HookIII}{}
\let\ESO@HookI=\ESO@HookIBG
\let\ESO@HookII=\ESO@HookIIBG
\let\ESO@HookIII=\ESO@HookIIIBG
```

\AddToShipoutPictureBG
\AddToShipoutPictureFG

```
\newcommand{\AddToShipoutPictureBG}{%
  \@ifstar{\g@addto@macro\ESO@HookIIBG}{\g@addto@macro\ESO@HookIBG}}
\newcommand{\AddToShipoutPicture}{}
\let\AddToShipoutPicture=\AddToShipoutPictureBG
```

\AddToShipoutPictureFG

```
\newcommand{\AddToShipoutPictureFG}{%
  \@ifstar{\g@addto@macro\ESO@HookIIFG}{\g@addto@macro\ESO@HookIFG}}
```

\ClearShipoutPictureBG
\ClearShipoutPicture
\ClearShipoutPictureFG

```
\newcommand{\ClearShipoutPictureBG}{\global\let\ESO@HookIBG\@empty}
\newcommand{\ClearShipoutPicture}{}
\let\ClearShipoutPicture=\ClearShipoutPictureBG
\newcommand{\ClearShipoutPictureFG}{\global\let\ESO@HookIFG\@empty}
```

\AtBeginShipout (see package atbegshi)
\AtBeginShipoutUpperLeft
\AtBeginShipoutUpperLeftForeground

```
\ESO@isMEMOIR{%
  \AtBeginShipout{%
    \@tempdima=-\trimedge
    \advance\@tempdima-\paperwidth
    \advance\@tempdima\stockwidth
    \if@twoside\ifodd\c@page\else
      \advance\@tempdima2\trimedge
      \advance\@tempdima\paperwidth
      \advance\@tempdima-\stockwidth
    \fi\fi
    \@tempdimb=\ESO@yoffsetI
    \advance\@tempdimb-\trimtop
    \nointerlineskip
    \AtBeginShipoutUpperLeft{%
      \put(\LenToUnit{\@tempdima},\LenToUnit{\@tempdimb}){%
        \ESO@HookIIIBG\ESO@HookIBG\ESO@HookIIBG
        \global\let\ESO@HookIIBG\@empty
      }%
    }%
    \AtBeginShipoutUpperLeftForeground{%
      \put(\LenToUnit{\@tempdima},\LenToUnit{\@tempdimb}){%
        \ESO@HookIFG\ESO@HookIIFG\ESO@HookIIIFG
        \global\let\ESO@HookIIFG\@empty
      }%
    }%
  }
}{%
  \AtBeginShipout{%
    \nointerlineskip
    \AtBeginShipoutUpperLeft{%
      \put(0,\LenToUnit{\ESO@yoffsetI}){%
        \ESO@HookIIIBG\ESO@HookIBG\ESO@HookIIBG
```

```
        \global\let\ESO@HookIIBG\@empty
      }%
    }%
    \AtBeginShipoutUpperLeftForeground{%
      \put(0,\LenToUnit{\ESO@yoffsetI}){%
        \ESO@HookIFG\ESO@HookIIFG\ESO@HookIIIFG
        \global\let\ESO@HookIIFG\@empty
      }%
    }%
  }
}
```

3.2 The background grid

```
\RequirePackage{keyval}
```

Initialising some macros

```
\newif\ifESO@dvips\ESO@dvipsfalse \newif\ifESO@grid\ESO@gridfalse
\newif\ifESO@texcoord\ESO@texcoordfalse \newif\ifESO@gridBG\ESO@gridBGfalse
\newcommand*\ESO@gridunitname{}
\newcommand*\ESO@gridunit{}
\newcommand*\ESO@labelfactor{}
\newcommand*\ESO@griddelta{}\newcommand*\ESO@griddeltaY{}
\newcommand*\ESO@gridDelta{}\newcommand*\ESO@gridDeltaY{}
\newcommand*\ESO@gridcolor{}
\newcommand*\ESO@subgridcolor{}
\newcommand*\ESO@subgridstyle{dotted}% ???
\newcommand*\ESO@gap{}
\newcommand*\ESO@yoffsetI{}\newcommand*\ESO@yoffsetII{}
\newcommand*\ESO@gridlines{\thinlines}
\newcommand*\ESO@subgridlines{\thinlines}
\newcommand*\ESO@hline[1]{\ESO@subgridlines\line(1,0){#1}}
\newcommand*\ESO@vline[1]{\ESO@subgridlines\line(0,1){#1}}
\newcommand*\ESO@Hline[1]{\ESO@gridlines\line(1,0){#1}}
\newcommand*\ESO@Vline[1]{\ESO@gridlines\line(0,1){#1}}
\newcommand\ESO@fcolorbox[3]{\fbox{#3}}
\newcommand\ESO@color[1]{}
\newcommand\ESO@colorbox[2]{%
  \begingroup
    \fboxrule=\z@\fbox{#2}%
  \endgroup
}
```

\gridSetup

```
\newcommand\gridSetup[6][]{%
  \edef\ESO@gridunitname{#1}\edef\ESO@gridunit{#2}
  \edef\ESO@labelfactor{#3}\edef\ESO@griddelta{#4}
  \edef\ESO@gridDelta{#5}\edef\ESO@gap{#6}}
```

All the key-value options

```
\define@key{ESO}{texcoord}[true]{\csname ESO@texcoord#1\endcsname}
\define@key{ESO}{pscoord}[true]{\csname @tempswa#1\endcsname
  \if@tempswa\ESO@texcoordfalse\else\ESO@texcoordtrue\fi}
\define@key{ESO}{dvips}[true]{\csname ESO@dvips#1\endcsname}
\define@key{ESO}{grid}[true]{\csname ESO@grid#1\endcsname
```

```
  \setkeys{ESO}{gridcolor=black,subgridcolor=black}}
\define@key{ESO}{gridBG}[true]{\csname ESO@gridBG#1\endcsname}
\define@key{ESO}{colorgrid}[true]{\csname ESO@grid#1\endcsname
  \setkeys{ESO}{gridcolor=red,subgridcolor=green}}
\define@key{ESO}{gridcolor}{\def\ESO@gridcolor{#1}}
\define@key{ESO}{subgridcolor}{\def\ESO@subgridcolor{#1}}
\define@key{ESO}{subgridstyle}{\def\ESO@subgridstyle{#1}}%
\define@key{ESO}{gridunit}{%
  \def\@tempa{#1}
  \def\@tempb{bp}
  \ifx\@tempa\@tempb
    \gridSetup[\@tempa]{1bp}{1}{10}{50}{2}
  \else
    \def\@tempb{pt}
    \ifx\@tempa\@tempb
      \gridSetup[\@tempa]{\p@}{1}{10}{50}{2}
    \else
      \def\@tempb{in}
      \ifx\@tempa\@tempb
        \gridSetup[\@tempa]{.1in}{.1}{2}{10}{.5}
      \else
        \gridSetup[mm]{1mm}{1}{5}{20}{1}
      \fi
    \fi
  \fi
}
\setkeys{ESO}{subgridstyle=solid,pscoord=true,gridunit=mm}
```

\ProcessOptionsWithKV This macro can process package options using 'key=value' syntax.

```
\def\ProcessOptionsWithKV#1{%
  \let\@tempc\@empty
  \@for\CurrentOption:=\@classoptionslist\do{%
    \@ifundefined{KV@#1@\CurrentOption}%
    {}{\edef\@tempc{\@tempc,\CurrentOption,}}}%
  \edef\@tempc{%
    \noexpand\setkeys{#1}{\@tempc\@ptionlist{\@currname.\@currext}}}%
  \@tempc
  \AtEndOfPackage{\let\@unprocessedoptions\relax}}%

\ProcessOptionsWithKV{ESO}%
```

\ESO@div Divides length #1 by #2 × \ESO@gridunit and adds one. Result is in \@tempcnta.

```
\newcommand\ESO@div[2]{%
  \@tempdima=#1\relax\@tempdimb=\ESO@gridunit\relax
  \@tempdimb=#2\@tempdimb\divide\@tempdima by \@tempdimb
  \@tempcnta\@tempdima\advance\@tempcnta\@ne}


\@ifundefined{colorbox}{%
  \IfFileExists{xcolor.sty}{\RequirePackage{xcolor}}%
    {\RequirePackage{color}}%
}{}%
\let\ESO@color=\color
\renewcommand\ESO@colorbox[2]{%
  \begingroup
```

```
    \fboxsep=.4ex %
    \colorbox{#1}{#2}%
  \endgroup
}
\renewcommand\ESO@fcolorbox[3]{%
  \begingroup
    \fboxsep=.5ex %
    \fcolorbox{#1}{#2}{#3}%
  \endgroup
}
\AtBeginDocument{%
  \ESO@dvipsfalse
  \@ifundefined{Gin@driver}{}%
  {%
    \ifx\Gin@driver\@empty\else%
      \filename@parse{\Gin@driver}\def\reserved@a{dvips}%
      \ifx\filename@base\reserved@a\ESO@dvipstrue\fi
    \fi
  }%
  \ifESO@dvips\def\@tempb{eepic}\else\def\@tempb{epic}\fi
  \def\@tempa{dotted}%\def\ESO@gap{\LenToUnit{6\@wholewidth}}%
  \ifx\@tempa\ESO@subgridstyle
    \IfFileExists{\@tempb.sty}%
    {%
      \RequirePackage{\@tempb}
      \renewcommand*\ESO@hline[1]{\ESO@subgridlines\dottedline{\ESO@gap}%
        (0,0)(##1,0)}
      \renewcommand*\ESO@vline[1]{\ESO@subgridlines\dottedline{\ESO@gap}%
        (0,0)(0,##1)}
    }{}
  \else
    \ifx\ESO@gridcolor\ESO@subgridcolor
      \renewcommand*\ESO@gridlines{\thicklines}
    \fi
  \fi
}
\ifESO@texcoord
  \def\ESO@yoffsetI{\z@}\def\ESO@yoffsetII{-\paperheight}
  \edef\ESO@griddeltaY{-\ESO@griddelta}\edef\ESO@gridDeltaY{-\ESO@gridDelta}
\else
  \def\ESO@yoffsetI{-\paperheight}\def\ESO@yoffsetII{\z@}
  \edef\ESO@griddeltaY{\ESO@griddelta}\edef\ESO@gridDeltaY{\ESO@gridDelta}
\fi
```

\ESO@gridpicture

```
\newcommand\ESO@gridpicture{%
  \begingroup
    \setlength\unitlength{\ESO@gridunit}%
    \ESO@color{\ESO@subgridcolor}%
```

— horizontal subgrid lines —

```
    \ESO@div{\paperheight}{\ESO@griddelta}%
    \multiput(0,0)(0,\ESO@griddeltaY){\@tempcnta}%
      {\ESO@hline{\LenToUnit{\paperwidth}}}%
```

```
— vertical subgrid lines —
    \ESO@div{\paperwidth}{\ESO@griddelta}%
    \multiput(0,\LenToUnit{\ESO@yoffsetII})(\ESO@griddelta,0){\@tempcnta}%
      {\ESO@vline{\LenToUnit{\paperheight}}}%
    \ESO@color{\ESO@gridcolor}%
— horizontal grid lines —
    \ESO@div{\paperheight}{\ESO@gridDelta}%
    \multiput(0,0)(0,\ESO@gridDeltaY){\@tempcnta}%
      {\ESO@Hline{\LenToUnit{\paperwidth}}}%
— vertical grid lines —
    \ESO@div{\paperwidth}{\ESO@gridDelta}%
    \multiput(0,\LenToUnit{\ESO@yoffsetII})(\ESO@gridDelta,0){\@tempcnta}%
      {\ESO@Vline{\LenToUnit{\paperheight}}}%
— horizontal numbers —
    \fontsize{10}{12}\normalfont%
    \ESO@div{\paperwidth}{\ESO@gridDelta}%
    \multiput(0,\ESO@gridDeltaY)(\ESO@gridDelta,0){\@tempcnta}{%
      \@tempcntb=\@tempcnta\advance\@tempcntb-\@multicnt
      \ifnum\@tempcntb>1\relax
        \multiply\@tempcntb by \ESO@gridDelta\relax
        \@tempdima=\@tempcntb sp\@tempdima=\ESO@labelfactor\@tempdima
        \@tempcntb=\@tempdima%
        \makebox(0,0)[c]{\ESO@colorbox{white}{\the\@tempcntb}}%
      \fi}%
— vertical numbers —
    \ifx\ESO@gridunitname\@empty\def\@tempa{0}\else\def\@tempa{1}\fi
    \ESO@div{\paperheight}{\ESO@gridDelta}%
    \multiput(\ESO@gridDelta,0)(0,\ESO@gridDeltaY){\@tempcnta}{%
      \@tempcntb=\@tempcnta\advance\@tempcntb-\@multicnt%
      \ifnum\@tempcntb>\@tempa\relax
        \multiply\@tempcntb by \ESO@gridDelta\relax%
        \@tempdima=\@tempcntb sp\@tempdima=\ESO@labelfactor\@tempdima
        \@tempcntb=\@tempdima
        \makebox(0,0)[c]{\ESO@colorbox{white}{\the\@tempcntb}}%
      \fi
    }%
— the unit label —
    \ifx\ESO@gridunitname\@empty\else
      \thicklines\fboxrule=\@wholewidth
      \put(\ESO@gridDelta,\ESO@gridDeltaY){\makebox(0,0)[c]{%
        \ESO@fcolorbox{\ESO@gridcolor}{white}{%
          \textbf{\ESO@gridunitname}}}}%
    \fi
    \normalcolor%
  \endgroup
}
```

Add the grid to the shipout picture (`\ESO@HookIIIFG` or `\ESO@HookIIIBG`) is independed from the user commands `\AddToShipoutPictureBG` and `\AddToShipoutPictureBG*`).

```
\ifESO@grid
  \ifESO@gridBG
    \g@addto@macro\ESO@HookIIIBG{\ESO@gridpicture}%
  \else
    \g@addto@macro\ESO@HookIIIFG{\ESO@gridpicture}%
  \fi
\fi
```

Change History

v0.4
General: Initial version 1
v0.5
General: Some bug corrections . . . 1
v0.6
General: Some corrections for compatibility with the html package suggested by Ross Moore and a licence note 1
v0.7
General: New command \AddToShipoutPicture* 1
v1.0
General: New commands \LenToUnit, \AtPageUpperLeft, \AtPageCenter, \AtTextUpperLeft, and \AtTextCenter. 1
v1.0a
\ClearShipoutPictureFG: Changed \let to \global\let (suggested by Alberto Lusiani). . . . 5
v1.0c
General: New command \AtTextLowerLeft and corrections to \AtTextUpperLeft. . . . 1
v1.0d
\LenToUnit: Using \providecommand instead of \newcommand for \LenToUnit 2
v1.1
General: New commands and package options for background grids. 1
v1.1a
\ESO@gridpicture: Font setting added. 9
v1.1b
General: New command \AtPageLowerLeft 1
New package options "texcoord" and "pscoord" 1
v1.1c
General: Remove the disadvantageous check of 'pdfTeX'. Now using with XeLaTeX should be possible. 7
v2.0a
General: Better test of color/xcolor 7
\AtStockCenter: New 3
\AtStockLowerLeft: New 3
\AtStockUpperLeft: New 3
\AtTextUpperLeft: Works now for class memoir 3
v2.0b
\AddToShipoutPictureFG: New command \AddToShipoutPictureFG 5
v2.0c
\AtBeginShipoutUpperLeftForeground: bugfix for memoir class (reported by YI Hoze) 5
v2.0d
General: grid should be in foreground 9
Improved color commands 7
v2.0e
\AtTextUpperLeft: Wrong horizontal position in one-column mode 3
v2.0f
\LenToUnit: Changed definition for better compatibility with package curve2e suggested by Claudio Beccari. 2
v2.0g
General: Foreground/background grid. 9
New \ifESO@gridBG for foreground/background grid. 6
New macro \ESO@HookIIIFG for foreground grid. 4
New option 'gridBG'. 6

Index

Numbers written in italic refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in roman refer to the code lines where the entry is used.

Symbols

\@classoptionslist . 226
\@currext 230
\@currname 230
\@empty 115, 118, 135, 141, 151, 157, 225, 259, 315, 326
\@for 226
\@ifclassloaded 4
\@ifstar 110, 114
\@ifundefined 227, 238, 257
\@multicnt . . . 308, 318
\@ne 237
\@ptionlist 230
\@tempa 205, 207, 208, 211, 212, 215, 216, 265, 266, 315, 319
\@tempb . . . 206, 207, 210, 211, 214, 215, 264, 267, 269
\@tempc . . . 225, 228–231
\@tempcnta 237, 293, 296, 300, 303, 307, 308, 317, 318
\@tempcntb 308–313, 318–323
\@tempdima 17–19, 21, 27, 58, 60–62, 66, 73, 76, 78, 81, 88, 121–123, 125–127, 133, 139, 235–237, 311, 312, 321, 322
\@tempdimb . . 23–25, 27, 64, 66, 83–86, 88, 129, 130, 133, 139, 235, 236
\@unprocessedoptions 232
\@wholewidth . . 265, 327

A

\AddToShipoutPicture 111, 112
\AddToShipoutPictureBG *1*, 109
\AddToShipoutPictureBG* *1*
\AddToShipoutPictureFG *1*, 109, 113
\AddToShipoutPictureFG* *1*
\advance 18, 19, 24, 25, 61, 62, 76, 78, 81, 84–86, 122, 123, 125–127, 130, 237, 308, 318
\AtBeginDocument . . 255
\AtBeginShipout . . . 119
\AtBeginShipoutUpperLeft 119
\AtBeginShipoutUpperLeftForeground 119
\AtEndOfPackage . . . 232
\AtPageCenter . *2*, 10, 52
\AtPageLowerLeft *2*, 8, 26, 32
\AtPageUpperLeft *2*, 5, 8, 10, 42, 65, 87
\AtStockCenter . . . *2*, 44
\AtStockLowerLeft *2*, 13, 37, 47
\AtStockUpperLeft *2*, 34
\AtTextCenter *2*, 95
\AtTextLowerLeft . *2*, 93
\AtTextUpperLeft *2*, 54, 93, 95

B

\begingroup 16, 56, 72, 184, 244, 250, 289

C

\c@page . . 20, 57, 75, 124
\ClearShipoutPicture 115
\ClearShipoutPictureBG *1*, 115
\ClearShipoutPictureFG *1*, 115
\color 242
\colorbox 246
\csname . . . 192, 193, 195, 196, 198, 199
\CurrentOption 226–228

D

\def . . . 201–203, 205, 206, 210, 214, 224, 260, 264, 265, 282, 285, 315
\define@key . . . 192, 193, 195, 196, 198, 199, 201–204
\dimexpr 2
\divide 236
\do 226
\dottedline . . . 270, 272

E

\edef 189–191, 228, 229, 283, 286
\else 20, 59, 77, 80, 124, 194, 209, 213, 217, 259, 264, 275, 284, 315, 326, 338
\endcsname 192, 193, 195, 196, 198, 199
\endgroup 29, 68, 90, 186, 247, 253, 333
\ESO@color 182, 242, 291, 298
\ESO@colorbox 183, 243, 313, 323
\ESO@div 234, 292, 295, 299, 302, 306, 316
\ESO@dvipsfalse 163, 256
\ESO@dvipstrue 261
\ESO@fcolorbox 181, 249, 329
\ESO@gap 173, 191, 265, 270, 272
\ESO@gridBGfalse . . 164
\ESO@gridcolor 170, 201, 276, 298, 329
\ESO@gridDelta 169, 191, 283, 286, 299, 302, 303, 306, 307, 310, 316, 317, 320, 328

\ESO@griddelta 168, 190, 283, 286, 292, 295, 296
\ESO@gridDeltaY . . . 169, 283, 286, 300, 307, 317, 328
\ESO@griddeltaY . . . 168, 283, 286, 293
\ESO@gridfalse 163
\ESO@gridlines 175, 179, 180, 277
\ESO@gridpicture 288, 337, 339
\ESO@gridunit 166, 189, 235, 290
\ESO@gridunitname 165, 189, 315, 326, 330
\ESO@Hline . . . 179, 301
\ESO@hline 177, 270, 294
\ESO@HookI . . . 103, 106
\ESO@HookIBG *4*, 97, 106, 110, 115, 134, 150
\ESO@HookIFG . *4*, 100, 114, 118, 140, 156
\ESO@HookII . . . 104, 107
\ESO@HookIIBG *4*, 98, 107, 110, 134, 135, 150, 151
\ESO@HookIIFG *4*, 101, 114, 140, 141, 156, 157
\ESO@HookIII . . 105, 108
\ESO@HookIIIBG *4*, 99, 108, 134, 150, 337
\ESO@HookIIIFG . . *4*, 102, 140, 156, 339
\ESO@isMEMOIR . . . 3, 14, 35, 45, 54, 119
\ESO@labelfactor . . . 167, 190, 311, 321
\ESO@subgridcolor . . 171, 202, 276, 291
\ESO@subgridlines . . 176–178, 270, 272
\ESO@subgridstyle 172, 203, 266
\ESO@texcoordfalse 164, 194
\ESO@texcoordtrue . 194
\ESO@Vline . . . 180, 304
\ESO@vline 178, 272, 297
\ESO@yoffsetI 6, 129, 149, 155, 174, 282, 285
\ESO@yoffsetII 174, 282, 285, 296, 303
\evensidemargin . . . 78

F

\fbox 181, 185
\fboxrule 185, 327
\fboxsep 245, 251
\fcolorbox 252
\fi . . 22, 63, 79, 82, 128, 194, 219–221, 261, 262, 264, 278, 279, 287, 314, 315, 324, 331, 340, 341
\filename@base 261
\filename@parse . . . 260
\fontsize 305

G

\g@addto@macro 110, 114, 337, 339
\Gin@driver . . . 259, 260
\global . . . 115, 118, 135, 141, 151, 157
\gridSetup . . *1*, 188, 208, 212, 216, 218

H

\headheight 85
\headsep 86

I

\if@tempswa 194
\if@twoside . 20, 74, 124
\ifESO@dvips . . 163, 264
\ifESO@grid . . . 163, 335
\ifESO@gridBG . 164, 336
\ifESO@texcoord 164, 281
\IfFileExists . 239, 267
\ifnum 309, 319
\ifodd . . . 20, 57, 75, 124
\ifx 207, 211, 215, 259, 261, 266, 276, 315, 326

L

\LenToUnit *1*, 2, 6, 9, 11, 27, 38, 48, 66, 88, 94, 96, 133, 139, 149, 155, 265, 294, 296, 297, 301, 303, 304
\let 32, 42, 52, 106–108, 112, 115, 117, 118, 135, 141, 151, 157, 225, 232, 242
\line 177–180

M

\makebox . . 313, 323, 328
\multiply 310, 320
\multiput . 293, 296, 300, 303, 307, 317

N

\newif 163, 164
\noexpand 230
\nointerlineskip 131, 147
\normalcolor 332
\normalfont 305

O

\oddsidemargin . . 76, 81

P

\p@ 2, 212
\paperheight 9, 11, 24, 282, 285, 292, 297, 299, 304, 316
\paperwidth 11, 19, 60, 122, 126, 294, 295, 301, 302, 306
\ProcessOptionsWithKV 224, 233
\providecommand 2
\put 6, 9, 11, 27, 38, 48, 66, 88, 94, 96, 133, 139, 149, 155, 328

R

\relax 73, 83, 232, 235, 309, 310, 319, 320
\renewcommand . . . 4, 15, 36, 46, 243, 249, 270, 272, 277
\RequirePackage . 1, 162, 239, 240, 269
\reserved@a . . . 260, 261

S

\setkeys 197, 200, 223, 230

\setlength 290
\spinemargin 58, 62
\stockheight . 23, 38, 48
\stockwidth . . . . . .
. . 17, 48, 123, 127
\strip@pt 2

T

\textbf 330
\textheight 94, 96
\textwidth 61, 96
\the 313, 323
\thicklines . . . 277, 327
\thinlines . . . 175, 176
\topmargin 84
\trimedge 18, 21, 121, 125
\trimtop 25, 130

U

\unitlength 2, 290
\uppermargin 64

Z

\z@ 185, 282, 285