

The `lstbayes` package

Jeffrey B. Arnold
jeffrey.arnold@gmail.com

lstbayes from 2015/12/22

1 Introduction

This package provides language drivers for the `listings` package for the several Bayesian modeling languages: BUGS, JAGS, and Stan.

2 Usage

See the documentation of the `listings` package.

3 Implementation

```
1 \RequirePackage{listings}
```

3.1 BUGS

Language driver for BUGS, including WinBUGS and OpenBUGS. The driver is based on OpenBUGS v. 3.2.3.

```
2 \lstdefinlanguage{BUGS}{
3   morekeywords=[1]{for,in,model,T,I,C},%
4   morecomment=[1]{\#},%
5   sensitive=true,%
6   alsoletter={.},%
7   otherkeywords={<-,~},%
8   literate={<-}{\leftarrow}1 {~}{\sim}1%
9 }
10 \lstalias[] {OpenBUGS} [] {BUGS}
11 \lstalias[] {WinBUGS} [] {BUGS}
```

3.2 JAGS

Language driver for JAGS. The driver is based on JAGS version 3.4.0 (Sept 4, 2013).

```
12 \lstdefinlanguage[] {JAGS} [] {BUGS}{
```

```

13 morekeywords=[1]{data,var,const},%
14 morecomment=[n]{/*}{*/}%
15 }

```

3.3 Stan

Language driver for Stan. The driver is based on Stan modeling language version 2.9.0.

```

16 \lstdefinlanguage{Stan}{
17   morekeywords=[1]{functions,data,parameters,transformed,model,generated,quantities,%
18     for,in,while,print,if,else,lp_,lower,upper,increment_log_prob,T,return,%
19     reject,integrate_ode},%
20   morekeywords=[2]{int,real,vector,%
21     ordered,positive_ordered,simplex,unit_vector,%
22     row_vector,matrix,%
23     cholesky_factor_corr,cholesky_factor_cov,%
24     coor_matrix,cov_matrix,%
25     void},%
26   morekeywords=[3]{%
27     Phi,%
28     Phi_approx,%
29     abs,%
30     acos,%
31     acosh,%
32     append_col,%
33     append_row,%
34     asin,%
35     asinh,%
36     atan,%
37     atan2,%
38     atanh,%
39     bernoulli,%
40     bernoulli_ccdf_log,%
41     bernoulli_cdf,%
42     bernoulli_cdf_log,%
43     bernoulli_log,%
44     bernoulli_logit,%
45     bernoulli_logit_log,%
46     bernoulli_rng,%
47     bessel_first_kind,%
48     bessel_second_kind,%
49     beta,%
50     beta_binomial,%
51     beta_binomial_ccdf_log,%
52     beta_binomial_cdf,%
53     beta_binomial_cdf_log,%
54     beta_binomial_log,%
55     beta_binomial_rng,%
56     beta_ccdf_log,%

```

```
57  beta_cdf,%
58  beta_cdf_log,%
59  beta_log,%
60  beta_rng,%
61  binary_log_loss,%
62  binomial,%
63  binomial_ccdf_log,%
64  binomial_cdf,%
65  binomial_cdf_log,%
66  binomial_coefficient_log,%
67  binomial_log,%
68  binomial_logit,%
69  binomial_logit_log,%
70  binomial_rng,%
71  block,%
72  categorical,%
73  categorical_log,%
74  categorical_logit,%
75  categorical_logit_log,%
76  categorical_rng,%
77  cauchy,%
78  cauchy_ccdf_log,%
79  cauchy_cdf,%
80  cauchy_cdf_log,%
81  cauchy_log,%
82  cauchy_rng,%
83  cbrt,%
84  ceil,%
85  chi_square,%
86  chi_square_ccdf_log,%
87  chi_square_cdf,%
88  chi_square_cdf_log,%
89  chi_square_log,%
90  chi_square_rng,%
91  cholesky_decompose,%
92  col,%
93  cols,%
94  columns_dot_product,%
95  columns_dot_self,%
96  cos,%
97  cosh,%
98  crossprod,%
99  csr_extract_u,%
100 csr_extract_v,%
101 csr_extract_w,%
102 csr_matrix_times_vector,%
103 csr_to_dense_matrix,%
104 cumulative_sum,%
105 determinant,%
106 diag_matrix,%
```

107 diag_post_multiply,%
108 diag_pre_multiply,%
109 diagonal,%
110 digamma,%
111 dims,%
112 dirichlet,%
113 dirichlet_log,%
114 dirichlet_rng,%
115 distance,%
116 dot_product,%
117 dot_self,%
118 double_exponential,%
119 double_exponential_ccdf_log,%
120 double_exponential_cdf,%
121 double_exponential_cdf_log,%
122 double_exponential_log,%
123 double_exponential_rng,%
124 e,%
125 eigenvalues_sym,%
126 eigenvectors_sym,%
127 erf,%
128 erfc,%
129 exp,%
130 exp2,%
131 exp_mod_normal,%
132 exp_mod_normal_ccdf_log,%
133 exp_mod_normal_cdf,%
134 exp_mod_normal_cdf_log,%
135 exp_mod_normal_log,%
136 exp_mod_normal_rng,%
137 expm1,%
138 exponential,%
139 exponential_ccdf_log,%
140 exponential_cdf,%
141 exponential_cdf_log,%
142 exponential_log,%
143 exponential_rng,%
144 fabs,%
145 falling_factorial,%
146 fdim,%
147 floor,%
148 fma,%
149 fmax,%
150 fmin,%
151 fmod,%
152 frechet,%
153 frechet_ccdf_log,%
154 frechet_cdf,%
155 frechet_cdf_log,%
156 frechet_log,%

```
157     frechet_rng,%
158     gamma,%
159     gamma_ccdf_log,%
160     gamma_cdf,%
161     gamma_cdf_log,%
162     gamma_log,%
163     gamma_p,%
164     gamma_q,%
165     gamma_rng,%
166     gaussian_dlm_obs,%
167     gaussian_dlm_obs_log,%
168     get_lp,%
169     gumbel,%
170     gumbel_ccdf_log,%
171     gumbel_cdf,%
172     gumbel_cdf_log,%
173     gumbel_log,%
174     gumbel_rng,%
175     head,%
176     hypergeometric,%
177     hypergeometric_log,%
178     hypergeometric_rng,%
179     hypot,%
180     if_else,%
181     int_step,%
182     inv,%
183     inv_chi_square,%
184     inv_chi_square_ccdf_log,%
185     inv_chi_square_cdf,%
186     inv_chi_square_cdf_log,%
187     inv_chi_square_log,%
188     inv_chi_square_rng,%
189     inv_cloglog,%
190     inv_gamma,%
191     inv_gamma_ccdf_log,%
192     inv_gamma_cdf,%
193     inv_gamma_cdf_log,%
194     inv_gamma_log,%
195     inv_gamma_rng,%
196     inv_logit,%
197     inv_phi,%
198     inv_sqrt,%
199     inv_square,%
200     inv_wishart,%
201     inv_wishart_log,%
202     inv_wishart_rng,%
203     inverse,%
204     inverse_spd,%
205     is_inf,%
206     is_nan,%
```

207 lbeta,%
208 lgamma,%
209 lkj_corr,%
210 lkj_corr_cholesky,%
211 lkj_corr_cholesky_log,%
212 lkj_corr_cholesky_rng,%
213 lkj_corr_log,%
214 lkj_corr_rng,%
215 lmgamma,%
216 log,%
217 log10,%
218 log1m,%
219 log1m_exp,%
220 log1m_inv_logit,%
221 log1p,%
222 log1p_exp,%
223 log2,%
224 log_determinant,%
225 log_diff_exp,%
226 log_falling_factorial,%
227 log_inv_logit,%
228 log_mix,%
229 log_rising_factorial,%
230 log_softmax,%
231 log_sum_exp,%
232 logistic,%
233 logistic_ccdf_log,%
234 logistic_cdf,%
235 logistic_cdf_log,%
236 logistic_log,%
237 logistic_rng,%
238 logit,%
239 lognormal,%
240 lognormal_ccdf_log,%
241 lognormal_cdf,%
242 lognormal_cdf_log,%
243 lognormal_log,%
244 lognormal_rng,%
245 machine_precision,%
246 max,%
247 mdivide_left_tri_low,%
248 mdivide_right_tri_low,%
249 mean,%
250 min,%
251 modified_bessel_first_kind,%
252 modified_bessel_second_kind,%
253 multi_gp,%
254 multi_gp_cholesky,%
255 multi_gp_cholesky_log,%
256 multi_gp_log,%

257 multi_normal,%
258 multi_normal_cholesky,%
259 multi_normal_cholesky_log,%
260 multi_normal_cholesky_rng,%
261 multi_normal_log,%
262 multi_normal_prec,%
263 multi_normal_prec_log,%
264 multi_normal_rng,%
265 multi_student_t,%
266 multi_student_t_log,%
267 multi_student_t_rng,%
268 multinomial,%
269 multinomial_log,%
270 multinomial_rng,%
271 multiply_log,%
272 multiply_lower_tri_self_transpose,%
273 neg_binomial,%
274 neg_binomial_2,%
275 neg_binomial_2_ccdf_log,%
276 neg_binomial_2_cdf,%
277 neg_binomial_2_cdf_log,%
278 neg_binomial_2_log,%
279 neg_binomial_2_log,%
280 neg_binomial_2_log_log,%
281 neg_binomial_2_log_rng,%
282 neg_binomial_2_rng,%
283 neg_binomial_ccdf_log,%
284 neg_binomial_cdf,%
285 neg_binomial_cdf_log,%
286 neg_binomial_log,%
287 neg_binomial_rng,%
288 negative_infinity,%
289 normal,%
290 normal_ccdf_log,%
291 normal_cdf,%
292 normal_cdf_log,%
293 normal_log,%
294 normal_rng,%
295 not_a_number,%
296 num_elements,%
297 ordered_logistic,%
298 ordered_logistic_log,%
299 ordered_logistic_rng,%
300 owens_t,%
301 pareto,%
302 pareto_ccdf_log,%
303 pareto_cdf,%
304 pareto_cdf_log,%
305 pareto_log,%
306 pareto_rng,%

307 pareto_type_2,%
308 pareto_type_2_ccdf_log,%
309 pareto_type_2_cdf,%
310 pareto_type_2_cdf_log,%
311 pareto_type_2_log,%
312 pareto_type_2_rng,%
313 pi,%
314 poisson,%
315 poisson_ccdf_log,%
316 poisson_cdf,%
317 poisson_cdf_log,%
318 poisson_log,%
319 poisson_log,%
320 poisson_log_log,%
321 poisson_log_rng,%
322 poisson_rng,%
323 positive_infinity,%
324 pow,%
325 prod,%
326 qr_Q,%
327 qr_R,%
328 quad_form,%
329 quad_form_diag,%
330 quad_form_sym,%
331 rank,%
332 rayleigh,%
333 rayleigh_ccdf_log,%
334 rayleigh_cdf,%
335 rayleigh_cdf_log,%
336 rayleigh_log,%
337 rayleigh_rng,%
338 rep_array,%
339 rep_matrix,%
340 rep_row_vector,%
341 rep_vector,%
342 rising_factorial,%
343 round,%
344 row,%
345 rows,%
346 rows_dot_product,%
347 rows_dot_self,%
348 scaled_inv_chi_square,%
349 scaled_inv_chi_square_ccdf_log,%
350 scaled_inv_chi_square_cdf,%
351 scaled_inv_chi_square_cdf_log,%
352 scaled_inv_chi_square_log,%
353 scaled_inv_chi_square_rng,%
354 sd,%
355 segment,%
356 sin,%

357 singular_values,%
358 sinh,%
359 size,%
360 skew_normal,%
361 skew_normal_ccdf_log,%
362 skew_normal_cdf,%
363 skew_normal_cdf_log,%
364 skew_normal_log,%
365 skew_normal_rng,%
366 softmax,%
367 sort_asc,%
368 sort_desc,%
369 sort_indices_asc,%
370 sort_indices_desc,%
371 sqrt,%
372 sqrt2,%
373 square,%
374 squared_distance,%
375 step,%
376 student_t,%
377 student_t_ccdf_log,%
378 student_t_cdf,%
379 student_t_cdf_log,%
380 student_t_log,%
381 student_t_rng,%
382 sub_col,%
383 sub_row,%
384 sum,%
385 tail,%
386 tan,%
387 tanh,%
388 tcrossprod,%
389 tgamma,%
390 to_array_1d,%
391 to_array_2d,%
392 to_matrix,%
393 to_row_vector,%
394 to_vector,%
395 trace,%
396 trace_gen_quad_form,%
397 trace_quad_form,%
398 trigamma,%
399 trunc,%
400 uniform,%
401 uniform_ccdf_log,%
402 uniform_cdf,%
403 uniform_cdf_log,%
404 uniform_log,%
405 uniform_rng,%
406 variance,%

```

407     von_mises,%
408     von_mises_log,%
409     von_mises_rng,%
410     weibull,%
411     weibull_ccdf_log,%
412     weibull_cdf,%
413     weibull_cdf_log,%
414     weibull_log,%
415     weibull_rng,%
416     wiener,%
417     wiener_log,%
418     wishart,%
419     wishart_log,%
420     wishart_rng
421   },%
422   otherkeywords={<-,~},%
423   sensitive=true,%
424   morecomment=[l]{\#},%
425   morecomment=[l]{//},%
426   morecomment=[n]{*}{*/},%
427   string=[d]"%,
428   literate={<-}{\leftarrow}1 {~}{\sim}1%
429 }

```

Change History

2015-09-26	General: Converted to DTX file . . . 1	2015-09-28	General: Fix README. Add key-
2015-09-27	General: Fix README 1		words for all built-in functions
			that are in Stan v2.8.0. 1

Index

Numbers written in *italic* refer to the page where the corresponding entry is described; numbers underlined refer to the code line of the definition; numbers in **roman** refer to the code lines where the entry is used.

S	Y	R
Symbols	<code>\lstalias</code> 10, 11	<code>\RequirePackage</code> 1
<code>\#</code> 4, 424		
L	<code>\lstdefinlanguage</code> .	S
<code>\leftarrow</code> 8, 428 2, 12, 16	<code>\sim</code> 8, 428