Page: 1

cifinsert

February 1, 2016

Abstract

Insert CCF constituents in an existing Calibration Index File.

1 Instruments/Modes

	Instrument	Mode	
n/a		n/a	

2 Use

pipeline processing	no	
interactive analysis	yes	

3 Description

cifinsert adds CCF constituents to an existing Calibration Index File.

The Calibration Index File can be generated with **cifbuild**.

If the Calibration Index File already contains an entry corresponding to the calibration type and scope of one of the CCF constituents to be added (sets), a warning is issued by the cifbuild library. The affected CCF constituent is not added to the Calibration Index File. See cifremove to delete an entry from a Calibration Index File.

4 Parameters

This section documents the parameters recognized by this task (if any).

Parameter	Mand	Type	Default	Constraints

calindexset yes e ccf.cif				
	calindexset	e	ccf.cif	

Name of the calibration index set to be edited.

2

sets	no	E	

CCF constituents to insert in the Calibration Index Set.

5 Errors

This section documents warnings and errors generated by this task (if any). Note that warnings and errors can also be generated in the SAS infrastructure libraries, in which case they would not be documented here. Refer to the index of all errors and warnings available in the HTML version of the SAS documentation.

none.

6 Input Files

- 1. A Calibration Index Files, as created by **cifbuild**.
- 2. Any number of CCF constituents [1].

7 Output Files

1. The input Calibration Index File, appropriately modified.

8 Algorithm

```
cif=parameter(calindexset)
foreach( set in parameter(sets))
  cif.insert(set)
end
```

9 Comments

• The task makes use of the **cifbuild** task library. Errors and warnings generated by **cifinsert** not documented in here should be looked up in **cifbuild**.



References

[1] ESA. Interface control document for the XMM current calibration file. Technical Report XMM-GEN-ICD-0005, ESA/SSD, Dec 2001. Issue 4.0.